


# BEHRINGER



# 09

**20**  
YEAR  
ANNIVERSARY  
1989~2009



**Microphones, Wireless Systems and**

**Headphones 08**

**Mixers and Powered Mixers 10**

**Loudspeakers and Amplifiers 22**

**Audio Technology 30**

**Recording 36**

**DJ Products 41**

**Professional Lighting Systems 44**

**Musical Instruments 44**

**Musical Instrument Amplification**

**and Effects 48**

[www.behringer.com](http://www.behringer.com)

**40+ new products!**



# Discover more than 40 new products in this catalog!

New Condenser Microphones pg. **07**



Ooooo. Tuuuubes.

New XENYX Live Sound Mixers pg. **10**



These new 16, 24, and 32 live sound consoles were the talk of the 2009 NAMM trade show!

New XENYX Field Mixer pg. **14**




New EURODESK Effects Mixers pg. **14**



The triumphant return of the 8-bus console. Two new models!

New EURODESK 8-Bus Mixing Consoles pg. **17**



Ribbons and Kevlar ROCKS!

New EUROPOWER Mixers pg. **21**



900 WATTS!

New DJ Mixer pg. **42**



More new products!

New Active Loudspeaker Series pg. **22**



4 new high-power weight-saving active speakers

New Passive Loudspeaker Series pg. **25**



New Active Floor Monitor pg. **25**



New EPX Series: Our lightest-weight power amplifiers yet!

New Power Amplifiers pg. **28**



New Recording Software and Interfaces pg. **36**



A cross-platform DAW on a thumb drive? Meet XT2.5

New Active Studio Monitors pg. **40**



New Digital Pianos pg. **44**





New Guitar Amp Combos pg. **50**



New Guitar Processor with USB pg. **56**

USB Computer Interface and music production software included!



New Pedal Board pg. **63**



## The surest way to build it right is to build it yourself.

The latest manufacturing fad? Outsourcing. Have somebody else build it. Somewhere. Just keep those containers coming. At BEHRINGER, we believe that the only way to ensure quality and maximize value is to build our products in our own state-of-the-art factory. An ISO 9001/9002- certified factory where the working conditions are so good that we have a waiting list for employment. From the circuitry in our mixers to the fretwork on our guitars, it's all made under one roof (well, actually six really, really big roofs). We fabricate our own cabinets in a huge woodshop, stuff our own circuit boards and test, re-test and re-re-

test every unit before it leaves.

Unlike the vast majority of our competitors, we build our own speakers. We mold the cones from raw pulp, machine our own parts and wind our own voice coils. It was worth the huge investment.

What does this all mean to you? More value for your money when you buy a BEHRINGER product. And the assurance that it will last through years of use.



## BEHRINGER CITY, where musical passion meets quality.

over-1- million-square foot city comprised of manufacturing facilities and living/ recreational area.

Founded by Uli Behringer, who remains deeply involved in day-to-day operations, BEHRINGER has a track record of manufacturing excellence that spans



two decades. BEHRINGER City was built as a model of efficiency. Each building is meticulously planned and designed to fulfill clearly defined functions. Factories and operations such as Electronics, Loudspeakers, Wood, Electric Guitars, Digital Pianos, Research and Development, Administration and Warehousing are all strategically positioned to offer an uninterrupted flow in the manufacturing process.

BEHRINGER's application of integrated production principles has heralded a



significant increase in efficiency and successful implementation of Total Quality Management. This means that every product model has passed a set of stringent reliability tests and leaves the manufacturing line in strict compliance with internationally recognized standards.

With BEHRINGER City now in full operation, BEHRINGER is set to continue to blaze the trail of success ahead into the future. Indeed, BEHRINGER City is the culmination of the company's passion for music and its commitment to offer top-notch products at affordable prices. When it comes to quality products and superior manufacturing processes, the choice is clear—Just listen.



The city of Zhong Shan in Guangdong Province, China, is a modern metropolis with scenic parks and wide boulevards. It is also where the heart of BEHRINGER's manufacturing operations is situated.

BEHRINGER City is a vibrant community that integrates every facet of the production chain under one roof. This is where every BEHRINGER product is manufactured and distributed globally. More than 3,000 enthusiastic employees work, live and play in an



Microphones & Wireless Systems	08
Headphones	09
XENYX Premium Mic/Line Mixers	10
EURODESK Mixing Consoles	14
Special Purpose Analog Mixers	18
EUROPOWER Powered Mixers	20
EUROLIVE Active PA Speakers	22
EUROLIVE Passive PA Speakers	25
Business / Installed Speakers	27
EUROPOWER Power Amplifiers	28
Portable PA Systems	29
Audio Technology Dynamics Processors, Equalizers & Multiprocessors, 24-bit Digital Effects Processors, Sound Enhancement Processors Crossovers & Speaker Management	30
Microphone Preamps	32
Headphone Amplifiers	33
Audio Toolkit Practical Problem-Solvers	34
Recording Podcasting Systems, Music Production Software, Computer Recording Controllers USB/MIDI Interfaces	36
Studio Monitors	40
DJ Products	41
Professional Lighting Systems	44
Musical Instruments EUROGRAND Digital Pianos, Guitars & Guitar Packages	44
Guitar Amplification & Cabinets	48
Bass Amplification & Cabinets	52
Keyboard Amplification	55
Modeling Processors	56
Effects Processors & Pedals	58
Guitar and Bass Accessories	63



## Innovation times three hundred.

Almost three hundred products. Almost three hundred Research and Development staff members in four different countries.

Electronic engineers, software programmers, mechanical engineers and Computer Aided Design operators. Obsessed Product Managers who pour their passion into new product concepts. Test engineers who make sure our products comply with every applicable international safety standard.



Uli Behringer (top left) with members of our Manila, Philippines Product Development team.

All led by Uli Behringer, who is directly involved with every digital, analog and acoustic product we make — from determining the feature set to industrial design to final manufacturing. This passion for music combined with the latest technology has led us to innovations like DSP active loudspeakers, RSM modeling and the new XENYX XL Series live mixers.

It just never stops.

# 20 YEAR ANNIVERSARY

1989~2009

## BEHRINGER is celebrating twenty years in pro audio.

Twenty years ago, young Uli Behringer was a starving sound engineering student and jazz musician living in Düsseldorf.

He couldn't afford quality pro audio electronics. Luckily, he had a long track record of tinkering with electronics (he built his first synthesizer and a digital reverb at the age of 16). So Uli set out to create his own pro audio gear. In his apartment. On the kitchen table.



His first real product, the Studio Exciter, worked so well that friends started asking him to build them one. He soldered together a few; one got into the hands of a magazine reviewer who loved it and the rest is history. Plus



a lot of hard work.

As BEHRINGER grew, Uli never lost sight of the fact that musicians never have enough money for all of the audio toys they'd love to own. He made it his personal mission to build great products for musicians who don't have deep pockets. So then as now, our products are designed to be as affordable as possible — without sacrificing audio quality or durability.

As you page through this catalog, you'll see hundreds of examples of this philosophy. It's kept us growing for twenty years. And thanks to musicians like yourself who supported us in all these years, we're looking forward to another twenty starting right now!

## Condenser Microphones

**NEW!**

### C-4 Matched-Pair Condenser Microphones



#### SINGLE DIAPHRAGM CONDENSER C-4 Matched-Pair Single Diaphragm Condenser Microphones

- 2 professional true condenser microphones for studio recording and live applications
- Sold as matched pair—perfect for stereophonic recording
- Low-mass diaphragm for ultra-wide frequency response and ultimate sound reproduction
- Perfect for acoustic instruments,

overhead, piano, etc.

- Cardioid pickup pattern for effective feedback elimination
- Switchable low-frequency roll-off and -10 dB input attenuation
- Custom microphone stand adapters, windscreens, stereo-bar and transport case included
- Ultra low-noise transformerless FET input eliminates low-frequency distortion
- Gold-plated 3-pin XLR connector for highest signal integrity
- High-quality components and exceptionally rugged construction ensure long life
- Conceived and designed by BEHRINGER Germany



### T-1 & T-47 Tube Condenser Microphones

For years, the warmth of a large-diaphragm TUBE microphone has been financially out of reach for the average home project studio owner. We've changed that with our T-1 and T-47. Each features a premium 12AX7 tube and external power supply.



**NEW!**

#### STUDIO CONDENSER MICROPHONE T-1

- Professional, large-diaphragm, vacuum tube condenser microphones for unsurpassed audio quality
- Hand-selected 12AX7 vacuum tube for exceptional warmth and vintage sound



- Ideal as main and support microphone for studio and live applications

- Cardioid pickup pattern for outstanding sound source separation and feedback rejection

- Pressure-gradient transducer with shock-mounted capsule
- Perfect for vocals and acoustic instruments
- Switchable low-frequency roll-off and -20 dB input attenuation

- External power supply with 30 ft. (10 m) multi-core included
- Heavy-duty suspension mount, windscreen and aluminum transport case included
- Ultra-rugged construction with metal die-cast body
- High-quality components and exceptionally rugged

- Construction ensure long life
- Conceived and designed by BEHRINGER Germany

#### STUDIO CONDENSER MICROPHONE T-47

- Professional, large-diaphragm, vacuum tube condenser microphone for unsurpassed audio quality
- Hand-selected 12AX7 vacuum tube for exceptional warmth and vintage sound
- Ideal as main and support mic for studio and live applications

- Cardioid pickup pattern for outstanding sound source separation and feedback rejection
- Pressure-gradient transducer with shock-mounted capsule
- Perfect for vocals and acoustic instruments
- Switchable low-frequency roll-off
- External power supply with 30 ft. (10 m) multi-core included
- Heavy-duty suspension mount, windscreen and aluminum transport case included
- Ultra-rugged construction with metal die-cast body
- High-quality components and exceptionally rugged construction ensure long life
- Conceived and designed by BEHRINGER Germany



### C-1U USB Studio Condenser Microphone



- Professional, large-diaphragm condenser microphone with built-in USB interface, ideal for podcasters and musicians
- Plug this amazing USB-mic straight into your computer and turn your PC or Mac computer into a recording system without the need for any other hardware
- Directly works with your PC or Mac computer—ultra-low latency ASIO and WDM drivers for PC audio optimization included
- Exceptionally flat frequency response and ultra-high sound resolution perfect for voice, acoustic instruments, etc.

- Cardioid pickup pattern for outstanding sound source separation and feedback rejection
- Pressure-gradient transducer with shock-mounted capsule
- Comprehensive podcasting and audio editing software (Podifier, Juice, PodNova, Golden Ear, Audacity) for computers, both PC and Mac

### SINGLE DIAPHRAGM CONDENSER MICROPHONE B-1

- Hand-assembled condenser microphone
- 1" gold-sputtered single-diaphragm capsule
- Cardioid pickup pattern
- Unsurpassed audio quality
- Ideal as main and support microphone for studio and live applications
- Exceptionally flat frequency response and incredible musicality
- Low-noise FET circuitry
- Switchable high-pass filter and -10 dB pad



- Carrying case, shockmount and windscreen included

### DUAL DIAPHRAGM CONDENSER MICROPHONE B-2 PRO

- Hand-assembled condenser microphone
- 1" gold-sputtered dual-diaphragm capsule
- Selectable cardioid, omnidirectional or figure-eight pickup pattern
- Unsurpassed audio quality
- Ideal as main and support microphone for studio and live applications
- Exceptionally flat frequency response and incredible musicality
- Low-noise FET circuitry
- Switchable high-pass filter and -10 dB pad



- Carrying case, shockmount and windscreen included



Microphone Preamps: Page 32



# Condenser and Dynamic Microphones

## SINGLE DIAPHRAGM CONDENSER MICROPHONE B-5

- Professional true condenser microphone for studio and live applications
- 2 interchangeable capsules with cardioid and omnidirectional pickup patterns
- Low-mass gold-sputtered diaphragm for ultimate sound reproduction
- Perfect for acoustic instruments, voice and overhead etc.
- Ultra-low noise transformerless FET input eliminates low-frequency distortion
- Smooth, super-wide



- frequency response and incredible musicality
- Switchable low-frequency roll-off and -10 dB input attenuation
- Gold-plated 3-pin XLR output connector

## STUDIO CONDENSER MICROPHONE C-1

- Professional large-diaphragm condenser microphone for unsurpassed audio quality
- Ideal as main and support microphone for studio and live applications
- Exceptionally flat frequency response and ultra-high sound resolution
- Cardioid pickup pattern for outstanding sound source separation and feedback rejection
- Ultra-low noise transformerless FET input circuitry
- LED indicates phantom power operation



- Gold-plated 3-pin XLR output connector for perfect signal transmission
- Swivel stand mount and carrying case included

## STUDIO CONDENSER MICROPHONE SET C-2

- 2 professional true condenser microphones for studio recording and live applications
- Sold as matched pair—perfect for stereophonic recording
- Low-mass diaphragm for ultra-wide frequency response and ultimate sound reproduction
- Perfect for acoustic instruments, overhead, piano, etc.
- Cardioid pickup pattern for effective feedback elimination
- Switchable low-frequency roll-off and -10 dB input attenuation



- Custom microphone stand adapters, windscreens, stereo-bar and transport case included

## STUDIO CONDENSER MICROPHONE C-3

- Professional large dual-diaphragm condenser microphone for studio recording and live applications
- Ideal as main and support microphone for studio and live applications
- Selectable cardioid, omnidirectional or figure eight pickup pattern
- Pressure-gradient transducer with shock-mounted dual-diaphragm capsule
- Perfect for acoustic instruments, overhead, piano, etc.
- Exceptionally flat frequency response and ultra-high sound resolution



- Ultra-low noise transformerless FET input eliminates low-frequency distortion
- LED indicates phantom power operation

## ULTRAVOICE XM8500 & XM1800S DYNAMIC MICROPHONE KIT



- Excellent vocal/instrumental dynamic microphones
- Presence lift in critical mid-range gives you maximum voice projection
- Cardioid characteristic with excellent feedback suppression
- Sturdy, reliable metal construction
- Balanced low-noise XLR output
- Two-stage pop filter
- Exceptional off-axis rejection eliminates feedback problems
- Delivered in a rugged case with mic clip and stand adapter
- XM1800S available as 3-pack only

## MEASUREMENT CONDENSER MICROPHONE ECM8000

- Precision electret condenser microphone
- Perfectly complements the ULTRACURVE PRO DEQ2496 or any RTA device
- Ultra-linear frequency response from 15 Hz to 20 kHz
- Optimal for acoustic measurement applications
- Use with any real-time analyzer with +15 to +48 V phantom power
- Delivered in a rugged hard case with mic clip and stand adapter



# Wireless Microphone Systems

## ULTRALINK UL2000M wireless microphone system

- High-performance UHF True Diversity microphone system with 320 selectable frequencies for ultimate flexibility
- True Diversity technology of the receiver and proprietary microphone antenna design ensures exceptionally long range for great signal reliability and freedom of movement
- Simultaneous operation of up to 8 units maximum\*
- Ultra-wide audio bandwidth for highest signal integrity
- High-performance IRC compander guarantees incredible dynamics and low noise
- Excellent cardioid-pattern microphone perfect for vocal applications, featuring a Panasonic condenser transducer
- Transmitter features extremely long battery operating life of more than 12 hours with two 9 V batteries (not included)
- Mute function and Low Battery indicator conveniently located on transmitter
- Receiver utilizes proprietary scan function for microphone frequency location



## ULTRALINK UL2000B wireless mic system

With the revolutionary ULTRALINK UL2000B UHF True Diversity beltpack/headset system, you will experience one of the best performing and innovative designs available in this segment. Choose from 320 transmission frequencies and enjoy the powerful advantage of simultaneous operation for up to 8 systems.\* The IRC compander guarantees incredible dynamics and low noise. You get an excellent headset microphone perfect for vocal applications, featuring a Panasonic condenser transducer.

- channels or powering the transmitter on/off
- 3 presets, each with 8 interference-free channels plus 1 additional user-preset with 8 freely definable channels
- Lockout function to protect receiver settings against undesired changes
- Color-coded strips for easy matching of multiple transmitter and receiver devices

\* Number may be limited to specific laws of the regulatory authority for telecommunications and broadcasting.

- Internal switch-mode power supply for maximum flexibility (100 – 240 V~), noise-free audio, superior transient response all at the lowest possible power consumption levels for
- energy savings
- Meets all requirements for professional equipment and complies with ETSI guidelines
- High-quality components and exceptionally rugged construction ensure long life

## HEADPHONES HPM1000

- Multi-purpose headphones
- Ultra-wide frequency response 20 Hz - 20 kHz
- High dynamic range
- High-resolution capsule
- ⅝" connector plus ¼" adapter included
- Single-sided cord
- Oval-shaped ear cups
- Comfortable headband
- Sensitivity: 105 dB @ 1 kHz
- Impedance: 32 Ohms



## HEADPHONES HPS5000

- Closed-type high-performance studio headphones
- Ultra-wide frequency response 20 Hz - 20 kHz
- High-definition bass and super-transparent highs
- Ultra-high dynamic range
- High-efficiency cobalt capsule
- ⅝" connector plus ¼" adapter included
- Single-sided coiled cord with oxygen-free copper wires
- Ultra-rugged headband construction
- Optimized oval-shaped ear cups



- Sensitivity: 113 dB @ 1 kHz
- Impedance: 32 Ohms

## HEADPHONES HPS3000

- High-performance studio headphones
- Ultra-wide frequency response 20 Hz - 20 kHz
- High-definition bass and super-transparent highs
- Ultra-wide dynamic range
- High-efficiency cobalt capsule
- ⅝" connector plus ¼" adapter included
- Single-sided cord with oxygen-free copper wires
- Ultra-rugged headband construction
- Optimized oval-shaped ear cups
- Sensitivity: 110 dB @ 1 kHz
- Impedance: 64 Ohms



## DJ HEADPHONES HPX2000

- High-definition DJ headphones
- Ultra-wide frequency response 20 Hz - 20 kHz
- High-performance bass and super-transparent highs
- Ultra-high dynamic range
- High-efficiency cobalt capsule
- ⅝" connector plus ¼" adapter included
- Single-sided cord with oxygen-free copper wires
- Rotating, reversible round-shaped ear cups
- Ultra-rugged headband construction



- Sensitivity: 110 dB @ 1 kHz
- Impedance: 64 Ohms

## DJ HEADPHONES HPX4000

- Closed-type high-definition DJ headphones
- Ultra-wide frequency response 20 Hz - 20 kHz
- High-definition bass and super-transparent highs
- Ultra-high dynamic range
- High-efficiency cobalt capsule
- Single-sided coiled cord with oxygen-free copper wires
- Round swivelling ear cups
- Ultra-rugged headband construction
- Sensitivity: 113 dB @ 1 kHz
- Impedance: 32 Ohms



## Headphone Amplifiers: Page 33





# New XENYX XL SERIES Premium 4-Bus Mic / Line Mixers

## Live Sound Mixing Has Been Re-Defined!

### NEW XENYX XL SERIES

XL1600 16 x 4 x 2 12 XENYX Mic Preamps

NEW!

XL2400 24 x 4 x 2 16 XENYX Mic Preamps

NEW!

XL3200 32 x 4 x 2 24 XENYX Mic Preamps

NEW!

Uli Behringer figured that the best way to celebrate our anniversary was with some blockbuster new products. Meet the XL Series. You asked. We listened. And then devoted a significant part of our engineering staff and eighteen months creating our next generation of live mixers.

They look good. They sound really really good. They're packed with features. And as usual, they're priced to upset our competition and make you smile. Get the whole story at [www.behringer.com](http://www.behringer.com).

#### XENYX XL1600, XL2400 & XL3200 COMMON FEATURES

▲ Ultra-low noise, high-headroom analog mixers for live, front-of-house, monitor, corporate and touring audio applications


#### ▲ Mono channels each feature:

- ◆ State-of-the-art XENYX Mic Preamps
- ◆ Channel inserts and direct outputs
- ◆ 80 Hz Low Cut filter
- ◆ Neo-classic "British" 4-band EQs (Low 80 Hz, High 12 kHz) with 2 sweepable semi-parametric mid bands (100 Hz - 2 kHz / 400 Hz - 8 kHz) for warm and musical sound
- ◆ EQ bypass switch
- ◆ +48 V Phantom Power switch with LED indicator on rear panel
- ◆ Additional Phantom Power LED on channel strip
- ◆ 6 Aux sends per channel (2 pre/post FX, 2 pre/post Mon, 2 pre/post Aux)
- ◆ Switches and status LEDs for Mute, Solo, Clip and Signal Present
- ◆ Preamp: new circuitry has dramatically improved RF and common-mode rejection, pre-requisite for live venues
- ◆ EQ: totally new filter topology finally enables open and warm yet effective sound shaping




#### ▲ Stereo channels each feature:

- ◆ 80 Hz Low Cut filter
- ◆ Line inputs with ultra-high RFI suppression designed for live application
- ◆ 4-band shelving-type EQ with Low (80 Hz), Low Mid (300 Hz), High Mid (3 kHz) and High (12 kHz)




- ◆ EQ bypass switch
- ◆ +48 V Phantom Power switch with LED indicator on rear panel
- ◆ Additional Phantom Power LED on channel strip
- ◆ 6 Aux sends per channel (2 pre/post FX, 2 pre/post Mon, 2 pre/post Aux)

- ◆ Switches and status LEDs for Mute, Solo, Clip and Signal Present
- ◆ Separate Trim controls for XLR and Line inputs for maximum flexibility
- ▲ 4 Subgroup outputs with inserts plus 2 independent main outputs with inserts on Main A



- ▲ Mute, Solo, Subgroup and Main routing switches on all channels
- ▲ 2 multi-functional stereo FX returns with comprehensive routing options
- ▲ 2 Headphone and Speaker outputs with selectable Main/CD/Tape inputs
- ▲ Solo-In-Place with PFL/AFL function



- ▲ Full featured Talkback function with XLR input and Level control is assignable to Mon/Aux/Group/Main
- ▲ 14-LED ladders for Main and Monitor level metering
- ▲ Separate pre/post Main B output
- ▲ Long-wearing 60 mm logarithmic-taper faders and sealed rotary controls

- ▲ Internal autorange power supply for maximum flexibility (100 – 240 V~), noise-free audio, superior transient response plus low power consumption for energy saving
- ▲ Conceived and designed by BEHRINGER Germany

XENYX XL Series Master Section

20  
YEAR  
ANNIVERSARY  
1989~2009

XENYX XL Series Mono and Stereo Channel Strips



# XENYX Premium Mic/Line Mixers


## XENYX 2442FX & 2222 FX USB / ANALOG MIC LINE MIXERS with 24-bit digital effects



From Baltimore to Berlin, nearly a million tone freaks have tapped into the warm, musical sound of XENYX analog mixers by BEHRINGER.

We've spliced the best of the old with the best of the new to create a neo-classic "British EQ" that captures the same sonic characteristics of the mega-console desks of the '60s and '70s that made music history. And with their built-in XENYX mic preamps, you'll get the sound quality and dynamic range of boutique-style mic preamps without having to haul extra gear.

The XENYX product line offers 16 mixers with a diverse storehouse of capabilities, including built-in digital effects processors, superb equalization and gobs of other outstanding features. Go ahead—pick out your XENYX!



**energyXT2.5**  
compact Behringer edition

**XENYX 2442FX**


- 24-input 4/2-bus mixer
- 10 XENYX Mic Preamps

**XENYX 2222FX**

- 22-input 2/2-bus mixer
- 8 XENYX Mic Preamps

### Common features:

- Premium ultra low-noise, high headroom analog mixer
- Neo-classic "British" 3-band EQs w/ semi-parametric mid band for warm and musical sound
- Studio-grade 24-bit stereo FX processor w/ 100 awesome presets including reverb, chorus, flanger, delay, pitch shifter and various multi-effects
- USB/Audio interface included for connecting



directly to your computer. Free audio recording and editing software downloadable at [www.behringer.com](http://www.behringer.com)

- Channel inserts on each mono channel plus main mix inserts
- Peak LEDs, mute, main mix and subgroup routing

switches, solo and PFL functions on all channels

- Balanced main mix outputs with ¼" jack and gold-plated XLR connectors, separate control room, headphones and stereo tape outputs

UCA200 USB interface included with 2442FX and 2222FX

## XENYX 1832FX & 1622FX USB / ANALOG MIC LINE MIXERS with 24-bit digital effects



### XENYX 1832FX

- 18-input 3/2-bus mixer
- 6 XENYX Mic Preamps
- 9-band stereo graphic EQ, FBQ Feedback Detection system, XPQ 3D stereo surround effect, Voice Canceller function

### Common features:

- Premium ultra low-noise, high headroom analog mixer
- Neo-classic "British" 3-band EQs w/ semi-parametric mid band for warm and musical sound
- Studio-grade 24-bit stereo FX processor w/ 100 awesome presets including reverb, chorus, flanger, delay, pitch shifter

### XENYX 1622FX

- 16-input 2/2-bus mixer
- 4 XENYX Mic Preamps



UCA200 USB interface included with 1832FX and 1622FX

- and various multi-effects
- USB/Audio interface included for connecting directly to your computer. Free audio recording and editing software downloadable at [www.behringer.com](http://www.behringer.com)
- Channel inserts on each mono channel for flexible connection of outboard equipment

- Peak LEDs, mute, main mix and subgroup routing switches, solo and PFL functions on all channels
- Balanced main mix outputs with ¼" jack and gold-plated XLR connectors, separate control room, headphones and stereo tape outputs

## XENYX 1222FX USB / ANALOG MIC LINE MIXER with 24-bit digital effects

- 12 input 2/2-bus premium ultra low-noise, high headroom analog mixer
- Neo-classic "British" 3-band EQs for warm and musical sound
- Studio-grade 24-bit stereo FX processor w/ 100 awesome presets including reverb, chorus, flanger, delay, pitch shifter and various multi-effects
- USB/Audio interface included for connecting directly to your computer
- Free audio recording and editing software downloadable at [www.behringer.com](http://www.behringer.com)
- 7-band graphic EQ allows precise frequency correction of monitor or main mixes
- Revolutionary FBQ Feedback Detection System instantly reveals critical frequencies
- Breathtaking XPQ 3D stereo surround effect for more vitality and enhanced stereo image
- Voice Canceller function for easy-to-use sing-along applications
- 4 fully equipped stereo input channels with 2 additional mic inputs on ch.s 5/6 & 7/8, plus 3-band EQ and input trim control
- Channel inserts on each mono channel for flexible connection of outboard equipment
- Peak LEDs and mute switch on all channels
- Balanced main mix outputs with ¼" jack and gold-plated XLR connectors, separate, control room, headphones and stereo tape outputs



UCA200 USB interface included with 1222FX

- Long-wearing 60 mm logarithmic-taper faders and sealed rotary controls
- Internal autorange power supply for maximum flexibility (100-240 V~), noise-free audio, superior transient response plus low power consumption
- Rack mount brackets included for ultimate flexibility

## XENYX 1202FX & 1002FX with 24-bit digital effects



### XENYX 1202FX

- 12-input 2-bus mixer
- 4 XENYX Mic Preamps

### XENYX 1002FX

- 10-input 2-bus mixer
- 2 XENYX Mic Preamps

### Common features:

- "British" EQs and 24-bit multi-FX processor

- FX send control per channel for internal FX processor and/or as external send
- Main mix outputs plus separate control room, phones and stereo CD/tape outputs
- CD/tape inputs assignable to main mix or control room/phones outputs

XENYX SERIES MIXERS	XL3200 <b>NEW!</b>	XL2400 <b>NEW!</b>	XL1600 <b>NEW!</b>	2442FX	2222FX	1832FX	1622FX	1222FX	1202FX	1002FX	1204FX	1204	1202	1002	1002B	802	502			
Total Inputs	32	24	16	24	22	18	16	12	12	10	8	8	12	10	10	8	5			
Mono/stereo input channels	24 / 4	16 / 4	8 / 4	8/4	8/4	6/4	4/4	4/4	4/4	2/4	4/2	4/2	4/4	2/4	2/4	2/2	1/2			
Mix buses	4 / 2	4 / 2	4 / 2	4/2	2/2	3/2	2/2	2/2	2/2	2/2	2/2	2/2	2/2	2	2	2	2			
XENYX mic preamps	28	20	12	10	8	6	4	4	4	2	4	4	4	2	2	2	1			
Channel EQ	4-band	4-band	4-band	3-band	3-band	3-band	3-band	3-band	3-band	3-band	3-band	3-band	3-band	3-band	3-Band	3-band	2-band			
Channel effects sends Int/Ext	0 / 2	0 / 2	0 / 2	2/2	1/3	2/1	1/1	1/1	1	1	1/1	0/2	1	1	2	1	—			
Effects returns	2 stereo	2 stereo	2 stereo	4 stereo	3 stereo	2 stereo	2 stereo	2 stereo	1 stereo	1 stereo	2 stereo	2 stereo	2 stereo	—	—	1 stereo	—			
USB output/interface	—	—	—	2-in / 2-out	2-in / 2-out	2-in / 2-out	2-in / 2-out	2-in / 2-out	—	—	2-in / 2-out	2-in / 2-out	—	—	—	—	—			
FX processor presets	—	—	—	100	100	100	100	100	100	100	100	—	—	—	—	—	—			
Metering	14-LED	14-LED	14-LED	12-LED	12-LED	12-LED	12-LED	12-LED	4-LED	4-LED	8-LED	12-LED	4-LED	4-LED	5-LED	4-LED	4-LED			
Other features	Mon 1 & 2, Aux 1 & 2 on each channel, 4-band fixed EQ on stereo channels, stereo channels have mic inputs, true +48 V phantom power with switches and LEDs on every channel, pre/post Aux sends			Same as XL3200 & XL2400			4-band fixed EQ on stereo channels, true +48 V phantom power, pre/post Aux sends	4-band fixed EQ on stereo channels, true +48 V phantom power, pre/post Aux sends	9-band graphic EQ, voice canceler, FBQ feedback detection, XPQ 3-D stereo surround	CD/Tape inputs assignable to headphones or main outputs, true +48 V phantom power	7-band graphic EQ, voice canceler, FBQ feedback detection, XPQ 3-D stereo surround	FX to monitors, true +48 V phantom power	FX to monitors, true +48 V phantom power	Mute/Alt 3-4 bus, multi-input source matrix, true +48 V phantom power	Mute/Alt 3-4 bus, multi-input source matrix, true +48 V phantom power	FX to Control Room, 60 mm master fader, 48 V phantom power	FX to Control Room, 60 mm master fader, 48 V phantom power	Battery operation, separate Trim control for Line and Mic on stereo channels, true +48 V phantom power	CD/Tape inputs assignable to headphones or main outputs, true +48 V phantom power	CD/Tape inputs assignable to headphones or main outputs

**20**  
YEAR  
ANNIVERSARY  
1989~2009



# XENYX Premium Mic/Line Mixers

XENYX 1202 &amp; 1002



## XENYX 1202

- 12-input 2-bus mixer
- 4 XENYX Mic Preamps

## XENYX 1002

- 10-input 2-bus mixer
- 2 XENYX Mic Preamps

## Common features:

- "British" EQs
- 1 post fader FX send per channel for external FX devices

- Main mix outputs plus separate control room, phones and stereo CD/tape outputs
- CD/tape inputs assignable to main mix or control room/phones outputs

- FX to control room function helps to monitor effect signal via headphones and control room outputs

XENYX 1204FX &amp; 1204



## XENYX 1204FX

- 8-input 2/2-bus mixer
- 4 XENYX Mic Preamps
- 24-bit stereo FX processor with 100 presets

## XENYX 1204

- 8-input 2/2-bus mixer
- 4 XENYX Mic Preamps

## Common features:

- "British" EQs and USB/audio interface

- 2 subgroups with separate outputs for added routing flexibility
- 2 multi-functional stereo aux returns with flexible routing
- Balanced main mix outputs with gold-plated XLR connectors plus separate control room, headphones & stereo tape outputs
- Mute/Alt 3-4 can be used

- to send signals for special applications
- Free audio recording and editing software downloadable at [www.behringer.com](http://www.behringer.com)



UCA200 USB interface included with 1204FX and 1204

XENYX 802 &amp; 502



## XENYX 802

- 8-input 2-bus mixer
- 2 XENYX Mic Preamps
- 1 post fader FX send per channel for external FX devices
- 1 stereo aux return for FX applications or as separate stereo input

## Common features:

- "British" EQs (XENYX 502: 1 British EQ)
- CD/tape inputs assignable to main mix or control room/phones outputs
- Premium ultra low-noise, high headroom analog mixer
- Neo-classic "British" EQ for warm and musical sound
- Main mix outputs plus separate control room, phones and stereo CD/tape outputs

## XENYX 502

- 5-input 2-bus mixer
- 1 XENYX Mic Preamp



NEW! XENYX 1002B 10-Input 2-Bus Field Mixer

- Premium 10-Input 2-Bus Mixer with XENYX Preamps, British EQs and Optional Battery Operation
- 2 state-of-the-art XENYX Mic Preamps comparable to stand-alone boutique preamps
- Neo-classic "British" 3-band EQs for warm and musical sound
- 4 balanced, high-headroom stereo inputs with 3 additional mic inputs
- One post-fader FX send and one pre-fader MON send per channel for external FX devices and monitor applications
- Clip LEDs on all channels and dedicated inserts on all mono channels
- Main output plus separate Phones and CD/Tape outputs
- Switchable phantom power for condenser microphones
- Long-wearing 60-mm logarithmic-taper master fader and sealed rotary controls
- External power supply for noise-free audio and superior transient response
- High-quality components and exceptionally rugged construction ensure long life
- Conceived and designed by BEHRINGER Germany

# EURODES K 4-Bus Recording / Live Mixers

SX2442FX 24 x 4 x 2 Studio / Live Mixer with 16 XENYX Mic Preamps, British EQ &amp; Dual Multi-FX Processors

## EURODESK SX2442FX & SX3242FX COMMON FEATURES

- Premium ultra-low noise, high-headroom analog mixer with state-of-the-art XENYX Mic Preamps comparable to stand-alone boutique preamps
- Neo-classic "British" 3-band EQs with semi-parametric mid band for warm and musical sound
- 2 independent studio-grade 24-bit stereo FX processors with 100 awesome presets including reverb, chorus, flanger, delay, pitch shifter and various multi-effects
- High-precision 9-band stereo graphic EQ allows precise frequency correction of monitor or main mixes
- Revolutionary FBQ Feedback Detection system instantly reveals critical frequencies
- Peak LEDs, Mute, Main mix and subgroup routing switches, Solo and PFL functions on all channels
- 2 fully featured stereo input channels with 4-band EQ plus 2 additional stereo input channels with Level and pre-fader Aux controls
- Inserts on each mono channel and main mix for flexible connection of outboard equipment

- 4 Subgroup outputs and additional Mono output with sweepable Low Pass filter for subwoofer application
- 4 Aux sends per channel: 2 pre/post fader switchable for monitoring/FX applications, 2 post fader (for internal FX or as external send)

- Balanced Main mix outputs with ¼" jack and gold-plated XLR connectors, separate Control room, Headphone and stereo Tape outputs
- Solo-In-Place and Pre-Fader-Listen functions plus full-featured Talkback section
- Standby switch mutes all

- channels during breaks while background music is provided via CD/Tape inputs
- Long-wearing 60 mm logarithmic-taper faders and sealed rotary controls
- Internal autorange power supply for maximum flexibility (100 – 240 V~),

- noise-free audio, superior transient response plus low power consumption for energy saving
- High-quality components and exceptionally rugged construction ensure long life
- Conceived and designed by BEHRINGER Germany



NEW!




Also available in 32-channel format! SEE NEXT PAGE FOR SX3242 &gt;

1989~2009  
YEAR ANNIVERSARY




# EURODESK 4-Bus Recording / Live Mixers

SX3242FX 32 x 4 x 2 Studio / Live Mixer with 24 XENYX Mic Preamplifiers, British EQ & Dual Multi-FX Processors




EURODESK MIXERS	SX2442FX	SX3242FX	SX4882	SX3282
Total Inputs	24	32	24 / 48 via inline	32
Mono/stereo input channels	16 / 4	24 / 4	24 / 0	24 / 4
Mix buses	4	4	8	8
XENYX Microphone preamps	16	24	24	24
Channel EQ MONO	3-band + semi parametric mid	3-band + semi parametric mid	4-band w/semi parametric mid on main channels plus 2-band EQ on each channel's Input B	3-band + semi parametric mid
Channel EQ STEREO	4-band	4-band		4-band
Channel effects sends	4	4	6 per channel	8 per channel
Effects returns	2	2	6 stereo	4 stereo
Inserts	1 per channel & mains	1 per channel & mains	1 per ch. + subs & mains	1 per ch. + subs & mains
FX processor presets	100	100	—	—
Metering	12 x 2	12 x 2	13 x 34 (meter bridge)	13 x 2
Fader Length	60 mm	60 mm	100 mm	60 mm
Other features	Dual 9-band graphic equalizers with FBQ Feedback Detection, true +48 V phantom power, mono output with variable low-pass for subwoofer outputs	Dual 9-band graphic equalizers with FBQ Feedback Detection, true +48 V phantom power, mono output with variable low-pass for subwoofer outputs	True in-line console configuration, expander port for linking consoles, true +48 V phantom power, talkback section with on-board mic, extensive routing options for sub-groups and mains	8 sub-groups, true +48 V phantom power, talkback section with on-board mic, extensive routing options for sub-groups and mains



# EURODESK 8-Bus Recording / Live Mixers

THE TRIUMPHANT RETURN OF THE 8-BUS!


NEW EURODESK SX4882 48/24 x 8 x 2 In-Line Console with 24 XENYX Mic Preamps



- Ultra-Low Noise Design 48 / 24-Input 8-Bus In-Line Mixer with XENYX Mic Preamplifiers, British EQs and Integrated Meterbridge for studio, live, front-of-house, monitor, corporate and touring audio applications
- True in-line concept with 24 independent Mix-B input channels, all with individual 2-band EQ, Level, Pan and Mute — perfect for tape returns during tracking, extra channels during mixing or monitor mixes during live performances
- 24 state-of-the-art XENYX Mic Preamps with switchable +48 V phantom power
- Neo-classic “British” 4-band EQs with 2 semi-parametric mid bands for warm and musical sound
- 8 subgroups with independent Solo and routing functions simultaneously feed 16 multi-track outputs
- Clip and -20 dB LEDs plus EQ In, Low Cut, Mute, Solo/PFL, Subgroup and Main routing switches on all channels
- 6 Aux sends per channel: all switchable pre/post fader
- Main Aux sends with Level controls and Solo functions
- 6 multi-functional stereo Aux returns featuring Level and Balance controls, Solo and extensive routing functions
- Solo-In-Place with PFL function plus 2 independent phones sections plus full-featured monitor and talkback section with built-in microphone
- Comprehensive Channel, Group and Main insert points
- Built-in meterbridge with meters for each channel, Subgroup and Main, monitoring either the channel or Tape return signal
- Long-wearing 100-mm logarithmic-taper faders and sealed rotary controls
- Expander port with universal jack connectors for optimal linking to other consoles
- 2 BNC connectors for 12 V gooseneck lights
- Internal autorange power supply for maximum flexibility (100 - 240 V~), noise-free audio, superior transient response plus low power consumption for energy saving
- High-quality components and exceptionally rugged construction ensure long life
- Conceived and designed by BEHRINGER Germany



SX4882 Master Section




SX4882 In-Line Channel Strip



# EURODESK 8-Bus Recording / Live Mixers


EURODESK SX3282 32 x 8 x 2 Console with 24 XENYX Mic Preamps

NEW!



- Ultra-Low Noise Design 32-Input 8-Bus Studio/ Live Mixer with XENYX Mic Preamplifiers and British EQs for studio, live, front-of-house, monitor, corporate and touring audio applications
- 24 state-of-the-art XENYX Mic Preamps with switchable +48 V phantom power plus 4 stereo Line inputs
- Neo-classic “British” 4-band EQ (stereo channels) and 3-band EQ with semi-parametric mid band (mono channels) for warm and musical sound
- 8 subgroups with independent Pan controls, Solo and Main functions and insert connections
- Clip and -20 dB LEDs plus Low Cut, Mute, Solo/PFL, Subgroup and Main routing switches on all channels
- 8 Aux sends per channel: 4 pre/post fader switchable for flexible routing
- Main Aux sends with Level controls and Solo

- 4 multi-functional stereo Aux returns featuring Level and Balance controls, Solo and extensive routing functions
- Solo-In-Place with PFL function plus full-featured Talkback, Phones and Monitor section
- Inserts on mono channels, subgroups & main
- Balanced inputs and Main outputs
- High-precision, 13-segment LED meter for main mix
- Long-wearing 60-mm logarithmic-taper faders and sealed rotary controls
- Internal autorange power supply for maximum flexibility (100 - 240 V~), noise-free audio, superior transient response plus low power consumption for energy saving
- High-quality components and exceptionally rugged construction ensure long life
- Conceived and designed by BEHRINGER Germany



SX3282 Master Section



SX3282 Mono and Stereo Channel Strips

MICROMIX MX400 Line Mixer



- Ultra-compact 4-channel line mixer
- Highest sonic quality even at maximum output level
- Input Level control for each channel
- Ultra-low noise 4580 operational amplifiers for outstanding audio performance
- DC 12-Volt adapter included
- High-quality components and exceptionally rugged construction ensure long life



EURORACK PRO RX1602 16-input Line Mixer



- Extremely flexible keyboard and multi-purpose sub-mixer, multi-track monitoring mixer, level translator, FX return sub-mixer, etc.
- 16 balanced high-headroom line inputs for individual stereo or mono use of each section
- ULN (Ultra-Low Noise) design, highest possible headroom, ultra-transparent audio
- Balance and level controls plus +4/-10 level selection per channel
- Monitor/FX send control per section
- Illuminated “mute” button per section with additional “clip” indication
- Monitor/FX signal assignable to phones output for added flexibility
- Highly accurate 2 x 7-segment LED level meters and individual level control for left and right main mix signal

EURORACK PRO RX1202FX 12-input Mic / Line Rack Mixer with 8 Mic Preamps



- Ultra-low noise design 12-input mic/ line rack mixer
- 8 new IMP “Invisible” Mic Preamps with 130 dB dynamic range for 24-bit, 192 kHz sampling rate inputs and an ultra-wide 60 dB gain range
- Integrated 24-bit digital stereo FX processor with 100 presets
- Effective, extremely musical 2-band EQ and Clip LED on all channels
- 4 balanced high-headroom line inputs
- 4580 operational amplifiers for lowest noise and distortion
- 2 aux sends per channel: 1 pre fader for monitoring applications, 1 post fader for internal FX or as external send
- Switchable +48 V phantom power for condenser microphones

ULTRALINK PRO MX882 8- Channel Splitter/Mixer



- 8 in/2 out line mixer, 2 in/8 out line splitter
- Each channel can operate independently in mixer or splitter mode
- Use as a 6 in/6 out level matching amp or direct inject box
- Converts levels between -10 dBV and +4 dBu
- Extremely wide 5 Hz to 200 kHz frequency bandwidth

ULTRAZONE ZMX8210 4-Zone Installed Sound Mixer



The BEHRINGER ULTRAZONE ZMX8210 zone mixer is the ideal audio solution for anyone who needs to add music and paging capabilities to their environment. Here's an example of the ZMX8210 mixer in action: in your restaurant you want to (1)play the audio from the game in the bar, (2)present soft background music in the dining area and (3) page patrons in the lobby or waiting area. Your situation may be different, but you get the picture, multiple sound sources, multiple zones, total flexibility.

A professional 8-channel audio mixer designed specifically for fixed installation applications, the rack mountable ZMX8210 can distribute music programming and announcements to up to three zones (rooms). Typical applications include restaurants, office areas, health clubs and houses of worship, just to name a few.

Thanks to its intuitive control panel, even inexperienced users will find the ZMX8210 easy to operate. Automatic “ducking” can be set up so that when an announcement is made, the music volume is dropped to a preset level. Several functions of the ZMX8210 can be controlled remotely by using simple control elements, allowing you to put volume controls where you need them.

The eight input channels feature high-quality mic preamplifiers for absolutely pristine sound quality. If you need more than eight channels, two ZMX8210s can be linked together, providing a total of 16 inputs. The input signals can be routed to any or all

of the three output buses (zones). A master 4-band equalizer is provided to ensure voice intelligibility and solve any feedback problems that might occur. Onboard phantom power is available, so you can use any microphone with the ZMX821, including professional-grade condenser mics.

Loaded with professional features and easy to operate, the ULTRAZONE ZMX8210 mixer gives you total control over your sonic environment.

- Ultra-flexible and easy-to-use zone mixer with remote control ports for commercial sound systems and fixed installation applications
- 6 ultra-low noise Mic/Line inputs with Gain control, -20 dB Pad, Level/Clip indicator, +48 V phantom power and bus-assign switches
- 2 selectable high-headroom stereo inputs with mono/stereo switch
- Channel 1 provides variable threshold to enable automatic bus mute for announcements, etc.
- 3 assignable outputs (Left, Right and Aux) with individual Master controls and 5-segment LED meters
- Ultra-musical 4-band master EQ and global microphone low-cut filter for perfect sound adjustment
- Left, Right, Aux and Mute bus links available including Master/Slave switch for connecting multiple units
- Remote master Left/Right level control port for ultimate flexibility
- Select switch for routing microphone bus post remote control
- Integrated channel muting system with Priority select
- All inputs/outputs on Euro-type connectors
- High-quality components and exceptionally rugged construction ensure long life



Final mixer packaging. The quality goes in before the styrofoam end caps go on. We always wanted to say that.



# EUROPOWER PMP Powered Mixers

These EUROPOWER mixers represent the next generation of our popular powered mixers with impressive **1,200-Watts** for PMP3000/5000 and **500-Watts** for PMP1000.

They all serve but one mission: to deliver massive power and great sound at an amazingly light weight!

This incredible performance is achieved through a new-generation amplifier technology, boasting heavily increased power, crystal-clear sound with an ultra-compact design and super-light weight.

Twenty-four-bit stereo FX processors, IMP mic preamps and a Voice Canceller round off this impressive package of power features.

PMP5000 1200-Watts/16 Channels / 4 Buses



- 16 input channels
- 20 inputs / 12 stereo + 4 mono channels
- 3 individual submix buses + mono master
- 8 IMP mic preamps with switchable +48V phantom power
- Extremely high power in a compact form factor
- 2 x 600-Watts into 4Ωs / 2 x 300-Watts into 8Ωs
- Dual 24-bit stereo FX processors with 100 awesome presets
- FBQ Feedback Detection
- Voice Canceller function removes singer's voice from recordings for Karaoke applications
- Standby switch mutes all mic channels during breaks while background music is provided via tape inputs
- XPQ 3D stereo surround effect
- 3-band EQ, switchable Low cut filter and Clip LEDs on all mono channels
- Speaker Processing function adjusts frequency response to match professional speaker systems like the BEHRINGER EUROLIVE series
- Stereo 7-band graphic EQ allows precise frequency correction of monitor or main outputs

PMP3000 1200-Watts/12 Channels / 3 Buses



- 16 inputs / 8 mono + 4 stereo channels
- 3 individual submix buses + mono master
- 8 IMP mic preamps with switchable +48V phantom power
- Extremely high power in a compact form factor
- 2 x 600-Watts into 4Ωs / 2 x 300-Watts into 8Ωs
- 24-bit stereo FX processor with 100 awesome presets
- FBQ Feedback Detection
- Voice Canceller function removes singer's voice from recordings for Karaoke applications
- Standby switch mutes all mic channels during breaks while background music is provided via tape inputs
- XPQ 3D stereo surround effect
- 3-band EQ, switchable Low cut filter and Clip LEDs on all mono channels
- Speaker Processing function adjusts frequency response to match professional speaker systems like the BEHRINGER EUROLIVE series
- Stereo 7-band graphic EQ allows precise frequency correction of monitor or main outputs



PMP1000 500-Watts/16 Channels / 3 Buses



- 16 inputs
- 6 mono + 2 stereo channels
- 3 mix buses
- 6 IMP mic preamps with +48V phantom power
- 2 x **250-Watts** into 4Ωs / 2 x **135-Watts** into 8Ωs
- 24-bit stereo FX processor with 100 awesome presets
- FBQ Feedback Detection
- Voice Canceller function removes singer's voice from recordings for Karaoke applications
- Standby switch mutes all mic channels during breaks while background music is provided via tape inputs
- XPQ 3D stereo surround effect
- 3-band EQ, switchable Low cut filter and Clip LEDs on all mono channels
- Stereo 7-band graphic EQ allows precise frequency correction of monitor or main outputs

Innovative amplifier technology, incredible sonic performance, super-light weight and a wide variety of power ratings are the main qualities of these "box-style" powered mixers. Each mixer has our 24-bit stereo FX processor technology featuring studio-grade effects including top-quality reverbs, delays and even a pitch-shifter. The advanced FBQ Feedback Detection system in most models combined with graphic EQ make them the first-choice tools for accurate sound production. Get a PMP powered mixer and impress your audience with a great performance.

PMP1280S 1200-Watt / 10-Channel



- 10 input channels / 8 mic preamps
- 2 x 600-Watts into 4Ωs / 2 x 300-Watts into 8Ωs
- Stereo output
- Dual 24-bit stereo FX processors with 100 awesome presets
- FBQ Feedback Detection instantly reveals critical frequencies for easy feedback removal
- Graphic EQ lets you optimize your speakers to the room environment
- 3-band EQ, switchable Pad and Clip LEDs on all mono channels
- Speaker Processing function adjusts frequency response to match professional speaker systems like the BEHRINGER EUROLIVE series
- Rack mountable

PMP980S / PMP960M COMMON FEATURES

- Revolutionary amplifier technology: enormous power, incredible sonic performance and super-light weight
- Ultra-compact design at nearly half the depth and weight of conventional powered mixers means no more lugging around dead weight
- Studio-grade 24-bit stereo FX processor with 100 awesome presets including reverb, chorus, flanger, delay, pitch shifter and various multi-effects
- Stereo (PMP980S) or dual mono (PMP960M) 7-band graphic EQ allows precise frequency correction of monitor and main outputs
- Revolutionary FBQ Feedback Detection system instantly reveals critical frequencies for easy feedback removal
- Effective, extremely musical 3-band EQ, switchable Pad and Clip LEDs on all channels
- Voice Canceller function removes singer's voice from recordings for Karaoke applications
- Selectable double mono (main/main, main/monitor) or bridged mono amplifier operation mode
- Speaker Processing function adjusts frequency response to match professional speaker systems like BEHRINGER EUROLIVE series, etc.
- Standby switch mutes all input channels during breaks while background music is provided via tape inputs
- Adjustable Aux input for connecting external signal sources
- Internal switch-mode power supply, noise-free audio, superior transient response and very low power consumption
- Rack mount brackets included
- Conceived and designed by BEHRINGER Germany

PMP980S 900-Watt / 10-Channel



- **Powered Mixer with Dual Multi-FX Processors and FBQ Feedback Detection System**
- Ultra-compact 2 x 450-Watt stereo powered mixer
- 10-channel mixer section features 6 mono and 2 stereo channels plus separate tape returns
- 8 high-quality mic preamps with switchable +48 V phantom power for condenser microphones
- 3-band EQ, switchable Pad and Clip LEDs on all mono channels

PMP960M 900-Watt / 6-Channel



- **Powered Mixer with Multi-FX Processor and FBQ Feedback Detection System**
- Ultra-compact **450-Watt** dual mono powered mixer
- Mixer section features 6 mono channels plus separate tape returns
- 6 high-quality mic preamps with switchable +48 V phantom power for condenser mics
- Dual 7-band graphic EQ for precise frequency correction of monitor and main outputs

PMP2000 700-Watt / 11-Channel



- 11 input channels / 9 mic preamps
- 2 x **350-Watts** into 4Ωs / 2 x **225-Watts** into 8Ωs
- 24-bit stereo FX processor with 100 awesome presets
- Graphic EQ lets you optimize your speakers to the room environment
- Effective, extremely musical 3-band EQ, switchable Pad and Clip LEDs on all mono channels
- Ultra-Low Noise design, high headroom and ultra-transparent audio
- Tough, durable construction ensures long life


PMP518M 360-Watt / 5-Channel



- 5 input channels / 5 mic preamps
- 180-Watts into 4Ωs / 100-Watts into 8Ωs
- 24-bit stereo FX processor with 100 awesome presets
- Graphic EQ lets you optimize your speakers to the room environment
- Effective, extremely musical 2-band EQ, switchable Pad and Clip LEDs on all mono channels
- Ultra-Low Noise design, high headroom and ultra-transparent audio
- Tough, durable construction ensures long life
- Rack mountable



# EUROPOWER PMP Powered Mixers





# EUROLIVE Active PA Loudspeaker Systems with Class D Amplification

NEW!

Introducing the new D Series: Lightest-weight EUROLIVE Active Loudspeaker Systems yet!

NEW!

EUROLIVE NEW B208D, B210D, B212D and B215D Active 2-way PA Loudspeaker Systems with High-Power, Weight-Saving Class D Amplifiers



B215D Active

**B215D**

Weight-saving Active 550-Watt 2-Way PA Speaker System with 15" Low Frequency Transducer and 1.35" Compression Driver



B212D Active

**B212D**

Weight-saving Active 550-Watt 2-Way PA Speaker System with 12" Low Frequency Transducer and 1.35" Compression Driver



B210D Active

**B210D**

Weight-saving Active 220-Watt 2-Way PA Speaker System with 10" Low Frequency Transducer and 1.35" Compression Driver



B208D Active

**B208D**

Weight-saving Active 220-Watt 2-Way PA Speaker System with 8" Low Frequency Transducer and 1.35" Compression Driver

**D Series Active Systems' Common Features**

- Ultra-compact and light weight systems delivers excellent sound even at extreme sound pressure levels
- Revolutionary Class-D amplifier technology yields enormous power, incredible sonic performance and super-light weight
  - B215D & B212D: **550-Watts**
  - B210D & B208D: **220-Watts**
- Internal switch-mode power supply for noise-free audio, superior transient response and very low power consumption
- Integrated auto High Pass Filter allows maximum output without audible distortion
- Extremely powerful long-excursion LF transducers provide incredibly deep bass and acoustic power
- State-of-the-art 1.25" aluminum-diaphragm compression driver for exceptional high-frequency reproduction
- Ultra-wide dispersion, large-format exponential/conical horn
- Ultra-low noise Mic/Line input with Volume control and Clip LED
- Additional Line output for linking of speaker systems
- Versatile trapezoidal enclosure design allows different positioning
  - Stand mounting with 35-mm pole socket
  - Tilts on its side for use as a floor monitor
- Optional mounting brackets available
- Conceived and designed by BEHRINGER Germany

**Class D Amplifier Technology delivers high power with low weight.**

It's a given that active speakers sound best. But that means their amplifiers are built into the enclosure. Which means a heavy lift during set-up and loud-out.

Instead of operating continuously, Class D amps switch on and off thousands of times per second, delivering power when needed, but with a more compact and efficient form factor that eliminate the need for heavy power supply transformers. And, because they are so much more efficient, D Series active speakers run cooler and don't require huge, heavy heat sinks.



Class AB

Class D

WEIGHT

EFFICIENCY

# EUROLIVE Active PA Loudspeaker Systems

EUROLIVE DIGITAL SIGNAL PROCESSING SERIES: B315A, B312A, B215A & B212A High-Power 2-way Active PA Loudspeaker Systems

Why is the sound you experience at a concert so much better than what you hear at your favorite nightclub? Digital Signal Processing. But up until now, you needed racks of complex outboard gear, a team of experts to run it all, and space you simply don't have in a small club.

Say hello to the BEHRINGER DSP Series! All the 24-bit/48 kHz processing gear is built right into each loudspeaker, including a phase- and time-correction crossover, dual limiters and even a noise gate—so you can leave the racks at home and still experience sound quality rivaling that of state-of-the-art studio monitors.

The DSP Series is also extremely versatile and easy to operate. Simple and elegant, the 2-band EQ provides up to 15 dB of boost/cut and a Low Cut filter is included to eliminate unwanted low frequency content, like microphone handling noise or rumble. A single Contour switch allows you to choose between the Speech mode, with its crisply defined midrange, or the Music mode. Whichever setting you choose, an automatically variable filter “rides” the signal, ensuring optimal performance at all output levels. And no steep learning curve here—the DSP Series does all the work for you!

With their ruler-flat frequency response, audience-wide dispersion and sophisticated digital processing, DSP Series loudspeakers crank like nothing else in their class and can catapult your performance to the next level!



B312A

B315A

B215A

B212A

- High-power **400-Watt** Active 2-way PA sound reinforcement speaker systems for live and playback applications
- Ultra-compact lightweight systems deliver excellent sound even at extreme sound pressure levels
- Integrated sound processors for system control and speaker protection
- Hand-built, long excursion low frequency transducers:
  - B212A: 12"
  - B312A: 12"
  - B215A: 15"
  - B315A: 15"
- State-of-the-art titanium-diaphragm compression drivers for exceptional high-frequency reproduction
- B312A & B315A: 1.75"
- B212A & B215A: 1.25"
- Ultra-wide dispersion and large format exponential horns with multi-cell aperture throats
- Ultra-low noise Mic/Line input with Volume and Clip LED
- Dedicated 2-band EQ for perfect sound adjustment

- Additional Line output allows linking of additional speaker systems
- Versatile trapezoidal enclosure design allows different positioning:
  - Stand mounting with 35-mm pole socket
  - Tilts on its side for use as a floor monitor
  - Ergonomically shaped handles for easy carrying and setup
- High-quality components and exceptionally rugged construction ensure long life
- Conceived and designed by BEHRINGER Germany

**A** LOUDSPEAKER is comprised of an enclosure and transducers—the parts you know as woofers, tweeters and horns. It's pretty easy to build an enclosure. But it takes a major investment in skilled craftspersons and precision equipment to build transducers. So most speaker “manufacturers” just order their transducers out of a catalog. Which

means they settle for what's available, leave quality control to somebody else...and end up passing higher prices on to you for the most critical parts of their loudspeaker systems. Not at BEHRINGER. We make our own speaker cones, wind our own coils, machine our own parts, hand-assemble and test every transducer. Then we pass the savings on to you.

We formulate our own pulp & create our own cones. Cone / surround attachment process. Backplate machining. We wind over 100 different sizes of voice coils. Coil baking. Nothin' sez lovin' like somethin' from the oven. Compression driver voice coil inspection. Voice coil / spider attachment on a 10-inch LF transducer.

22

23



# EUROLIVE Active PA Loudspeaker Systems

## EUROLIVE PERFORM ER E1520A & E1220A high-power active speaker systems

These active loudspeaker systems are capable of dishing out **400-Watts** of massive power and crystal-clear sound. The E1520A and E1220A PA speakers feature a powerful 15" or 12" long-excursion woofer, combined with a proprietary 1" HF driver. A smart cabinet design allows you to arrange your speakers in clusters and stacks, use them on pole-mount stands or as floor monitor wedges. The EUROLIVE Series has been built to withstand many years of use on the road.

- High-power **400-Watt** 2-way PA sound reinforcement speaker/ floor monitor
- Exceptional sound quality, wide frequency bandwidth and extensive dynamic range
- Integrated sound processor for ultimate system control and speaker protection
- Extremely powerful long-excursion driver provides incredibly deep bass and acoustic power



- Proprietary 1" HF driver for exceptional high-frequency reproduction
- Low noise Mic/Line input with Volume control and Clip LED
- Conceived and designed by BEHRINGER Germany

EUROLIVE ACTIVE	B312A	B315A	B215A	B212A	B208D NEW!	B210D NEW!	B212D NEW!	B215D NEW!	E1520A	E1220A	F1220A
High frequency transducer / horn	1.75"	1.75"	1.25"	1.25"	1.35"	1.35"	1.35"	1.35"	1"	1"	1.00"
Low frequency transducer	12"	15"	15"	12"	8"	10"	12"	15"	15"	12"	12"
Amplifier Power Supply Type	Xformer	Xformer	Xformer	Xformer	Switch Mode	Switch Mode	Switch Mode	Switch Mode	Xformer	Xformer	Xformer
HF Power Amp – Amp Class	80 W – A/B	80 W – A/B	80 W – A/B	80 W – A/B	40 W – A/B	40 W – A/B	100 W – A/B	100 W – A/B	80 W – A/B	80 W – A/B	150-Watt total with internal crossover – H
LF Power Amp – Amp Class	320 W – H	320 W – H	320 W – H	320 W – H	180 W – D	180 W – D	450 W – D	450 W – D	320 W – H	320 W – H	
Built-in Microphone Preamp	1	1	1	1	1	1	1	1	2	2	2
Controls	Level / EQ	Level / EQ	Level/EQ	Level / EQ	Level / EQ	Level / EQ	Level / EQ	Level / EQ	Level / EQ	Level / EQ	Level / EQ
Construction	Molded	Molded	Molded	Molded	Molded	Molded	Molded	Molded	Wood	Wood	Wood
Dimensions (front H x front W x D)	25.4 x 15.5 x 15.1" 658 x 394 x 384 mm	28.8 x 18.5 x 16.7" 732 x 470 x 424 mm	21.7 x 13.6 x 110.6" 550 x 345 x 270 mm	27.2 x 17.3 x 13.2" 690 x 440 x 335 mm	10.7 x 9.8 x 8" 372 x 249 x 205 mm	10.4 x 11.5 x 9.6" 264 x 292 x 244 mm	27.2 x 17.3 x 13.2" 690 x 440 x 335 mm	21.7 x 13.6 x 110.6" 550 x 345 x 270 mm	18.3 x 19 x 26.2" 465 x 485 x 640 mm	15.7 x 16.1 x 23" 400 x 410 x 585 mm	14.2 x 22.8 x 16" 360 x 580 x 406 mm
Other features	2-band EQ, may be linked via line output, pole socket, trapezoid shape is ideal for monitor applications	2-band EQ, may be linked via line output, pole socket, trapezoid shape is ideal for monitor applications	2-band EQ, may be linked via line output, pole socket, trapezoid shape is ideal for monitor applications	2-band EQ, may be linked via line output, pole socket, trapezoid shape is ideal for monitor applications	Weight-saving design, multiple B208Ds may be linked via line outputs, pole socket, trapezoid shape is ideal for monitor applications	Weight-saving design, multiple B210Ds may be linked via line outputs, pole socket, trapezoid shape is ideal for monitor applications	Weight-saving design, multiple B212Ds may be linked via line outputs, pole socket, trapezoid shape is ideal for monitor applications	Weight-saving design, multiple B215Ds may be linked via line outputs, pole socket, trapezoid shape is ideal for monitor applications	2-band EQ, may be linked via line output, pole socket, trapezoid shape is ideal for monitor applications	2-band EQ, may be linked via line output, pole socket, trapezoid shape is ideal for monitor applications	2-band EQ, may be linked via line output, pole socket, trapezoid shape is ideal for monitor applications

## F1220A Active 125-Watt 12" 2-Way Monitor System with Signal Processing

**EUROLIVE F1220A** High-Performance, Active 125-Watt Monitor Speaker System with 12" Woofer, 1" Compression Driver and Feedback Filter

- Wait until you hear what active speaker technology does for the lowly wedge floor monitor! It gives you fantastic sound you can tailor to your own tastes with 3-band EQ, feedback control and even the ability to plug a microphone in directly!
- High-performance, **125-Watt**, active monitor system for live and playback applications
  - Exceptional sound quality, wide frequency bandwidth and dynamic range
  - Adjustable feedback filter and integrated limiter for ultimate system control and speaker protection
  - Ultra-low noise Mic/Line input with Volume control and peak LED
  - Dedicated 3-band EQ for perfect sound shaping
  - Powerful 12" long-excursion driver provides incredibly deep bass and acoustic power
  - High-resolution 1" HF driver for exceptional high-frequency reproduction
  - Proprietary horn design for ultra-wide sound dispersion
  - Integrated 35 mm pole socket for stand mounting and use as PA system
  - High-quality components and exceptionally rugged construction ensure long life



## EUROLIVE B1520DSP/B1220DSP with advanced 24-bit digital signal processing

The B1520DSP and B1220DSP are state-of-the-art digitally controlled **600-Watt**, 2-way PA speaker systems with integrated mixers and on-board amplifiers. For ultimate system control, both offer a 24-bit digital signal processor which includes a crossover as well as phase and time correction features for perfect driver alignment, while a dual compressor/limiter provides total system protection.

- Additional features such as digital noise gate, low cut filter, dynamic EQ, plus the renowned EUROLIVE sound quality, make these true state-of-the-art speaker systems.
- High-power **600-Watt** 2-way PA sound reinforcement speaker systems
  - 24-bit digital signal processor that controls crossover as well as phase and time corrections etc. for ultimate sound control
  - Integrated mixer features 2 ULN (Ultra-Low Noise) Mic/Line inputs with individual volume controls and peak LEDs
  - Extremely powerful 15" (B1520DSP)/12" (B1220DSP)



- long-excursion driver
- State-of-the-art 1.75" titanium-diaphragm compression driver
- Heavily-braced cabinet with weight-balanced handles
- Conceived and designed by BEHRINGER Germany

## EUROLIVE B512DSP, B415DSP & B412DSP with advanced 24-bit of digial processing

**Ruler-flat frequency response. Zero phase and time domain distortion. Behold the power of sophisticated digital signal processing.**

How do you break the laws of physics and electronics and take speaker performance to new levels? By converting the signal into 24-bit digital and doing tricks with it that simply aren't possible with conventional component circuitry.

Until now, you had to pay a fortune for a DSP-controlled active speaker system or racks of outboard processing to get the astonishing studio monitor sound quality of our DSP Series.



- These three state-of-the-art EUROLIVE PA speaker systems are each built around an impressive 24-bit DSP engine that controls the crossover, a dual compressor/limiter and an intelligent dynamic EQ to guarantee perfect sound at all volume levels.
- Under the hood is a bi-amped **600-Watt** amplifier combination that drives a high-efficiency 15" (B415DSP) or 12" (B512DSP/B412DSP) woofer for massive punch
- and a 1.75" titanium tweeter embedded in an exponential/conical horn with multi-cell aperture throat.
  - High-power **600-Watt** 2-way PA sound reinforcement speaker systems with integrated mixer
  - State-of-the-art 24-bit digital signal processor for ultimate system control: crossover, phase and time correction for perfect driver alignment, dual compressor/limiter, noise gate, low-cut filter, 2-band EQ plus dynamic contour filter for ultimate sound reproduction
  - 2 ULN (Ultra-Low Noise) Mic/Line inputs with individual volume controls and peak LEDs
  - Extremely powerful 15" (B415DSP) / 12" (B512DSP/B412DSP) long-excursion driver provides incredibly deep bass and acoustic power
  - State-of-the-art 1.75" titanium-diaphragm compression driver for exceptional high-frequency reproduction
  - Ultra-wide dispersion and large format exponential/conical horn with multi-cell aperture throat
  - Additional Line output enables linking of additional speaker systems

24-BIT DSP SERIES	B415DSP	B512DSP	B412DSP	B1520DSP	B1220DSP
	1.75"	1.75"	1.75"	1.75"	1.75"
	15"	12"	12"	15"	12"
	Xformer	Xformer	Xformer	Xformer	Xformer
	140 W – A/B	140 W – A/B	140 W – A/B	140 W – A/B	140 W – A/B
	460 W – H	460 W – H	460 W – H	460 W – H	460 W – H
	2	2	2	2	2
	Level / EQ	Level / EQ	Level / EQ	Level / EQ	Level / EQ
	Molded	Molded	Molded	Wood	Wood
	29 x 18.5 x 17" 735 x 470 x 430 mm	18.3 x 27.6 x 19" 465 x 700 x 482 mm	26 x 15.5 x 15" 660 x 395 x 380 mm	18.3 x 27 x 19" 465 x 700 x 482 mm	15.6 x 25.1 x 16" 397 x 638 x 406 mm
	Dual mic inputs, 2-band EQ, may be linked via line output, pole socket, trapezoid shape for monitor use	Dual mic inputs, 2-band EQ, may be linked via line output, pole socket, trapezoid shape for monitor use	Dual mic inputs, 2-band EQ, may be linked via line output, pole socket, trapezoid shape for monitor use	Dual mic inputs, 2-band EQ, may be linked via line output, pole socket, trapezoid shape for monitor use	Dual mic inputs, 2-band EQ, may be linked via line output, pole socket, trapezoid shape for monitor use

# EUROLIVE Passive PA Loudspeakers

## B212XL & B215XL 2-Way Loudspeakers — optional mounting brackets available



- EUROLIVE B212XL- BK (black) & WH (white) 12" 2-Way PA Speaker Systems**
- **200-Watts** Continuous / **800-Watts** Peak Power handling
  - Hand-built 12" long-excursion low frequency transducers provide deep bass for medium sized rooms and normal program material and strong acoustic power

Our B212 and B215 have established strong track records as versatile, great-sounding loudspeakers. And now we've made them even better sounding with completely new transducers designed and built right in our own factory. The new, updated B212XL and B215XL have deeper bass response, smoother treble and the wide-dispersion, natural midrange that you've come to expect from our molded speaker line.



- EUROLIVE B212XL & B215XL feature**
- State-of-the-art 1.75" titanium-diaphragm compression driver for exceptional high-frequency reproduction
  - Ultra-wide dispersion, large-format exponential horn
  - Overload-protection circuitry ensures optimal HF driver protection
  - Versatile trapezoidal enclosure design allows different positioning:
    - Stand mounting with 35-mm pole socket
    - Tilts on its side for use as a floor monitor
  - Ergonomically shaped handles for easy carrying and setup
  - 2 professional speaker connectors plus ¼" jack connectors



- EUROLIVE WB212 / WB212-WH / WB215 / WB215-WH Wall Mount Swivel Brackets for EUROLIVE B212XL/ B215XL, B212A/B215A, B212D/B215D Series Speakers**
- Available in black and white
  - Heavy-duty steel construction
  - Designed for indoor use only



# EUROLIVE Passive PA Loudspeaker Systems

## EUROLIVE VS1520, VS1220 & VS1220F



This series of PA speakers is designed to meet the needs of gigging bands, mobile DJs and installations. The speakers are available in various sizes and power ratings, including extremely forceful long-excursion drivers for massive acoustic power and dual electro-dynamic drivers for exceptional high-frequency reproduction.

**VS1520** High-performance 2-way PA system

- **600-Watt** power handling
- Electro-dynamic high frequency transducer
- 15" long-excursion driver provides incredibly deep bass and acoustic power

**VS1220** High-performance 2-way PA system

- **600-Watt** power handling
- Electro-dynamic high frequency transducer
- 12" long-excursion lower frequency transducer

**VS1220F** 2-way floor monitor

- **600-Watt** power handling
- Electro-dynamic high frequency transducer
- 12" long-excursion lower frequency transducer

EUROLIVE LOUDSPEAKERS	VP2520	VP1800S	VP1520	VP1220F	VP1220	VS1520	VS1220F	VS1220	B1520 PRO	B1220 PRO	B2520 PRO		B1800X PRO	B212XL NEW!	B215XL NEW!
High frequency transducer / horn	1.75"	—	1.75"	1.75"	1.75"	Dual Driver	Dual Driver	Dual Driver	1.75"	1.75"	1.75"		—	1.75"	1.75"
Low frequency transducer	2 x 15"	1 x 18"	1 x 15"	1 x 12"	1 x 12"	1 x 15"	1 x 12"	1 x 12"	1 x 15"	1 x 12"	2 x 15"		1 x 18"	1 x 12"	1 x 15"
Peak power handling	2000 W	1600 W	1000 W	800 W	800 W	600 W	600 W	600 W	1200 W	1200 W	1600 W		1800 W	800 W	1000 W
Continuous power handling	500 W	400 W	250 W	200 W	200 W	150 W	150 W	150 W	400 W	400 W	400 W		800 W	200 W	250 W
Crossover frequency	2.2 kHz	LP 150 Hz	2.5 kHz	2.5 kHz	2.5 kHz	3.0 kHz	3.5 kHz	3.5 kHz	1.8 kHz	2.5 kHz	2.7 kHz		150 Hz	1.9 kHz	2.0 kHz
Dimensions (HxWxD)	41.9 x 18.7 x 20.1" 1065 x 475 x 510 mm	25.6 x 20.9 x 22.6" 650 x 530 x 615 mm	27 x 17.9 x 18.5" 685 x 455 x 465 mm	16.9 x 17.3 x 22.6" 735 x 470 x 430 mm	23.6 x 14.6 x 16.9" 600 x 390 x 430 mm	27 x 17.9 x 18.3" 685 x 455 x 465 mm	16.9 x 17.3 x 22.6" 430 x 440 x 575 mm	236 x 14.6 x 16.9" 600 x 370 x 430 mm	27.6 x 18.3 x 19" 700 x 465 x 482 mm	25.1 x 15.6 x 16" 638 x 397 x 406 mm	46.7 x 18.3 x 19" 1185 x 465 x 482 mm		27.6 x 21.5 x 21.35" 700 x 547 x 553 mm	21.7 x 13.6 x 10.6" 550 x 345 x 270 mm	27.3 x 17.3 x 13.1" 695 x 440 x 335 mm
Construction	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood	Wood/Molded	Wood/Molded	Wood/Molded		Wood/Molded	Molded	Molded
Impedance	4 Ω	8 Ω	8 Ω	8 Ω	8 Ω	8 Ω	8 Ω	8 Ω	8 Ω	8 Ω	4 Ω		8 Ω	8 Ω	8 Ω
Other features	Speakon-style connectors plus ¼" jacks, HF driver overload protection, linkable via thru connectors	Speakon-style connectors plus ¼" jacks, ergonomic handles for easy transport, linkable via thru connectors	Speakon-style connectors plus ¼" jacks, HF driver overload protection, linkable via thru connectors	Speakon-style connectors plus ¼" jacks, HF driver overload protection, linkable via thru connectors	Speakon-style connectors plus ¼" jacks, HF driver overload protection, linkable via thru connectors	Ergonomically shaped handles for easy transport, integral tripod & stand adaptor	HF driver overload protection, Ergonomically shaped handles for easy transport	Ergonomically shaped handles for easy transport, integral tripod & stand adaptor	Speakon-style connectors plus ¼" jacks, HF driver overload protection, trapezoid shape ideal for monitor apps	Speakon-style connectors plus ¼" jacks, HF driver overload protection, trapezoid shape ideal for monitor apps	Speakon-style connectors plus ¼" jacks, HF driver overload protection, trapezoid shape ideal for monitor apps		Ergonomically shaped handles for easy transport, integral pole socket, built-in switchable crossover	Available in black or white, optional swivel mounting brackets available, Speakon-style connectors plus ¼" jacks	Available in black or white, optional swivel mounting brackets available, Speakon-style connectors plus ¼" jacks

## EUROLIVE VP2520, VP1800S, VP1520, VP1220F & VP1220



**VP2520**

- Professional PA speaker with two extremely powerful 15" long-excursion drivers
- **2000-Watt** power handling
- State-of-the-art 1.75" titanium-diaphragm compression driver

**VP1800S**

- Professional PA speaker with single 18" subwoofer
- **1600-Watt** power handling

**VP1520, VP1220F & VP1220**

- Professional 2-way PA speaker systems with single 15" and 12" long-excursion drivers for incredibly deep bass and acoustic power
- State-of-the-art 1.75" titanium-diaphragm compression drivers for exceptional high-frequency reproduction
- Computer-optimized horn design for ultra-wide sound dispersion



Voice coil winding.

## EUROLIVE PROFESSIONAL SERIES B1520 PRO, B1220 PRO & B1800X PRO



- High-power 12" and 15" 2-way full-range loudspeakers plus matching 18" subwoofer
- Up to **1,200-Watts** Peak (B1800X PRO: **1,800-Watts** Peak)
- Titanium HF driver (full-range systems only)
- BEHRINGER HF driver protection (full-range systems only)
- Long excursion woofer and high-power internal crossover
- Professional speaker connector (compatible with Neutrik Speakon connectors)
- Recessed, ergonomically shaped die-cast handles
- Rugged steel grill for speaker protection
- 35mm top (B1800X) and bottom (B1520, B1220) pole socket

## EUROLIVE B2520 PRO speaker system

The B2520 PRO high-performance loudspeaker ideally complements our EUROLIVE PRO series. Two extremely powerful 15" long-excursion drivers and a 1.75" titanium diaphragm compression driver, wrapped in an innovative design concept, efficiently translate up to **2,200-Watts** of power into brutal punch and crystal-clear sound. If you want to level the house, get a pair of B2520 PRO's!



- **2,200-Watt** peak power handling
- **550-Watt** continuous power handling
- Extremely robust dual 15" long-excursion drivers provide incredibly deep bass and acoustic power
- Proprietary 1.75" titanium diaphragm compression driver for exceptional high-frequency reproduction
- Ultra-wide 50 Hz-18 kHz frequency range (-10 dB)
- Extremely high sound pressure level (99 dB full space 1W@ 1 m)
- Overload-protection circuitry for optimal HF driver protection
- Trapezoidal cabinet with internal bracing
- Weatherproof metal grille
- Weight-balanced handles



Compression driver assembly. Don't try this at home.

# Business/Installed Speakers



## MONITOR 1C-WH & MONITOR 1C-BK

These 2-way monitor loudspeakers are great for stereo and surround applications such as fixed installations, home recording studios as well as audio and video productions. Able to handle up to 100 watts of power, these monitors have a powerful 5.5" woofer with a light-weight cellulose cone, a high-resolution 0.5" tweeter plus a phase-optimized high-precision crossover for absolute phase linearity and auto-overload protection that resets automatically. The result: full-power, ultra-linear frequency response ranging from 60 Hz all the way up to 23 kHz.

- Multi-purpose 2-way studio monitors ideally suited for fixed installations, multimedia applications, home recording studios, audio/video productions and surround-sound systems
- High power handling capability (100 W / IEC268-5) with extremely low distortion
- Powerful 5.5" woofer with extremely light-weight cellulose cone and high-resolution 0.5" tweeter
- Ultra-linear frequency range from 60 Hz to 23 kHz
- Phase-optimized and high-precision crossover for absolute phase linearity



## CE500A-BK & C500A-WH 80-Watt Active Speaker

Looking for great sound and high tech appearance? The CE500A-BK is a multi-purpose, **80-Watt** active speaker for commercial indoor installations, multimedia applications, home recording studios, audio/video productions and perfect for use as a hot spot. A powerful woofer and a high-resolution tweeter deliver an exceptional sound quality and a wide dynamic range. In addition, the CE500A-BK offers an integrated limiter for ultimate system control and speaker protection.

- Multi-purpose, **80-Watt**, active speaker for commercial indoor installations (restaurants, shops, exhibitions), multimedia applications, home recording studios and audio/video productions
- Exceptional sound quality, wide dynamic range and ultra-linear frequency range from 60 Hz to 23 kHz
- Powerful 5.5" woofer with extremely light-weight cellulose cone and high-resolution 0.5" tweeter
- Integrated limiter for ultimate system control and speaker protection



By making our own loudspeakers, we can ensure better reliability, excellent sonic quality... and keep our prices down.



# Power Amplifiers

## Introducing the new EPX Series: Lightest-weight EUROPOWER Amps yet!

NEW!



### EPX2000 & EPX3000 Power Amplifier Common Features

- ATR (Accelerated Transient Response) technology for ultimate punch and clarity
- Ultra-light, ultra-low noise and ultra-efficient switch-mode power supply for noise-free audio, superior transient response and low power consumption
- Independent limiters for each channel offer maximum output level with reliable overload protection
- Detented gain controls for precise setting and matching of sensitivity
- Precise Power, Signal and Clip LEDs to monitor performance
- XLR, ¼" TRS and RCA input connectors for compatibility with any source
- Professional speaker connectors and "touch-proof" binding posts support most speaker wiring systems
- Built-in Subwoofer/Satellite crossover for more flexibility
- Independent DC and thermal overload protection on each channel automatically protects amplifier and speakers without shutting down the show
- "Back-to-front" ventilation system including air filter for reliable operation
- "Built-like-a-tank," impact-resistant, all-steel 2U rackmount chassis
- High-quality components and exceptionally rugged construction ensure long life
- Conceived and designed by BEHRINGER Germany

### EPX2000 2000-Watt Stereo Power Amplifier

- 2 x **1000-Watts** into 2 Ohms; 2 x **650-Watts** into 4 Ohms; **2000-Watts** into 4 Ohms (bridge mode)
- Weight 22.2 lbs / 10.1 kg.

full brochure online

### EPX3000 3000-Watt Stereo Power Amplifier


- 2 x **1500-Watts** into 2 Ohms; 2 x **900-Watts** into 4 Ohms; **3000-Watts** into 4 Ohms (bridge mode)
- Weight 22.2 lbs / 10.1 kg.

full brochure online

### Class D Amplifier Technology delivers high power with low weight.

Instead of operating relatively continuously like Class AB circuits, Class D amps switch on and off thousands of times per second, delivering power when needed. When combined with switching-mode power supplies that replace heavy toroid transformers, our new designs provide more dynamic punch as the much higher switching frequency reloads the supply's capacitors much faster. And, because they are so much more efficient, D Series active speakers run cooler and don't require huge, heavy heat sinks.

BEHRINGER didn't invent Class D technology, but our R&D Department has been working for years to perfect our own version with all the benefits of light weight and cool running but also can achieve our goal of Accelerated Transient Response.



### Accelerated Transient Response delivers the knock-out punch.

It takes huge pulses of energy (current and voltage) to propel a woofer cone out fast enough to match a bass beat. That's called Transient Response and it's the holy grail of amp designers. By carefully selecting transistors and MOSFETs with extremely high slew rates and optimizing other proprietary parts of our amps' circuitry, they are able to react instantly to even the most demanding electronic bass impulses. If the woofers in your PA system can keep up, your audience will hear a tighter, crisper, more natural sound.

### EP4000 4000-Watt Stereo Power Amplifier

NEW!



### Professional 4,000-Watt Stereo Power Amplifier with ATR (Accelerated Transient Response) Technology

- 2 x **2,000-Watts** into 2 Ohms; 2 x **1,400-Watts** into 4 Ohms; **4,000-Watts** into 4 Ohms (bridge mode)
- Precise Power, Signal and Clip LEDs to monitor performance
- XLR and ¼" TRS input connectors
- Professional speaker connectors and "touch-proof" binding posts support most speaker wiring systems
- Selectable low-frequency filters (30 Hz or 50 Hz) remove distracting infra-sound frequencies
- Independent limiters per channel offer reliable protection against overload and distortion
- High-current toroidal transformer for ultra-high transient response and absolute reliability
- Ultra-reliable Toshiba/Fairchild power transistors
- Independent DC and thermal overload protection on each channel automatically protects amplifier and speakers without shutting down the show
- "Back-to-front" ventilation system including air filter
- "Built-like-a-tank," all-steel 2U rackmount chassis

### EP2000 2000-Watt Stereo Power Amplifier

NEW!



- Professional 2,000-Watt Stereo Power Amplifier with ATR (Accelerated Transient Response) Technology
- 2 x **1,000-Watts** into 2 Ohms; 2 x **750-Watts** into 4 Ohms; **2,000-Watts** into 4 Ohms (bridge mode)
- Precise Power, Signal and Clip LEDs to monitor performance
- XLR and ¼" TRS input connectors
- Professional speaker connectors and "touch-proof" binding posts support most speaker wiring systems
- Selectable low-frequency filters (30 Hz or 50 Hz) remove distracting infra-sound frequencies
- Independent limiters per channel offer reliable protection against overload and distortion
- High-current toroidal transformer for ultra-high transient response and absolute reliability
- Ultra-reliable Toshiba/Fairchild power transistors
- Independent DC and thermal overload protection on each channel automatically protects amplifier and speakers without shutting down the show
- "Back-to-front" ventilation system including air filter
- "Built-like-a-tank," all-steel 2U rackmount chassis

full brochure online

- High-current toroidal transformer for ultra-high transient response and absolute reliability
- Ultra-reliable Toshiba/Fairchild power transistors
- Independent DC and thermal overload protection on each channel automatically protects amplifier and speakers without shutting down the show
- "Back-to-front" ventilation system including air filter
- "Built-like-a-tank," all-steel 2U rackmount chassis
- High-quality components and exceptionally rugged construction ensure long life
- Conceived and designed by BEHRINGER Germany

### REFERENCE AMPLIFIER A500



- Ultra-linear power amplifier for recording studios, post-production, live sound and hi-fi application
- 2 x **230-Watts** into 4 Ohms
- **500-Watts** into 8 Ohms in bridged mono operation
- Servo-controlled design can drive virtually any passive speaker such as studio monitors, etc.
- Advanced convection-cooling for absolutely noise-free and stable operation (no fan)
- Precise level meter and clip indicators for accurate performance monitoring
- Input connections on balanced XLR, ¼" TRS and RCA connectors

EUROPOWER Amps	EP2000 <b>NEW!</b>	EP4000 <b>NEW!</b>	EPX2000 <b>NEW!</b>	EPX3000 <b>NEW!</b>
Watts into 2 Ohms	2 x 1000	2 x 2000	2 x 1000	2 x 1500
Watts into 4 Ohms	2 x 750	2 x 1400	2 x 650	2 x 900
Watts, Bridge Mode	2000 into 4Ω	4000 into 4Ω	2000 into 4Ω	3000 into 4Ω
H x W x D	3.5" x 19" x 15.8" 88.9 x 482.6 x 401.3	3.5" x 19" x 15.8" 88.9 x 482.6 x 401.3	3.5" x 19" x 14.7" 88 x 483 x 373	3.5" x 19" x 14.7" 88 x 483 x 373
Weight	34.6 lbs/15.69 kg	36.6 lbs/16.6 kg	22.2 lbs /10.1 kg	22.2 lbs /10.1 kg
Channels	2	2	2	2
No. of Fans	1	1	2	2
Built-In Crossover	—	—	100 Hz	100 Hz
Controls	Clip limiter; Low Cut Filter 50 Hz/30Hz; Low Cut Filter On/Off; Stereo/Parallel Input; Bridge Mode On/Off; Detented Gain controls per channel	Clip limiter; Low Cut Filter 50 Hz/30Hz; Low Cut Filter On/Off; Stereo/Parallel Input; Bridge Mode On/Off; Detented Gain controls per channel	Crossover 100Hz/Fullrange; Mode (Mono, Stereo, Bridge); Limiter On/Off; Detented Gain controls per channel	Crossover 100Hz/Fullrange; Mode (Mono, Stereo, Bridge); Limiter On/Off; Detented Gain controls per channel

# Portable PA Systems

### EUROPORT EPA40 ultra-portable PA system



This is the ideal PA system for business meetings, tour guides, classroom and outdoor activities—portable and easy to handle. It features a 5" full-range loudspeaker with 40-Watts of power, an integrated battery pack for 8 hours of continuous operation, Mic and Aux inputs as well as a high-quality dynamic microphone and accessories.

- Ultra-compact, portable **40-Watt** PA system
- 5" full-range loudspeaker with enormous power and incredible sonic performance in a super-light package
- Built-in battery with 8 hours life—recharges completely in just 4 hours
- Mic and Auxiliary inputs to connect to the included XM1800S microphone, your CD player and other line level sources
- Includes microphone, carry strap and charger



Yo coaches: Blowing whistles and shouting is so yesterday. Use a lightweight but loud EPA40 to rally your team.

### EUROPORT EPA900 900-Watt portable PA system



In-line luggage style wheels make transport easy.

The EUROPORT EPA900 meets the high expectations of demanding businessmen, educators or musicians on the move, delivering unheard-of power and high-quality sound performance in a light-weight but impact-resistant housing. Included are two speakers with 900-Watts of stereo power, featuring 10" woofers and 1.25" compression drivers, an effects processor with 100 presets and our popular FBQ Feedback Detection system.

The 8-channel mixer section consists of 4 mono and 2 stereo channels plus separate CD inputs. That means you can plug in up to 4 microphones plus A/V equipment like CD, DVD player or laptop computer audio and have complete control over individual levels.

The EPA900 has built-in luggage style carry wheels and an integrated storage compartment for microphones and cables. It unpacks in moments and is extremely simple to operate.

- Ultra-compact **900-Watt**, 8-channel portable PA system
- Enormous power, incredible sonic performance and super-light weight
- Extremely powerful 10" woofers and 1.25" compression drivers for incredible sound reproduction
- 24-bit stereo FX processor with 100 awesome presets
- FBQ Feedback Detection system
- 8-channel mixer section comprises 4 mono and 2 stereo channels plus separate CD inputs
- Bass, midrange and treble tone controls for each channel
- Effects level controls for each channel
- Comes with a XM1800S microphone, a mic clip and 20' cables





# Audio Technology for Live Sound and Recording

If all acoustic spaces and music were created equal, there would be no need to further equalize, compress, limit or process their signals. But acoustics vary from room to room and the content of musical programming often requires interactive manipulation in order to suit a wide variety of tastes and to address environmental space issues.

At BEHRINGER, we build tools to make your music sound better! No other company offers such a wide array of high-quality audio enhancement products for musicians, from the beginner to the seasoned professional.

## Dynamic processors

For a highly professional finishing touch, sound and recording engineers use dynamic processors to solve a vast array of issues. Compressors, limiters, gates and other useful tools allow you to smooth out volume inconsistencies, add warmth and punch to live instruments and recorded tracks, and reduce open microphone crosstalk problems.

## Equalizers

Nightclubs, concert halls, churches and other live music environments benefit greatly from the use of equalizers for reducing feedback and taming frequency anomalies that would otherwise ruin a performance. High-frequency sounds tend to bounce off hard surfaces and get absorbed by others, significantly degrading the quality of the original signal. Bass response can be mushy, or on the other end of the spectrum, become overwhelmingly harsh, depending on the placement of the loudspeakers and the shape and contents of the room. The critical midrange zone, where the vocals and solo instruments live can get completely lost in the mix. A high quality graphic EQ can help solve these and a host of other acoustic problems.

## Digital effects processors

One sure way to give your sound the professional touch is to incorporate effects, such as reverbs, delays, or compressors. These devices help create an ambience or atmosphere that lends warmth to

live and recorded performances. In the old days that meant hauling tremendous racks of sophisticated and delicate electronics and hoping for the best. Today's digital effects processors are designed to handle the rigors of the road and provide consistently high-quality output. Technological advances have also made them affordable, even to entry-level performers.

## Sound enhancement processors

Specialized enhancement processors can give your music added dimensionality, improving the clarity and bottom end of your sound system. Filters are employed to compensate for phasing anomalies and add density to low frequency content. These processors provide the ultimate sound improvement tool for home recording studios, DJ systems, keyboard racks, web-casting, plus 5.1 and hi-fi setups.

## Crossovers

You wouldn't want your speaker system's high frequencies coming out of the woofer, and you definitely wouldn't want those all-important lows bleeding into the horn! That's why you need a crossover. Whether you're a sound engineer, concert hall operator or a movie theater sound tech, crossovers help you deliver a breathtaking spectrum of sound that accurately meets your most painstaking specifications.

## Microphone preamplifiers

Like any guitar, bass, or keyboard, a microphone is a musical instrument whose amplification makes an immeasurable impact on its tone. Microphone preamps give your favorite mic's signal the powerful push it needs to be heard and recorded, and by taking the time to select the one that's right for you, your tone will take on just the right amount of warmth, transparency and noise-free fidelity.



Tony Gullage — New Orleans bassist who has worked with Dr. John, Shirley Murdock, Henry Butler and Gary Brown.

## Headphone and monitoring amplifiers

When the whole band is at work in the studio, no one wants to be shut out of hearing the mix because of a shortage of headphone outputs. That's what's so great about headphone and monitoring amplifiers—everyone can listen together and weigh in on the mix! Whether you're dealing with a fab foursome or an awesome octet, these brilliant boxes keep everyone's head in the game.

## Audio toolkit

In the topsy-turvy world of recording and live performance, it pays to expect the unexpected. You can never go wrong by stocking up on audio tools like cable testers, feedback eliminators, noise killers, direct input boxes, phantom power supplies and rack lights. Having these invaluable tools at your disposal can make the difference between a smooth, hassle-free performance and a trouble-ridden disaster!



# Dynamic Processor s

## MULTICOM PRO-XL MDX4600



- Interactive Reference-Class 4-Channel Expander/Gate/Compressor/ Peak Limiter with Dynamic Enhancer and Low Contour Filter
- Switchable IKA (Interactive Knee Adaptation) program-adaptive compression circuitry combines the advantages of hard-knee and soft-knee characteristics
- IRC (Interactive Ratio Control) expander/gate circuitry for virtually inaudible noise suppression
- Dynamic enhancer for brilliant, lively audio
- Switchable low contour filter prevents “pumping” due to low-frequency dominated compression

## COMPOSER PRO-XL MDX2600



- Interactive Reference-Class 2-Channel Expander/Gate/Compressor/ Peak Limiter with Integrated De-Esser, Dynamic Enhancer, Tube Simulation and Low Contour Filter
- Switchable IKA (Interactive Knee Adaptation) program-adaptive compression circuitry combines the advantages of hard-knee and soft-knee characteristics
- IRC (Interactive Ratio Control) expander/gate circuitry for virtually inaudible noise suppression
- Dynamic enhancer for brilliant, lively audio
- Switchable low contour filter prevents “pumping” due to low-frequency dominated compression

## MULTIGATE PRO XR4400



- Four separate expander/gate channels
- UTR (Ultra Transient Response) selectable ultra-fast gate
- IRC (Interactive Ratio Control) selectable ultra-smooth expander
- Extremely short attack time (<10 µsec.)
- Parametric side chain filter with monitor function
- Independent hold and release controls for flexible envelope shaping
- Accurate “traffic light” display for easy threshold setting

## AUTOCOM PRO-XL MDX1600



- Interactive Reference-Class 2-Channel Expander/Gate/Compressor/ Peak Limiter with Integrated Dynamic Enhancer, De-Esser and Low Contour Filter
- Switchable IKA (Interactive Knee Adaptation) program-adaptive compression circuitry combines the advantages of hard-knee and soft-knee characteristics
- IRC (Interactive Ratio Control) expander/gate circuitry for virtually inaudible noise suppression
- Dynamic enhancer for brilliant, lively audio
- Switchable low contour filter prevents “pumping” due to low-frequency dominated compression



Mitchel Delevie — Songwriter, producer and engineer whose talents have garnished work by Smokey Robinson, Rickie Lee Jones and Randy Meisner.

# Equalizers and Multi-Processors

## ULTRACURVE PRO DEQ2496



- Ultra high-precision digital 24-bit/96 kHz processor for all EQ, RTA and dynamic applications
- 4 concurrently selectable EQ modules (31-band graphic EQ, 10-band parametric EQ, FEEDBACK DESTROYER plus three Dynamic EQs per stereo channel)
- Flexible Compressor/Expander function with Peak Limiter, additional Stereo Imager and Stereo Delay
- Unique VPQ (Virtual Paragraphic EQ) option allows parametric control of graphic EQs
- Ultra high-resolution 61-band real-time FFT Analyzer with auto EQ function
- Separate RTA mic/line input, AES/EBU and S/PDIF inputs and outputs, wordclock input and MIDI connections

## ULTRAGRAPH PRO FBQ1502



- Professional 15-band stereo graphic equalizer
- FBQ Feedback Detection system instantly reveals critical frequencies and can also be used as Audio Analyzer
- Dedicated mono subwoofer output with adjustable crossover frequency
- Additional low cut filter removes unwanted frequencies, e.g. floor rumble
- Ultra-low noise audio operational amplifiers offer outstanding sound performance
- Servo-balanced inputs and outputs with ¼" TRS and gold-plated XLR connectors

## ULTRAGRAPH PRO FBQ3102



- Professional 31-band stereo graphic equalizer
- FBQ Feedback Detection system instantly reveals critical frequencies and can also be used as Audio Analyzer
- Dedicated mono subwoofer output with adjustable crossover frequency
- Additional low cut filter removes unwanted frequencies, e.g. floor rumble
- Ultra-low noise audio operational amplifiers offer outstanding sound performance
- Servo-balanced inputs and outputs with ¼" TRS and gold-plated XLR connectors

## ULTRAGRAPH PRO FBQ6200



- Professional 31-band stereo Graphic Equalizer for both live and studio applications
- Revolutionary FBQ Feedback Detection system instantly reveals critical frequencies and can also be used as Audio Analyzer
- Dedicated limiters with gain reduction meters for each channel
- Pink noise generator provides test signals for equalizing your sound system to any room acoustics
- Mono subwoofer output with dedicated level control and adjustable crossover frequency
- High-quality illuminated 45-mm faders

## ULTRAGRAPH DIGITAL DEQ1024



- Ultra high-resolution 24-bit/96 kHz processor for all EQ, RTA and dynamic applications, especially for PA and audiophile mastering
- Unique TRUE CURVE Function—what you see on the faders is what you get as frequency response
- Revolutionary FBQ Feedback Detection system instantly reveals critical frequencies and can also be used as Audio Analyzer
- Automatic FEEDBACK DESTROYER module plus feedback indication via fader LEDs
- “Inaudible” Noise Gate/Peak Limiter function plus amazing Stereo Imager
- Digital AES/EBU and S/PDIF interface and selectable sample rates (44.1, 48, 96 kHz)

## MINIFBQ FBQ800



- Ultra-compact 9.5" graphic equalizer for studio and stage applications
- Revolutionary FBQ Feedback Detection system instantly reveals critical frequencies and can also be used as Audio Analyzer
- Additional low cut filter removes unwanted frequencies, e.g. floor rumble
- Accurate 6-segment LED Input/Output meters and Level control for precise level indication
- Ultra-low noise audio operational amplifiers offer outstanding sound performance



# 24-Bit Digital Effects Processors

## VIRTUALIZER PRO DSP2024P



- High-performance 24-bit multi-engine effects processor
- 71 breathtaking new algorithms, most in true stereo
- Wave-adaptive VIRTUAL ROOM reverb algorithms for ultra-natural reverb and delay
- Awesome modulation, dynamic, psycho-acoustic and EQ algorithms plus innovative amp simulation, distortion and special effects
- 11 effect combinations with selectable serial/parallel routing
- Up to 7 adjustable parameters plus high and low EQ per effect

## MINIFEX FEX800



- Ultra-compact 9.5" stereo multi-effects processor for studio and stage applications
- 16 awesome FX presets in 24-bit/48 kHz resolution including reverb, delay, chorus, flanger, phaser, rotary speaker, pitch shifter and multi-effects
- Intuitive FX Preset control with LEDs indicating the selected program
- Versatile Edit and Tap/Select functions to control a wide range of FX parameters
- Stereo Input Level control with accurate 6-segment LED Input meter for precise level indication

# Sound Enhancement Processors

## SONIC ULTRAMIZER SU9920



- Dramatically improves your sound by adding dimension and depth
- Produces natural brightness through harmonic enhancement and tighter bass with increased punch through phase compensation
- Broadcasting and webcasting: adds loudness and "live presence" even on small car or computer speakers
- 5.1 and hi-fi setups: DVDs become stunningly lifelike and the spatial dimension of your sound system increases dramatically
- Accurate 5-segment LED level meters for optimum performance
- Dedicated Low contour and Process controls per channel for ultimate sound enhancement
- Servo-balanced inputs and outputs with ¼" TRS and gold-plated XLR connectors

## SONIC EXCITER SX3040



- Dramatically improves your sound by adding clarity and bottom end
- Produces natural brightness through harmonic enhancement and tighter bass with increased punch through phase compensation
- Professional and home recording studios: brings out the full sound spectrum of your tracks, mixdown and mastering
- PA, nightclub and DJ systems: improves the performance of any sound system by adding sparkling high end and super-tight bass without the need for additional speakers or amps
- Churches and houses of worship: dramatically increases voice intelligibility and your music gains presence
- Dedicated Tune, Harmonics and Mix controls per channel on the Sonic Exciter section

# Crossovers and Loudspeaker Management

## SUPER-X PRO CX2310 Crossover



- 2-way stereo/3-way mono crossover
- 24 dB/octave, state-variable Linkwitz-Riley filters for precise frequency separation
- Flat summed amplitude response, zero phase difference
- Polarity reverse switch per output
- Adjustable time delay for phase alignment
- Separate subwoofer output with independent frequency control

## ULTRADRIVE PRO DCX2496



- Ultra high-precision digital 24-bit/96 kHz loudspeaker management system with RS-232 and RS-485 interfaces
- Individual crossover filter types with selectable roll-off characteristics from 6 to 48 dB/octave, four different mono/stereo output operating modes
- "Zero"-attack limiters on all output channels for speaker protection
- Precise dynamic EQs and extremely musical parametric EQs, selectable for all inputs and outputs
- Adjustable delays for all 3 analog inputs (one switchable for digital AES/EBU input) and 6 analog outputs
- Integrated sample rate converter (32 to 96 kHz) for easy connection of external digital sources

## SUPER-X PRO CX3400



- 3-way stereo/4-way mono crossover
- 24 dB/octave, state-variable Linkwitz-Riley filters for precise frequency separation
- Absolutely flat summed amplitude response, zero phase difference
- Individual limiter (CX3400 only) and polarity reverse switch per output
- Adjustable time delay for phase alignment and "Low Sum" function for subwoofer operation
- Separate subwoofer output



Juan "Punchy" Gonzales, front of house ringmaster for Nile, loves his COMPOSER PRO-XL MDX2600s!

# Microphone Preamplifiers

## MINIMIC MIC800



- Ultra-compact 9.5" microphone modeling preamp for studio and stage applications
- High-end preamplifier for all microphone, instrument and line-level sources. Perfectly complements studio-grade condenser mics
- Ultra-flexible Preamp Modeling allows you to quickly optimize your recordings
- Choose between 16 preamp voicings designed for electric and acoustic guitars, keyboards, bass guitars, drums, vocals, etc.
- Authentic VTC Tube Modeling technology creates the warmth of vacuum tubes

## ULTRAGAIN PRO MIC2200



- High-precision vacuum tube microphone/line preamplifier
- Discrete mic/line input stages with soft mute
- +48 V phantom power
- Ultra-wide bandwidth from 10 Hz to 200 kHz for open sound
- Built-in high-quality vacuum tube for outstanding, ultra-musical tube sound
- Two fully parametric EQs with adjustable center frequency, bandwidth and level
- Fully tunable and switchable 12 dB high-pass filter
- Switchable polarity reverse to correct phase problems

## TUBE ULTRAGAIN MIC200 & MIC100



- High-end tube mic/line preamplifier for studio, live and hard disk recording applications
- Hand-selected 12AX7 vacuum tube with UTC technology
- The ultimate sound-enhancing tool for virtually any sound source
- 16 preamp voicing models designed for electric and acoustic guitars, keyboards, bass guitars, drums, vocals and more (MIC200 only)
- Perfectly complements studio-grade condenser mics
- Usage as a high-end DI-box
- +48 V phantom power, polarity reverse switch and 20 dB pad



Wu Li in the Surface Mount department.

In our BEHRINGER City factory complex, yellow and pink smocks denote Quality Control Inspectors. There is a lot of pink and yellow when you look at one of our manufacturing production lines. Because we inspect our products at every stage... instead of just at the end.

# Headphone Amplifiers

## POWERPLAY PRO-8 HA8000



- Professional multi-purpose headphone amplifier system for stage and studio applications
- Eight totally independent stereo high-power amplifier sections in one rack space
- Two stereo main inputs for two independent mixes, accessible from all eight channels
- Eight independent direct inputs provide up to eight individual stereo mixes
- High sound quality with virtually all types of headphones even at maximum volume
- Mono/stereo switch per channel for more flexibility

## MINIAMP AMP800



- Ultra-compact 9.5" headphone amplifier system for studio and stage applications
- 4 totally independent stereo high-power amplifier sections
- High sound quality with virtually all types of headphones even at maximum volume
- Phones Level control plus accurate 6-segment LED output meter per channel for easy level monitoring
- 2 balanced stereo main inputs with independent Level and Balance controls for individual mixes, selectable for all 4 headphone amplifiers



## POWERPLAY PRO-XL HA4700



- Professional, multi-purpose headphone amplifier system
- High sound quality with virtually all types of headphones >8 Ohms even at maximum volume
- Four independent high-power amplifier sections provide up to four stereo mixes with individual balancing
- Each input/aux section can be separately set
- Stereo aux input for each channel
- Multi-functional ST./2-CH switch on each channel allows for either stereo playback or double mono operation
- Ultra-musical high and low EQ per channel for perfect sound adaptation
- Left & right mute switches for each channel allow two different mixes in mono mode

## MICROAMP HA400

- 4-channel stereo headphone amplifier for use with all types of headphones
- Four individual high-power stereo amplifiers
- High sound quality even at maximum volume
- Output level control for each channel
- Ultra-low noise 4580 operational amplifiers for outstanding audio performance
- DC 12-Volt adapter included
- High-quality components and exceptionally rugged construction ensure long life





Okay, the photo below definitely bears an explanatory caption. In mid-February of 09 we celebrated the 20th Anniversary of BEHRINGER (and 7th Anniversary of our BEHRINGER City manufacturing facility!) with a huge gala banquet complete with speeches and performances at the Zhongshan Exposition Center. This was part of the entertainment. Along with flaming batons, indoor fireworks and a whole lot more.



Outside the Electromagnetic chamber in our Testing Laboratories at BEHRINGER City. This is where we test all BEHRINGER products for compliance with standards such as FCC emissions, CE and safety. The facility represents a million dollar investment in Standards Compliance. And includes at least one machine that goes “ping”.



Musicians and sound engineers run into a wide range of problems from gig to gig. When an unanticipated problem rears its ugly head, you need to be ready to take action, and fast. Whether you want to stop feedback dead in its tracks, connect an accordionist to the main console or just light up your rack so you can work in a dimly lit room, you will find something you need on this page. Take control of your gig and start building a truly professional audio toolkit today!

ULTRAMATCH PRO SRC2496



- Ultra high-resolution 24-bit/96 kHz A/D-D/A & sample rate converter
- Format conversion between AES/EBU and S/PDIF (coaxial or optical)
- Converts 31 kHz - 100 kHz input into 32 kHz, 44.1 kHz, 48 kHz, 88.2 kHz or 96 kHz output
- Allows parallel A/D and D/A conversion at identical sample rate
- All three outputs (XLR, RCA, optical) simultaneously operational (splitter)
- Universal sample rate synchronization via wordclock or digital input
- Allows direct manipulation or removal of emphasis bits
- Removes jitter and corrects incorrect sample rates

FEEDBACK DESTROYER PRO FBQ2496



- 24-bit/96 kHz feedback suppressor/parametric EQ
- Locates and destroys up to 20 critical frequencies per channel
- Up to 40 fully parametric filters
- Ultra-narrow notch-filters (up to 1/60th octave)
- Open MIDI architecture for future software updates
- Balanced inputs and servo-balanced outputs with XLR and ¼" TRS connectors

FEEDBACK DESTROYER PRO DSP1124P



- 2-channel 24-Bit Dual Engine Digital Feedback Suppressor / Parametric EQ
- Ultra-high performance 2-channel digital feedback suppressor / parametric EQ
- Automatically and “intelligently” locates and destroys up to 12 frequencies per channel
- “Set-and-forget” default setting enables immediate and super-easy performance
- 2 x 12 fully programmable parametric filters that can be set manually or via MIDI
- Auto mode continuously monitors the mix, resetting programmed filters automatically
- Single-shot mode automatically detects and destroys feedback and locks the filter until you reset it manually
- Manual mode allows individual setting of up to 2 x 12 fully parametric filters with frequency, bandwidth and gain adjustment
- 2 digital processing engines provide independent or coupled functions on left and right channels
- Extensive MIDI implementation and user preset memories for storing and instantly recalling programs
- Accurate eight-segment LED level meters for perfect level setting and optimum performance
- Servo-balanced, gold-plated XLR and ¼" TRS connectors

ULTRAZONE ZMX8210 Zone Mixer




- 2 selectable high-headroom stereo inputs with mono/ stereo switch
- Channel 1 has variable threshold for automatic bus mute for announcements, etc.
- 3 assignable outputs (Left, Right and Aux) with individual Master controls and 5-segment LED meters
- Ultra-musical 4-band master EQ and global microphone low-cut filter for perfect sound adjustment
- Left, Right, Aux and Mute bus links available including Master/Slave switch for connecting multiple units
- Remote master Left/Right level control port for ultimate flexibility
- Select switch for routing microphone bus post remote control
- Integrated channel muting system with Priority select
- All inputs/outputs on Euro-type connectors
- High-quality components and exceptionally rugged construction ensure long life

ULTRA-DI DI20



- Professional Active 2-Channel DI-Box/Splitter
- Converts 2 separate unbalanced ¼" TRS line inputs into 2 balanced XLR outputs
- Ultra-flexible: mono, 2-channel or stereo DI box operation with switchable Link mode
- Additional Split mode (channel 1 assigns the signal to both XLR outputs)
- Phantom or 9 V battery powered
- Switchable input attenuation allows connection to outputs with up to 3,000 Watts
- Input 2 usable as channel 1 Link output (additional to XLR output)
- Ground lift switch eliminates typical ground loop problems
- Ultra-compact, road-suitable housing
- Conceived and designed by BEHRINGER Germany

ULTRA-DI DI100



- Professional active direct injection box
- Converts unbalanced line inputs to balanced outputs
- Ground lift switch eliminates typical ground loop problems
- Internal battery automatically shuts off when phantom power is connected
- Direct connection of amplifier outputs with ratings of up to 3,000-Watts
- Switchable input attenuation allows input levels up to +50 dB
- BEHRINGER OT-1 output transformer for full galvanic insulation

ULTRA-DI PRO DI4000




- Professional 4-channel active direct injection box
- Converts unbalanced line inputs to balanced outputs
- Extremely linear frequency response from 10 Hz to 50 kHz
- +20 dB gain switch for preamplification of low-level signals
- Switchable attenuation allows maximum input of +50 dB
- S/N ratio -95 dB, THD <0.005%
- Phase reverse switch for instant correction of phase problems
- BEHRINGER OT-1 output transformer for full galvanic insulation

MINIMON MON800



- Ultra-compact 9.5" monitor matrix mixer for studio and stage
- Dedicated input section with 4 selectable and mixable stereo inputs
- Accurate 6-segment LED main stereo output meters for precise level indication
- High-power phones output with dedicated Level control
- 3 selectable stereo speaker outputs with separate Level controls
- Professional Mute, Dim and Mono functions
- Talkback section with internal microphone and comprehensive routing options

ULTRA-DI DI600P & DI400P



- High-performance passive direct injection box
- Converts any unbalanced line-level signal to balanced mic-level output
- Provides impedance and signal matching for the direct connection of instruments to amplifiers and mixers
- Allows the use of long cables without losing high frequencies
- Thru/Out jack lets you send the unbalanced signal to an onstage amplifier while the balanced signal is routed to the mixer
- Switchable Inst/Amp input for connecting instruments or amplifier outputs with up to 3,000-Watts (DI600P only)
- Filter switch reduces annoying hiss and buzz (DI600P only)

ULTRA-DI PRO DI800



- Professional, multi-purpose 8-channel direct injection box
- Converts unbalanced line inputs into balanced outputs
- Optional mains or phantom powered operation
- Ultra-flat frequency response due to servo-balanced operation
- Allows direct connection to speaker outputs with up to 3,000-Watts
- Ultra-low noise operational amplifiers for outstanding audio performance
- +20 dB gain switch for pre-amplification of low-level signals
- Attenuation switch for input levels up to +40 dBu

ULTRAPATCH PRO PX3000



- Professional and multi-functional 48-point patchbays for studio and stage applications with high-quality phone jacks
- 3 modes, easily selectable per ch. via topside switches

MICROPOWER PS400, MICROPHONO PP400 & MICROMON MA400



- MICROPOWER PS400**
  - Ultra-compact phantom power supply
  - Selectable +12/+48 V power supply
  - Ultra-low noise audio performance
  - DC 12-Volt adapter included
- MICROMON MA400**
  - Ultra-compact monitor headphone amplifier
  - Personal “more me” mixer—mix a mic and a monitor signal and hear them via headphones
  - Flexible Mic In and Mic Through XLR connectors with Ground Lift switch
  - DC 12-Volt adapter included

- MICROPHONO PP400**
  - Ultra-compact phono preamp
  - Converts your phono signal to a line level signal
  - Ultra-low noise audio operational amplifiers
  - DC 12-Volt adapter included

SHARK DSP110



- Automatic FEEDBACK DESTROYER and multifunction signal processor
- Discrete ULN (Ultra-Low Noise) mic/line input stage with gain control and +48 V phantom power
- Delay line with up to 2.5 seconds of delay, adjustable in meters, feet and msec.
- Noise gate with automatic and manual parameter adjustments
- Super-musical compressor with variable density
- Up to 5 SHARK processors are rack-mountable in just two units of rack space (the rack-mounting kit is included with the purchase of 5 SHARK processors)

CABLE TESTER CT100



- Three modes: cable test mode, installed cable test mode and test tone mode
- Accepts XLR, mono and TRS phone (¼", ⅝", TT), RCA and MIDI connectors
- Continuity check
- Intermittent detect
- Phantom power detect
- Grounded shield detect
- Test tone generation (1 kHz and 440 Hz)
- Battery operation (requires two AA alkaline batteries)

MICROHD HD400



- Removes AC hum and noise—fast, easy and reliable
- Breaks ground loops safely, while keeping high sound quality
- Automatically converts unbalanced to balanced signals without any signal loss
- Two ¼" TRS inputs and outputs for 2 mono or 1 stereo signal
- High-quality components and exceptionally rugged construction ensure long life

In our Sourcing and Quality Control area. Points off for the messy desk. Big points for sourcing, evaluating and torture-testing sliders for our graphic equalizers.



# Audio toolkit: practical solutions to problems you encounter every day.



## Complete Podcasting Systems

### PODCASTUDIO USB

Go “on-the-air” straight out of the box with this fantastic PODCASTUDIO recording package. It comes with a studio-grade USB audio interface as well as comprehensive DAW and podcasting software.

The package also features a professional 5-input mixer with 2-band “British” EQ, high-quality headphones and a dynamic broadcast-style microphone plus cable.


- Everything you need for professional podcasting, music production and digital home recording
- 2 In / 2 Out USB audio interface with plug-and-play for Windows XP and Mac OS X operating systems
- 5-input 2-bus mixer
- Dynamic broadcast-style microphone
- Studio headphones
- Table microphone stand, XLR microphone cable and 2 stereo RCA cables
- Digital Audio Workstation editing and recording software included



- Podcasting software for PCs and Mac computers
- Complete instructions including illustrated quick-start guide “How to Podcast”

### PODCASTUDIO FireWire

- Everything you need for professional podcasting, music production and digital home recording
- Get a full recording studio “out of the box” including FireWire interface, mixer, microphone, headphones, professional music software and cables
- High-resolution 24-bit/96 kHz, 2 In / 2 Out FireWire audio interface for Windows XP and Mac OS X operating systems
- Professional 8-input 2-bus mixer with premium mic preamps and 3-band EQs
- Professional large-diaphragm studio condenser microphone
- High-performance studio headphones with ultra-wide frequency response
- Table microphone stand, microphone windscreen and cable, four ¼" jack cables and two FireWire cables



- Powerful DAW software (Ableton Live Lite 4 BEHRINGER Edition, Kristal Audio Engine, Audacity)
- Complete instructions including illustrated quick-start guide “How to Podcast”
- High-quality components and exceptionally rugged construction ensure long life

## BEHRINGER is proud to exclusively distribute the following products from XT Software, makers of Digital Audio Workstations with a difference!



### Do You Really Need Another Recording Program?

Yes, when it's this unique. In the world of bloated, resource-hungry music production software, energyXT2.5 is like a breath of fresh air. Imagine a digital audio workstation program that opens in mere seconds from a thumb drive that can be transported from computer to computer — even between Windows (including Vista), Mac OSX, and Linux operating systems. energyXT2.5 is a compact, easy to learn and use “Studio On-the-Go.” You can take it and your project files to a friend's house, or to a professional recording studio on the included USB drive. You can even multitrack export your recording from energyXT2.5 to all other DAWs.

energyXT2.5 allows you to record instruments and vocals directly to your computer via a simple USB interface. You are then free to copy and paste tracks, as well as edit, add effects and mix them to your heart's content, with stunningly professional results. energyXT2.5 also features its own bevy of synthesizers, including one that functions as a dedicated drum track.

Built for musicians by musicians, energyXT2.5 is easy to learn, logical to create music in and, most importantly, is designed to support your creativity.



### energyXT2.5 and energyXT2.5 PLUS features

- Perfect for DJs, guitarists, vocalists, keyboardists, producers and musicians of all styles
- Minimal loading time, no need to install. Start up and record your inspiration right there on the spur of the moment
- Perform, record and produce your own techno, house, hip-hop, R&B, rock or pop tracks
- Create, save, export and play your own music on the included USB flash drive, on your PC's hard drive or any mobile storage unit
- High-performance 32-bit/192kHz full-duplex audio engine with ASIO support, 32 inputs and outputs, WAV, AIF, MP3, REX2, and MIDI file formats
- Ultra-flexible Audio/MIDI engine supports time-stretching, automation and MIDI learn functions for sequencer, mixer and plug-ins
- Soft mixer with virtually unlimited channels for audio, MIDI, effects returns and subgroups
- Fully configurable virtual FX/synth rack, ideal for live DJ, keyboard or guitar performances
- Native drum machine and synth/sampler plus full VSTi support
- On-board FX processors for EQ, reverb, chorus and more, with full support for VST effects
- Multi-track export function allows transfer of all project data from DAW to DAW
- Create, save and load your own loops and licks libraries in .xtc format, including linked instrument / plug-in parameter settings
- Tabbed interface for docking VST plug-in editors ensures optimized screen usage and ergonomic control layout



### energyXT2.5 PLUS Music Production Studio

NEW!

energyXT2.5 PLUS

So compact that the whole program (and lots of songs) fit on the included 2GB thumb drive!



### energyXT2.5 PLUS Ultra-Portable Music Production and Recording Software for Windows, Mac and Linux

- Multi-platform, fully portable and complete music production suite with ReWire-Energizer function on a 2GB flash drive!
- Quick and flexible track export function delivers audio tracks to any professional environment such as Logic or ProTools
- Neatly hosts and controls ReWire compatible applications such as Reason or Ableton Live — Perfect for DJs, producers and musicians of all styles



energyXT2.5/energyXT2.5 PLUS automation screen

- Intuitive drag-and-drop operation of sounds, loops, effects and software instruments
- Multi-language quick start guide, to get you straight to where you want to be
- VSTi ported — load energyXT as a VST plug-in within



energyXT2.5/energyXT2.5 PLUS mixer screen


- Intuitive drag-and-drop operation of sounds, loops, effects and software instruments
- Multi-language quick start guide, to get you straight to where you want to be
- VSTi ported — load energyXT as a VST plug-in within

### energyXT2.5 Music Production Studio

NEW!

energyXT2.5

So compact that the whole program (and lots of songs) fit on the included 1GB thumb drive!



### energyXT2.5 Unique Portable Music Production Studio for Windows, Mac and Linux

- Multi-platform, fully portable, complete music production suite on a 1GB flash drive! Take this complete, fully-portable “Studio On The Go” and all your songs with you everywhere you go



energyXT2.5 / energyXT2.5 PLUS synth screen

## Computer Recording Controllers

### U-CONTROL UMX61, UMX49 & UMX25 USB MIDI Controller Keyboards



- USB/MIDI controller keyboards with USB/audio interface, 50 software instruments and Ableton Live Lite 4 BEHRINGER Edition
- Velocity-sensitive USB/MIDI keyboard featuring 61 (UMX61), 49 (UMX49) or 25 (UMX25) full-size keys and unbeatable programming versatility, real-time control and playability
- USB/audio interface to connect your instruments and mixer, etc. to your computer for recording and playback
- Plug and play with Mac OS X and Windows XP and Vista operating systems
- 8 real-time rotary controls plus 10 assignable switches
- Freely assign MIDI control changes to the modulation wheel, volume fader and pedal port for ultimate flexibility
- Full 128 tone range via the octave shift function with multi-purpose LED status indication
- Separate MIDI Out allows controlling hardware samplers, synths and other MIDI-compatible equipment



More Controllers



# Computer Recording Controllers

## B-CONTROL FADER BCF2000 & BCF2000-WH

Play that DAW, in ebony or ivory! The BCF2000 and BCF200-WH put you in real control of your own virtual studio. This ergonomically-designed console provides 8 ultra-precise 100-mm motorized faders and just a handful of high resolution rotary controls, allowing you to fly your audio software "hands-on" via any USB or MIDI port.

- Unique, total recall cascable desktop MIDI controller with analog feel and an intuitive user interface
- 8 ultra-precise 100-mm motorized faders for ultimate control of virtual mixers, organ-drawbars (inverse mode) or virtual

synths and samplers

- 4 virtual groups with 8 dual-mode, high-resolution encoders that feature LED rings and an additional push function
- 16 + 4 illuminated buttons freely assignable to all types of MIDI functions from note on/off, control change and program change to MMC and system exclusive data

- All panel elements are freely assignable—manually or via user-friendly learn mode
- Additional multi-function foot switch and expression pedal connectors can be used to address additional MIDI data
- 32 user presets each with

- 4 encoder groups
- Configurable MIDI and USB modes for ultra-flexible system integration
- Conceived and designed by BEHRINGER Germany

## B-CONTROL ROTARY BCR2000



- Total recall cascable desktop MIDI controller with analog feel and user-friendly interface
- 24 high-resolution encoders with LED rings for ultimate control over virtual mixers, synths, samplers and

effects processors

- 4 virtual groups with 8 dual-mode, high-resolution encoders that feature LED rings and an additional push function
- 16 + 4 illuminated buttons freely assignable to all types of MIDI functions from note on/off, control change and program change to MMC and system exclusive data
- All panel elements freely assignable

## U-CONTROL UMA25S Controller and USB Workstation

When it comes to control, the UMA25S MIDI controller bundle provides it in truckloads and pulls double-duty as a superior USB audio interface. This portable USB keyboard controller has 25 velocity-sensitive keys for the slickest glissandos and the snappiest arpeggios. 8 rotary knobs, 8 buttons, 2 wheels, 1 slider and 2 pedal jacks are all there to give you more control, and the 3-digit display always lets you know where you are. And we couldn't very well call it a bundle if we didn't cram as much extra stuff into the package as we could, including powerful energyXT2.5 Compact BEHRINGER Edition DAW software, a headset with a comprehensive podcasting package, and much more. We pack it all in a soft-sided gig bag and even include a strap so you can jump out front and steal the spotlight from the guitar player.

- Stage performer and producer keyboard featuring 25 velocity-sensitive, full-size plus half-action keys
- Built-in USB audio interface to connect your instruments



and mixer to your computer for recording and playback

- Powerful multi-platform digital audio workstation software energyXT2.5 Compact BEHRINGER Edition included
- Audacity audio editor, comprehensive podcasting software and over 100 virtual instruments plus more than 50 effect plug-ins included
- 21 assignable controllers storable in User Presets: 8 knobs, 8 buttons (with transport-control option), 2 wheels, 1 fader and 2 pedal ports
- Advanced control features such as drawbar mode (control inversion), drum triggering, incremental value step and octave +/-
- Soft gig bag, high-quality headset and guitar strap for direct live jamming on stage included
- Plug and play with Mac OS X, Windows XP and Vista operating systems; additional low-latency driver included
- Separate MIDI output allows controlling external samplers, synths and other equipment

- Runs via USB bus, batteries or power adapter (not included)
- Conceived and designed by BEHRINGER Germany

For over a decade Amp Fiddler has played in Parliament and Funkadelic. Now he's playing with our UMA25S Workstation /Controller.




NEW!

## UFO202 USB Audio Interface with Built-in Phono Preamp

High-quality USB Audio Interface with Built-in Phono Preamp and Massive Software Package for Digitalizing Your Tapes and Vinyl Records

- High-quality USB audio interface connects your turntable, cassette player, etc. with your computer for recording and playback
- Transfer and restore your valuable vinyl records and tapes to your computer via a simple USB connection
- Massive software bundle includes Audacity vinyl restoration, noise-reduction, editing and recording software, comprehensive podcasting software and over 150 virtual instruments and effect plug-ins
- Revolutionary energyXT2.5 Compact BEHRINGER Edition music production software included with feature-rich audio/MIDI sequencer that loads almost instantaneously on all computer platforms
- Phono input switchable to line input source
- Stereo output allows easy connection and playback of computer audio files over your home sound system

DIGITIZE YOUR VINYL!



- High-resolution 48 kHz converters for high-end audio quality
- Stereo Headphone output with dedicated Level control lets you monitor your input source
- Works with your PC or Mac computer—no setup or

- drivers required
- Powered via USB—no external power supply needed
- High-quality components and exceptionally rugged construction ensure long life
- Conceived and designed by BEHRINGER Germany


NEW!

## UCA222 2-In/2-Out USB Audio Interface



USB Audio Interface with Digital Output and Massive Software Bundle

- Ultra-flexible audio interface connects your instruments, mixer, etc. with your computer for recording and playback
- Revolutionary energyXT2.5 Compact BEHRINGER Edition music production software included with feature-rich audio/MIDI sequencer that loads almost instantaneously on all computer platforms



- Massive software bundle includes Audacity audio editor, comprehensive podcasting software and over 150 virtual instruments and effect plug-ins
- Works with your PC or Mac computer—no setup or drivers required
- High-resolution 48 kHz converters for high-end audio quality
- Stereo Headphone output with dedicated Level control lets you monitor both input and output
- Additional S/PDIF optical output for direct digital conversion
- Powered via USB—no external power supply needed
- Conceived and designed by BEHRINGER Germany

## F-CONTROL AUDIO FCA202



- Ultra low-latency 2 in/2 out 24-bit/96 kHz FireWire audio interface
- High-resolution 24-bit/96 kHz converters for high-end audio quality
- Ultra low-latency drivers for Windows XP and Vista
- Stereo headphone output with dedicated level control
- Dual high-bandwidth FireWire connectors for absolute flexibility
- Powered via FireWire bus or included power adapter for use with 4-pin FireWire PCs

## U-CONTROL UCA202



- Ultra low-latency 2 in/2 out USB/audio interface with digital output
- High-resolution 48 kHz converters for high-end audio quality
- Works with your PC or Mac computer—no setup or drivers required

- Free audio recording and editing software downloadable at [www.behringer.com](http://www.behringer.com)
- Stereo headphone output with dedicated level control lets you monitor both input and output
- Additional S/PDIF optical output for direct digital connectivity

## ULTRAGAIN PRO-8 DIGITAL ADA8000



- Ultra high-quality 8-channel 24-bit A/D & D/A converter for virtually any digital recording/mixing environment
- 8 state-of-the-art, studio-grade IMP "Invisible" Mic Preamps
- Phantom power on all mic inputs
- Processes 44.1 and 48 kHz sample rates
- External sample rate synchronization via wordclock or ADAT input
- Optical ADAT IN/OUT interface
- All mic/line inputs are routed to the ADAT output

## ULTRAMATCH PRO SRC2496



- Ultra high-resolution 24-bit/96 kHz A/D-D/A & sample rate converter
- Format conversion between AES/EBU and S/PDIF (coaxial or optical)
- Converts 31 kHz - 100 kHz input into 32 kHz, 44.1 kHz, 48 kHz, 88.2 kHz or 96 kHz output
- Allows parallel A/D and D/A conversion at identical sample rate
- All three outputs (XLR, RCA, optical) simultaneously operational (splitter)
- Universal sample rate synchronization via wordclock or digital input
- Allows direct manipulation or removal of emphasis bits
- Removes jitter and corrects incorrect sample rates



20  
YEAR  
ANNIVERSARY  
1989-2009



# Computer Recording Interfaces



# Recording Studio Monitors

NEW!

## TRUTH B1030A Active Reference Monitor



You asked for a high-definition active monitor in a smaller form factor and we delivered! We started with a newly-designed ferrofluid-cooled

silk dome high frequency transducer loaded into a wide-dispersion wave guide. And now that we're building Kevlar woofers in our factory, we were able to "upgrade" the B1030A's low frequency transducer for even tighter bass response.

- Ultra-linear, high-resolution studio monitor with true active design
- Precision Class A/B amplifiers with active protection circuits: 40 W for LF / 40 W for HF
- Ultra-high resolution, ferrofluid-cooled 1" silk dome tweeter for super sound detail
- Long-throw 5.25" woofer with deformation-resistant Kevlar cone for accurate bass response
- Ultimate dispersion characteristics and extremely large "sweet spot" owing to advanced wave guide technology
- High-precision active crossover network with 4th order Linkwitz-Riley filters
- Adjustable to a wide range of acoustic conditions
- Separately controlled limiter for



- low and high frequency overload protection
- Magnetic shielding allows placement near computer monitors
- "Planet Earth" power supply for maximum flexibility (100 - 240 V~), noise-free audio, superior transient response plus low power consumption for energy saving
- Servo-balanced inputs with XLR, ¼" and unbalanced RCA connectors
- High-quality components and exceptionally rugged construction ensure long life
- Conceived and designed by BEHRINGER Germany

## TRUTH B3030A & B3031A Active Ribbon Studio Reference Monitors

NOW SHIPPING

## TRUTH B3030A Active Ribbon

NOW SHIPPING



### TRUTH B3030A / TRUTH B3031A Common Features:

- Ultra-linear frequency response — Delivered as "matched pairs" with individual frequency certificates
- Ultra-high resolution, 2" velocity



- ribbon transducer for ultimate sound reproduction
- Controlled dispersion characteristics and extremely large "sweet spot" owing to the unique BEHRINGER wave guide technology
- Active crossover network with 4th order Linkwitz-Riley filters
- Adjustable to a wide range of acoustic conditions and subwoofer operation
- Separately controlled limiter for low and high-frequency overload protection
- Magnetic shielding allows placement near computer monitors
- Servo-balanced inputs with XLR and ¼" TRS connectors
- Conceived and designed by BEHRINGER Germany

## DIGITAL MONITOR SPEAKERS MS40 & MS20



- 2-way active studio monitors ideally suited for computer studios, audio and multimedia workstations and keyboard monitoring
- Built-in amplifiers with immense headroom
- Powerful woofers and high-resolution tweeters provide an ultra-linear frequency response
- Ultra-high resolution 24-bit/192 kHz D/A converters for an incredible dynamic range
- Optical and coaxial inputs to directly connect digital audio sources by S/PDIF interface

## MONITOR SPEAKERS MS16



- Compact stereo speaker system ideally suited for home studios, applications, keyboard and vocal monitoring, and more
- Powerful

- 4" woofers and high-resolution tweeters powered by two 8-Watt amplifiers
- Dedicated volume, bass and treble controls for more flexibility
- Stereo RCA inputs for sound cards, keyboards, etc. that can be used simultaneously with second stereo source (e.g. CD/MD player) through 1/8" TRS stereo input



### TRUTH B3030A 6.75" 2-Way Active Ribbon Studio Reference Monitor with Kevlar Woofer

- Built-in **75** and **35-Watt** power amplifiers with enormous power reserve
- Long-throw 6 ¾" woofer with deformation-resistant Kevlar cone and aluminum die-cast chassis for ultimate bass response

### TRUTH B3031A 8.75" 2-Way Active Ribbon Studio Reference Monitor with Kevlar Woofer

- Built-in **150** and **75-Watt** power amplifiers with enormous power reserve
- Long-throw 8 ¾" woofer with deformation-resistant Kevlar cone and aluminum die-cast chassis for ultimate bass response
- Automatic standby mode (defeatable)

TRUTH Studio Monitors	B2031A	B2030A		B3031A	B3030A	B1030A NEW!	MS40	MS20	MS16	B2031P	B2030P
High frequency transducer	1"	1"		Ribbon	Ribbon	1"	0.5"	0.5"	0.75"	1"	1"
Low frequency transducer	8.75" Polypropylene cone, Aluminum die-cast frame	6.75" Polypropylene cone, Aluminum die-cast frame		8.75" Kevlar Aluminum die-cast frame	6.75" Kevlar Aluminum die-cast frame	5.25" Kevlar	5"	3"	4"	8.75" Polypropylene	6.75" Polypropylene
High frequency power amplifier	75 W	35 W		80 W	35 W	40 W	20-Watts full range with crossover	10-Watts full range with crossover	8 W	150-Watt Power Handling	100-Watt Power Handling
Low frequency power amplifier	150 W	75 W		150 W	75 W	40 W			8 W		
Inputs	Servo-balanced XLR & ¼" TRS	Servo-balanced XLR & ¼" TRS		Servo-balanced XLR & ¼" TRS	Servo-balanced XLR & ¼" TRS	RCA, Servo-balanced XLR & ¼" TRS	Optical & coax SPDIF, ¼" TRS	Optical & coax SPDIF, ¼" TRS	RCA, ⅝" TRS	LS connectors	LS connectors
Controls	Input level, 3-position Bass response switch	Input level, 3-position Bass response switch		Input level, 3-position Bass response switch	Input level, 3-position Bass response switch	Input level, 3-position Bass response switch	Input level	Input level	Input level	—	—
Construction	Braced wood	Braced wood		Braced wood	Braced wood	Braced wood	Molded	Molded	Molded	Braced wood	Braced wood
Magnetic Shielding	Yes	Yes		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Dimensions (H x W x D)	15.8 x 10.1 x 10.5" 401 x 257 x 267	12.5 x 8.4 x 8.3" 317 x 214 x 211		15.8 x 10.1 x 10.5" 401 x 257 x 267	12.5 x 8.4 x 8.3" 317 x 214 x 211	11.3 x 7.8 x 11" 288 x 198 x 280	11 x 6.8 x 9.7" 279 x 173 x 245	9.4 x 6 x 7.375" 239 x 154 x 280	5.5 x 5.9 x 9.5" 140 x 150 x 241	15.8 x 10.1 x 10.5" 401 x 257 x 267	12.5 x 8.4 x 8.3" 317 x 214 x 211
Other features	Delivered as matched pairs with individual, signed Frequency Response Certificates	Delivered as matched pairs with individual, signed Frequency Response Certificates		Delivered as matched pairs with individual, signed Frequency Response Certificates	Delivered as matched pairs with individual, signed Frequency Response Certificates	"Planet Earth" universal 100 - 240V internal power supply	24-bit / 192kHz DA converters	24-bit / 192kHz DA converters	External power supply	Delivered as matched pairs with individual, signed Frequency Response Certificates	Delivered as matched pairs with individual, signed Frequency Response Certificates

## TRUTH B2031A & B2030A Active



- High-resolution, active 2-way **150-** and **75-Watt** (B2031A)/**75-** and **35-Watt** (B2030A) studio monitor
- Ultra-linear frequency response from 50 Hz to 21 kHz with individual frequency diagrams
- Built-in power amps with enormous power reserve
- Ultra high-resolution 1" ferrofluid-cooled tweeter
- Long-throw 8.75" (B2031A)/6.75" (B2030A) woofer with special polypropylene diaphragm
- Adjustable to different acoustic conditions and subwoofer operation
- Magnetic shielding
- Delivered as "matched pairs" with individual frequency response charts

## TRUTH B2031P & B2030P Passive



- High-resolution, passive 2-way **150-Watt** (B2031P)/**100-Watt** (B2030P) studio monitor
- Ultra-linear frequency response from 55 Hz (B2031P)/75 Hz (B2030P) to 21 kHz
- Extremely high-resolution, ferrofluid-cooled tweeter
- Long-throw 8.75" (B2031P)/6.75" (B2030P) woofer with special polypropylene diaphragm
- Phase-optimized, low-distortion frequency crossover for accurate reproduction
- Magnetic shielding
- Delivered as "matched pairs"

# DJ Mixers

## DDM4000 5-Channel DIGITAL PRO



The DDM4000 is a state-of-the-art digital DJ mixer with truly cutting edge and patented DJ technology.

Jam-packed with a plethora of creative tools, the DDM4000 puts ultimate versatility at your fingertips. Among the pioneering features are 4 fully programmable and beat-sync'able multi-FX modules, a pair of high-precision BPM counters, and a digital crossfader with custom curve adjustment.

Break serious new ground with the onboard BPM-sync'd sampler with real-time pitch control, loop and reverse functions. Hook up your turntables and CD / MP3 players to its four stereo channels, each with fully-programmable EQ and Kill switches.

It also features a dedicated mic channel with two XLR inputs and you can sync up your outboard FX and sound modules via the MIDI clock output.

The DDM4000 works seamlessly with Native Instruments TRAKTOR 3, which offers breath-taking sound quality coupled with an unprecedented array of features.

The DDM4000's intuitive layout means you'll immediately feel

## X1 INFINIUM Optical Fader for DDM4000



- Ultra-long life through contact-free optical technology

- Ultra-high digital precision (128 positions)
- Truly analog "touch and feel"
- Fully adjustable friction with contact-free magnet
- Includes complete installation instructions and tool kit




## MIXER with Traktor software

at home with it, while editing, storing and recalling your settings is simply a breeze. Get a BEHRINGER DDM4000 and the show is yours.

- 32-Bit 5-channel digital DJ mixer with beat-sync'd sampler, 4 multi-FX sections, dual patented\* BPM counters, digital cross-fader and MIDI clock output
- 2 microphone inputs with Gain, EQ, Talk function and FX
- 4 stereo phono/line input channels with Gain, programmable parametric 3-band EQ with Kill function, fader curve control and flexible crossfader assignment
- 2 freely assignable and BPM-synchronized, high-quality FX engines (Bitcrusher, Resonator, Reverb, Flanger etc.)

- Ultra-fast, accurate and patented BPM counters for automatic BPM synchronization of sampler, FX, crossfader and external MIDI drum machines
- Digital crossfader with flexible curve adjustment, reverse button and automatic, BPM-synchronized crossfading
- Headphone section includes PFL Mix/Split and Bass/Snare boost functions
- Recall your last mixer settings at the push of a button

\* US Patent No. 6812394, German Patent No. 102 23 735





DJ Mixers

NEW!

PRO MIXER DJX750 5-channel DJ Mixer with Advanced Digital Effects & BPM Counter

- Professional 5-channel ultra-low noise DJ mixer with stylish, black design
- State-of-the-art 24-bit digital effects with advanced parameter control
- Intelligent dual auto-BPM counter with time and beat sync display
- Super-smooth ULTRAGLIDE faders with up to 500,000 life cycles
- Awesome adjustable XPQ stereo surround effect
- VCA-controlled crossfader for utmost reliability and smooth audio performance
- Adjustable crossfader curve for all mixing styles
- 3-band kill EQ (-32 dB) and precise level meters with peak hold function per channel
- Additional 3-way kill switches with extremely steep frequency separation
- Monitor function with master/cue balance control and split option
- Auto-talkover function with separate depth control
- High-quality components and exceptionally rugged construction ensure long life
- Conceived and designed by BEHRINGER Germany



DJ MIXERS	DDM4000	VMX1000	VMX100	VMX200	VMX300	DJX750	DJX626
No. of Channels	1 mic (mono) / 4 stereo	2 mic (mono) / 5 stereo	1 mic (mono) / 2 stereo	1 mic (mono) / 2 stereo	1 mic (mono) / 3 stereo	1 mic (mono) / 4 stereo	1 mic (mono) / 3 stereo
Mic Inputs	2 separately adjustable via menu	2	1	1	—	1	1
Channel EQ	3-band, adjustable frequencies	3-band	2-band	3-band	3-band	3-band	3-band
Effects processor	Dual 24-bit digital processors with 9 editable effects each	—	—	—	—	Y (47 presets)	—
Metering LEDs per channel	7	4	—	—	10	10	—
Metering LEDs per Main	22	10	10	10	10	10	10
Dual Auto-BPM Counters	Y (patented)	Y	Y	Y	Y	Y	Y
MIDI functionality	Y	—	—	—	—	—	—
Adjustable CF curve	Y	Y	—	Y	Y	Y	Y
Other Features	BPM-synced sampler, digital crossfader, 32bit internal processing, 2 additional FX processors (Mic, Sampler), frequency-selective crossfading, digital out, Subwoofer out with integrated crossover, Demo of Traktor 3 software included	XPQ stereo surround effect, VCA-controlled crossfader, subwoofer output		XPQ 3D stereo surround effect	XPQ 3D stereo surround effect	XPQ Stereo Surround effect, enhanced effects with one control parameter each	BNC lamp socket, manual talkover

PRO MIXER VMX1000



- Professional 7-channel ultra-low noise analog DJ mixer with state-of-the-art phono preamps
- Intelligent dual auto-BPM counters
- Super-smooth, long-life ULTRAGLIDE faders (up to 500,000 cycles)
- Awesome XPQ stereo surround effect
- VCA-controlled crossfader for utmost reliability
- Adjustable crossfader curve for all mixing styles
- 3-band kill EQ (-32 dB) with EQ on/off switch on stereo channels, gain control and precise level meters per channel
- Monitor function with PFL/main balance control and split option
- Subwoofer output with adjustable x-over frequency and level control

PRO MIXER DJX626



- Three dual input stereo channels with gain and 3-band kill EQ (-32 dB)
- One channel additionally switchable to studio-grade ULN (Ultra-Low Noise) mic input
- Intelligent dual auto-BPM counter
- Super-smooth dual-tilt

DJ Mixers

PRO MIXER DJX700



- 4 dual input stereo channels, 1 ULN (Ultra-Low Noise) microphone channel with "Mic On" switch
- 47 breathtaking digital effect presets in 24-bit quality: delay, reverb, flanger, filter, panner, ultrabass, exciter, vinylizer, voice changer and more
- Intelligent dual auto-BPM counter with time and beat sync display
- Super-smooth VCA faders
- Awesome adjustable XPQ stereo surround effect
- VCA controlled crossfader with adjustable crossfader curve for utmost reliability
- 3-band kill EQ (-32 dB) and precise level meters with peak hold function per channel
- Additional 3-way kill switches with extremely steep frequency separation

PRO MIXER VMX200



- 2 dual-input stereo channels
- Intelligent dual auto-BPM counter with time and beat sync display
- Gain and 3-band kill EQ (-32 dB) per stereo channel
- Super-smooth, long-life faders and full VCA control
- Dedicated curve control for all faders

- Reverse switch for crossfader
- Awesome XPQ 3D stereo surround effect
- PFL function with CH-1/CH-2 balance control and split option, assignable to level meter
- 1 microphone input with 2-band EQ plus auto-talkover function with depth control

PRO MIXER VMX300



- 3 dual-input stereo channels, one switchable to mic level with auto-talkover function
- Intelligent dual auto-BPM counter with time and beat sync display
- Gain, 3-band kill EQ (-32 dB) and dedicated level meter per channel
- Super-smooth, long-life faders and full VCA control
- Front-panel 3-way kill switches with revolutionary keyboard-like tap & hold action
- Reverse switch for crossfader
- Awesome XPQ 3D stereo surround effect
- Dedicated curve control for all faders
- PFL function with PFL/Output balance control and split option

PRO MIXER VMX100



- 2 dual-input stereo channels
- Intelligent dual auto-BPM counter with time and beat sync display
- Gain and 2-band kill EQ (-32 dB) per channel
- Super-smooth, long-life faders

- Switchable crossfader curve control
- 1 microphone input
- Extremely precise assignable level meter with peak hold function
- Master and tape outputs

DJ Creative Tools

B-CONTROL DEEJAY BCD2000



- Play, mix and scratch MP3, OGG and WAV files with a real vinyl feeling
- 4-channel full-speed USB audio interface with 24-bit converters, awesome sound and ultra low-latency ASIO driver
- Your complete DJ setup in a single controller/audio box: mixer, dual player, effects

B-CONTROL DEEJAY BCD3000



- With the included Traktor software package, the B-CONTROL DeeJay BCD3000 can play, mix and scratch MP3, AAC, WMA, OGG, WAV and AIFF files. It now runs on Windows XP and Mac OS X operating systems via USB connection.
- Plug and jam with the included Native Instruments Traktor 3 LE DJ software. What's more: connect two turntables and other DJ gear to the 4-channel audio interface with high-resolution converters and have total performance control due to the 3-band kill EQ, loop buttons, pitch and level faders plus our ultra-smooth crossfader.
- Get ultimate control over your virtual DJ machine and play, mix and scratch MP3, AAC, WMA, OGG, WAV and AIFF files with vinyl feeling using the included software
  - Includes Native Instruments Traktor 3 LE DJ software with iTunes import, Beatport music store integration plus podcasting and recording software
  - Powerful 4-channel USB audio interface with 24-bit converters and ultra-low latency operation under Windows XP, Vista and Mac OS X operating systems
  - Your complete DJ setup in a single box: dual player, mixer, effects, 2 phono preamps plus a full-fledged monitor section

MINIBEAT BEAT800



- Ultra-compact 9.5" dual beat counter/phono preamp for studio and stage applications
- Intelligent dual BPM counters with Tempo Difference indicator
- Ultra-flexible Beat Assist and Sync Lock functions
- 2 state-of-the-art phono preamps with line inputs to accommodate turntables, CD players, etc.
- Accurate 6-segment LED input meters for precise level indication
- Ultra-low noise audio operational amplifiers offer outstanding sound performance

MINIMIX MIX800 karaoke



- Ultra-compact 9.5" karaoke machine for studio and stage applications
- Revolutionary Voice Cancellor—effectively eliminates vocals from any stereo source while retaining most music elements
- Integrated digital echo/reverb processor in 24-bit/40 kHz resolution for ultimate vocal enhancement
- 2 independent mic channels with Level controls and Clip indicators for perfect level adjustment
- Dedicated 2-band EQ for awesome vocal enhancement and sound shaping



# DJ Headphones

## HEADPHONES HPX4000

- Closed-type high-definition DJ headphones
- Ultra-wide frequency response 20 Hz - 20 kHz
- High-definition bass and super-transparent highs
- Ultra-high dynamic range
- High-efficiency cobalt capsule
- Single-sided coiled cord with oxygen-free copper wires
- Round swivelling ear cups
- Ultra-rugged headband construction
- Sensitivity: 113 dB @ 1 kHz
- Impedance: 32 Ohms



## HEADPHONES HPX2000

- High-definition DJ headphones
- Ultra-wide frequency response 20 Hz - 20 kHz
- High-performance bass and super-transparent highs
- Ultra-high dynamic range
- High-efficiency cobalt capsule
- ⅝" connector plus ¼" adapter included
- Single-sided cord with oxygen-free copper wires
- Rotating, reversible round-shaped ear cups
- Ultra-rugged headband construction
- Sensitivity: 110 dB @ 1 kHz
- Impedance: 64 Ohms



# Professional Lighting

## EUROLIGHT LC2412 console



- Professional 24-channel DMX lighting console
  - 24 preset channels, assignable to 512 DMX channels
  - Up to 3 DMX channels can be controlled per preset channel
  - 120 scenes storable in 10 banks
  - Integrated chaser with up to 650 steps featuring sync-to-audio chase
- Two additional, multi-functional channels for special effects (e.g. fog machine, color changer)
- Ultra-flexible fading functions for manual and automatic operation
- Dimmer control via DMX or analog output (0/+10 V)
- MIDI in/out

## EUROLIGHT UP1200\* + BEHRINGER 575H



- Extremely high luminous efficiency with low power consumption
- Ideally suited for BEHRINGER 575H lamp or compatible models with G9.5 socket (lamp not included, available as accessory)
- Ultra-rugged die-cast aluminum casing
- 4 glass lenses included: narrow spot, spot and 2 medium floods
- Highly reflective and polished reflector insert
- Color frame accepts standard color foils
- Compact dimensions for easy transport and handling
- Flexible mounting bracket allows precise positioning

\* Not available in the UK and Australia



## EUROLIGHT LD6230



- 6-channel DMX/analog controlled dimmer pack
- 3-phase mains supply (1 phase possible at lower output power)
- DMX512 standard interface for digital control
- Additional 8-pole DIN connector for analog control (0-10 V)
- Adjustable preheat and limiter function to prolong bulb life
- Precise curve function enables selection of different fade modes
- Switch option for simple on/off control of each channel

# EuroGrand Digital Pianos



## Real Sound Modeling, the key to concert grand realism in your home.

At BEHRINGER, we build some of the finest audio gear around, so it was only natural for us to use our technical expertise to build a digital piano. To do so, we developed an entirely new technology—Real Sound Modeling—which combines state-of-the-art DSP technology with sophisticated algorithms that emulate real-world acoustic environments. Such high-level processing requires electronic architecture that takes into account virtually all factors affecting acoustic piano sound. By meticulously modeling even the most subtle interactions of keyboard action, sound board resonances and cabinet acoustic, we're able to attain a level of pianoforte realism that is unparalleled.



Lin testing out a EG2180-BK in our Piano Factory. We build all the components of our pianos from forming and hand-lacquering the cabinetry to building the transducers that fill your room with our Real Sound Modeling tone.

## EUROGRAND EG8180-BK DIGITAL CONCERT GRAND



### EUROGRAND EG8180-BK The Concert Grand Piano That Will Define the Look and Sound of Your Room or Décor

- The ultimate digital grand piano for homes, music schools, houses of worship, etc. No traditional tuning or maintenance needed
- Beautifully hand-polished (3' 3½" / 1 m) wood cabinet with black lacquer finish



## BOTH EUROGRAND MODELS FEATURE

- BEHRINGER-designed professional 88-note weighted hammer-action keyboard accurately recreates the feel of an acoustic grand piano


- High-grade 80-Watt speakers and cabinetry deliver a truly dynamic sound, rich with presence and power
- New stereo sampling RSM (Real Sound Modeling) tone generation for the ultimate in

- instrument realism
- 14 high-quality voices (Grand Piano, Acoustic Piano, E-Piano, Strings, Harpsichord, Organ, etc.) with max. 64-note polyphony
- Layer mode for playing

- 2 sounds together
- High-quality reverb, modulation and brilliance effects to add even more depth and richness
- Real-time 2-track song recorder with one song

- capacity and metronome
- 3 pedals (Damper, Sostenuto and Soft) for more dynamic playing
- Comprehensive MIDI In/Out/Thru and stereo line in/out connectors

## EG2180-BK DIGITAL UPRIGHT PIANO



### EUROGRAND EG2180-BK The Sound, Touch and Elegance of an Acoustic Grand Piano — The Cutting-Edge Performance of a Digital Piano

- The ultimate upright piano for homes, music schools, houses of worship, etc. No traditional tuning or maintenance needed
- Elegant wood grain cabinet with black finish, sliding key cover and full modesty panel

- Dual headphone jacks for silent music rehearsal and student/tutor listening
- High-quality components and exceptionally rugged construction ensure long life
- Conceived and designed by BEHRINGER Germany

## PIANO BENCH 5-BK



- Elegant black lacquer piano bench with padding and music compartment
- Beautifully hand-polished black lacquer finish
- Integrated music compartment for song books, etc.
- Padding for extended sitting comfort
- Elegant design, suitable for any living room decor

## PIANO BENCH 4-BK



- High-quality padded black piano bench with music compartment
- Elegant design fits any decor
- Integrated music compartment for song books, etc.
- Soft foam padding for extended sitting comfort



## Guitars



Cirque du Soleil's Bruce Rickard performs stunning acrobatics with his V-AMP PRO and a DD3216.

**20**  
**YEAR**  
**ANNIVERSARY**  
1989~2009

Below: BEHRINGER active DSP loudspeakers rock out at an outdoor DJ event in Brooklyn, New York. HA! You were expecting another shot of somebody playing guitar. . .



### iAXE629

Our first USB guitar was such a success that we decided to offer up this axe designed especially for metal heads. In addition to its dual single-coil pickups, the METALIEN has a furious humbucker in the bridge position for brutal chops and screaming leads, and sports a vintage-style whammy bar.

As with previous iAXE models, you also get a full software package including the Native Instruments Guitar Combos BEHRINGER Edition, energyXT2.5 Compact BEHRINGER Edition and Audacity editing software.

Just plug into any PC or Mac via USB, then make your heavy metal dreams into mind-blowing screams from beyond! Plug n' Rock!

- Plug this intriguing USB-guitar straight into your computer and turn your PC or Mac computer into a guitar amp and recording system without the need for any other hardware
- Amazing double-cutaway electric guitar with solid aspen body, 24 medium jumbo frets, rosewood fingerboard on hard maple neck, powerful SSH pickup configuration, vintage vibrato bridge
- Includes Guitar Combos from Native Instruments—the leading authentic guitar amp and stomp box modeling software—now with VST, AU and RTAS plugin versions
- Create Music Now with powerful energyXT2.5 Compact BEHRINGER Edition music production software and Audacity editing software—both with full portability on all PC, Mac or Linux computers
- Works directly with your PC or Mac computer—ultra-low latency ASIO driver for PC audio optimization included
- CD, USB cable, adjustable guitar strap and 3 picks included
- Stereo Headphone output lets you jam with your computer and can also be used for monitoring with active monitor speakers
- Guitar Combos with variable-speed file playback



function for MP3, WAV, AIFF audio files—perfect for easy learning and practicing—tuner and metronome function

- Powered via USB—no additional power supply required

### CENTARI iAXE624

Like the METALIEN, the iAXE624 has an awesome USB guitar interface and high instrument build quality, but focuses more on traditional rock n' roll style. From blues to rock to surf, this axe is where high-tech meets vintage high octave.

With three single-coil pickups, vintage-style tremolo system and lightning-fast maple neck, the iAXE624 is built to take your ideas straight from your brain to the computer.

- Comes with a full software package including Native Instruments Guitar Combos BEHRINGER Edition, and energyXT2.5 Compact BEHRINGER Edition and Audacity. Plug n' Rock!
- Top-notch electric guitar featuring a 22-fret maple neck, solid body, sealed chrome machine heads, 3 single-coil pickups, 5-way switching and vintage vibrato bridge. The guitar can also be used with any traditional guitar amplifier
- Includes Guitar Combos from Native Instruments—the leading authentic guitar amp and stomp box modeling software—now with VST, AU and RTAS plugin versions
- Create Music Now with powerful energyXT2.5 Compact BEHRINGER Edition music production software and Audacity editing software—both with full portability on all PC, Mac or Linux computers
- Works directly with your PC or Mac computer—ultra-low latency ASIO driver for PC audio optimization included
- CD, USB cable, adjustable guitar strap and 3 picks included
- Stereo Headphone output lets you jam with your computer and can also be used for monitoring with active monitor speakers
- Guitar Combos with variable-speed file playback function for MP3, WAV, AIFF audio files—perfect for easy learning and practicing—tuner and metronome function
- Powered via USB—no additional power supply required



## Guitar Packages

### ROCK GUITAR PACK GPK83 6BK — Move up to a REAL guitar

Rock Straight out of the Box with this Metal Axe and a 10-Watt Guitar Amp. Is that game where you play at guitar on your game console is starting to get boring? Maybe it's time to grow a pair and try a REAL guitar. We've have just the combo. If you suck, you can always go back to the lame video game.

- Grab the METALIEN guitar and sound like a pro! You get a top-notch electric guitar featuring a maple neck, 24-fret rosewood fingerboard, 1 humbucker and 2 single-coil pickups plus vintage vibrato bridge
- This amp provides killer guitar tone, right out of the box! Get ready for BEHRINGER's great-sounding 10-Watt amp with 6.5" Speaker and Headphone output
- Automatic tuner for accurate and easy tuning for guitar and bass included
- Rock House instructional



DVD with lessons for electric, acoustic and bass guitar included

- Amazing accessories are included so you can start right away:

- High-quality instrument cable
- Adjustable guitar strap
- 3 picks
- Padded guitar gig bag
- Top-notch guitar and perfect amp construction for years of fun



Why the mask? Because BEHRINGER City maintains world-class employee safety standards. Milling all that maple for guitar necks makes a lot of very fine sawdust which is not great in the lungs. Note the yellow and pink shirts in the photos on this and the next page, indicating that both of these craftspeople are Quality Control Inspectors.

### BASS GUITAR PACK BT108BPKPB392-BK

If you've been dreaming of diving head-first into the low end of the rock spectrum, get ready to do it in style with the BEHRINGER Bass Guitar Pack. This vintage-style solid-body bass features a 34" scale, 21-fret rosewood fingerboard, single pickup, volume and tone controls. Just plug it into the ULTRABASS BT108 **15-Watt** bass amp with VTC Virtual Tube Circuitry (included) for a sound that'll really shake the ground!

- Solid bass guitar featuring a 34" scale, maple neck, 21-fret rosewood fingerboard, vintage-style split pickup, volume and tone controls
- ULTRABASS BT108 **15-Watt** bass amp with VTC Virtual Tube Circuitry, powerful 8" speaker, 4-band EQ, headphone output and CD input
- High-quality instrument cable
- Adjustable strap
- 3 picks
- Padded gig bag
- Instruction book and more
- Top-notch bass guitar and perfect amp construction for years of fun
- Rock straight out of the box! You'll be playing within minutes!




### ACOUSTIC GUITAR PACK GPK-AGS722-BK

Beginning guitar players no longer have to settle for sub-par instruments that are as hard to play as they are to pay for. Introducing the BEHRINGER Acoustic Guitar Pack—the high-quality solution for any budding musician, even those on a tight budget.

With a top-notch acoustic guitar as its centerpiece, the BEHRINGER Acoustic Guitar Pack includes a durable denier nylon gig bag, with a spacious zippered accessory pocket, digital tuner, strap, picks, extra strings and an instructional chord chart that will have you playing your favorite songs in no time at all.

Stunning to look at, the guitar is lovingly crafted by skilled artisans who pay special attention to each instrument's playability and visual appeal. Get off to the right start with the BEHRINGER Acoustic Guitar Pack—your fingers and your wallet will thank you.

- Full-size acoustic guitar featuring mahogany back and sides, spruce top, rosewood fingerboard, sealed chrome tuners, stunning black lacquer finish
- Digital Tuner
- Durable denier nylon gig bag
- Guitar Strap
- Extra set of guitar strings
- Trio of guitar picks
- Instructional chord chart



We hand-build our guitars. Very carefully. They get checked dozens of times at every stage of assembly. In fact we have one person who does nothing but tweak knobs to make sure the controls are smooth. All day long. Xia Lai is not that person. Nor, when we asked her, did she particularly ever want to be. But somebody has to do it.



Where BEHRINGER INSTRUMENT AMPLIFICATION cabinets are born.





# Guitar Amplification – Analog Modeling

## V-TONE GM108

- Extremely versatile **15-Watt** practice amplifier with authentic analog amp modeling
- Original vintage-design guitar speaker
- Authentic Analog Modeling for 3 classic guitar amps, 3 speaker simulation models plus 3 gain modes—providing you with 27 classic sound presets
- Wide-range drive control for super-fat sounds with any pickup types
- Dedicated 3-band EQ and master level control
- CD input allows you to play along to your favorite music
- Powerful headphone output with speaker simulation



## V-TONE GMX110

- True analog modeling **30-Watt** stereo guitar amp with authentic V-TONE analog modeling, 27 modeled sounds, FX processor, tuner and MIDI control
- Original heavy-duty 10" BUGERA guitar speaker
- Authentic V-TONE analog modeling for 3 classic guitar amps, 3 speaker simulation models plus 3 gain modes—27 modeled sounds
- Clean channel and full-featured modeling channel offering



The FS112VT 2-control footswitch is included free with the GMX110, GMX210 and GMX212

- everything you need from clean to crunch to super-fat distortion sounds
- FXT—ultra-flexible FX Tracking allows independent effects settings on each channel
- Patented\* DYNAMIZER circuitry captures every nuance of your playing and lends tube-like compression to your tone
- 24-bit stereo multi-effects processor with world-class effects such as chorus, flanging, phasing, rotary, auto-wah, echo, delay, compressor and various effect combinations with 99 user presets
- Integrated auto-chromatic tuner controllable via footswitch
- Additional loudspeaker and separate headphone output with integrated speaker simulation
- Adjustable Tape input for playback or other line-level signals (e.g. CD player, drum computer)
- Stereo Tape output with speaker simulation for direct recording and live applications
- Insert facility for external effects devices (rack effects, stomp boxes, wah-wah pedals, etc.)
- Dual footswitch FS112 for channel selection, effect bypass and tuner activation included

\* German Patent No.: 100 15 833

## VINTAGER AC108 tube amp



- **15-Watt** guitar amp with 12AX7 vacuum tube
- Inspired vintage design for classic guitar sound
- **20-Watt** 8" vintage-tuned guitar speaker
- 2-channel tube preamp and wide-range gain control for super fat sounds with all pickup types
- Dedicated 2-band EQ plus mid-shift button for creative sound-shaping
- Dedicated Master level control and powerful Headphone output

## V-TONE GMX210



- True analog modeling 2 x **30-Watt** stereo guitar amp with 2 independent channels, each featuring authentic V-TONE analog modeling, 27 modeled sounds, FX processor, tuner and MIDI control
- 2 original heavy-duty 10" BUGERA guitar speakers
- Authentic V-TONE Analog Modeling for 3 classic guitar amps, 3 speaker simulation models plus 3 gain modes—27 modeled sounds individually selectable per channel
- 2 independent, full-featured modeling channels offering everything you need from clean to crunch to super-fat distortion sounds
- FXT—ultra-flexible FX Tracking allows independent effects settings on each channel
- Patented\* DYNAMIZER circuitry captures every nuance of your playing and lends tube-like compression to your tone
- 24-bit stereo multi-effects processor with world-class effects such as chorus, flanging, phasing, rotary, auto-wah, echo, delay, compressor and various effect combinations with 99 user presets and MIDI control
- Integrated auto-chromatic tuner controllable via footswitch
- Dedicated headphone output with integrated speaker simulation
- Adjustable Aux and dedicated Tape input for playback or other line-level signals (e.g. CD player, drum computer)
- Stereo Tape and Line outputs with speaker simulation for direct recording and live applications
- Insert facility for external effects devices (rack effects, stomp boxes, wah-wah pedals, etc.)
- Dual footswitch FS112 for channel selection, effect bypass and tuner activation included

\* German Patent No.: 100 15 833

# Guitar Amplification – Analog Modeling

## V-TONE GMX212



- True analog modeling 2 x **60-Watt** stereo guitar amp with 2 independent channels, each featuring 27 modeled sounds, FX processor, tuner and MIDI control
- 2 original heavy-duty 12" BUGERA guitar speakers for classic sound
- Authentic V-TONE analog modeling for 3 classic guitar amps, 3 speaker simulation models plus 3 gain modes—27 modeled sounds individually selectable per channel
- 2 independent, full-featured modeling channels offering everything you need from clean to crunch to super-fat distortion sounds
- FXT—ultra-flexible FX Tracking allows independent effects settings on each channel
- Patented\* DYNAMIZER circuitry captures every nuance of your playing and lends tube-like compression to your tone
- 24-bit stereo multi-effects processor with world-class effects such as chorus, flanging, phasing, rotary, auto-wah, echo, delay, compressor and various effect combinations with 99 user presets and MIDI control
- Integrated auto-chromatic tuner controllable via footswitch
- Additional Loudspeaker plus headphone outputs with integrated speaker simulation
- Adjustable Aux input and dedicated Tape input for playback or other line-level signals (e.g. CD player, drum computer)
- Stereo Tape and Line outputs with speaker simulation for direct recording and live applications
- Insert facility for external effects devices (rack effects, stomp boxes, wah-wah pedals, etc.)
- Dual footswitch FS112 for channel selection, effect bypass and tuner activation included

\* German Patent No.: 100 15 833

## GTX30 30-Watt Guitar Amplifier



- **30-Watt** guitar amplifier with 2 channels, FX, tuner, authentic tube modeling and original BUGERA 12" speaker
- Awesome digital FX processor with reverb, chorus, flanger and delay
- Integrated chromatic tuner with auto-mute function
- Original heavy-duty 12" BUGERA vintage guitar speaker for classic sound reproduction
- 2 full-featured channels offering everything you need from clean to super-fat distortion sounds
- Radical bass, mid and treble controls — for every sound from traditional to scooped modern
- Additional Headphone and Line output with integrated speaker simulation
- Dedicated CD input for playback of line-level signals (e.g. CD player, drum machine)
- Conceived and designed by BEHRINGER Germany

## GTX60 60-Watt Guitar Amplifier



- **60-Watt** guitar amplifier with 2 independent channels, FX, tuner, authentic tube modeling and original BUGERA 12" speaker
- Powerful **60-Watt**, 2-channel guitar amplifier with authentic tube modeling
- Awesome digital FX processor with reverb, chorus, flanger and delay
- Integrated chromatic tuner with auto-mute function
- Original heavy-duty 12" BUGERA vintage guitar speaker for classic sound reproduction
- 2 full-featured channels offering everything you need from clean to super-fat distortion sounds
- Independent Bass and Treble tone controls on each channel for awesome sound shaping
- Contour control for radical mid-range sweep—from traditional to scooped modern
- Additional Headphone and Line output with integrated speaker simulation
- Dedicated CD input for playback of line-level signals (e.g. CD player, drum machine)
- FX loop for external effects devices (rack effects, stomp boxes, wah-wah pedals, etc.)
- External Speaker Output for more flexibility
- Dual footswitch for Channel selection and FX bypass included
- Conceived and designed by BEHRINGER Germany

## V-AMPIRE LX110\*



- This beast has mind-blowing tone, is brutally loud and super compact. Built around a 24-bit DSP, this modeling workstation recreates the sounds of 16 classic amp/cabinet models with astonishing fidelity. A powerful **45-Watt** amplifier drives the heavy-duty full-range 10" BUGERA dual-cone speaker to give full justice to each and every tone.
- The V-AMPIRE LX110 is definitely not short on effects—select from a range of modulation effects including chorus, auto-wah or pitch shifter and combine with the separate delay, reverb and compression sections for almost limitless sonic flexibility. Store your favorite settings with ease in any of the 100 memory locations. You want a tuner, too? It's all built in. Just plug and rock!
- Powerful **45-Watt** digital modeling workstation with 16 classic amp and cabinet models
- Original heavy-duty 10" BUGERA dual-cone full-range speaker for faithful sound reproduction
- 100 memory locations—easily editable and storable
- Amp/speaker simulation, compressor, noise gate, EQ, modulation effects, delay and reverb simultaneously or in any combination
- Awesome modulation and pitch bend effects
- Extremely low-noise instrument input ensures maximum guitar signal integrity
- Dual footswitch for Channel selection and FX bypass included
- Super-precise and adjustable auto-chromatic tuner

\* Not available in the USA

## GUITAR LINK UCG102


The GUITAR LINK UCG102 guitar-to-USB interface lets you jam and record using modeling amps and effects without the need for any other gear but your guitar.

- The compact interface links your electric guitar to a PC or Mac computer via a typical USB cable, allowing you to rock with such sophisticated software as the included Guitar Combos BEHRINGER Edition from Native Instruments, energyXT2.5 Compact BEHRINGER Edition and Audacity audio editor. It also features a headphone output for convenient monitoring.
- The ultimate guitar-to-USB interface to jam and record with killer modeling amps and effects
- The Ultimate Guitar-to-USB Interface to Jam and Record with Killer Modeling Amps and Effects
- Plug in your favorite guitar and turn your PC or Mac computer into a guitar amp and recording system without the need for any other hardware
- Includes Guitar Combos from Native Instruments—the leading authentic guitar amp and stomp box modeling software—now including VST, AU and RTAS plugin versions



- Create Music Now with powerful energyXT2.5 Compact BEHRINGER Edition music production software and Audacity editing software—both with full portability on all PC, Mac or Linux computers
- Directly works with your PC or Mac computer—ultra-low latency ASIO driver for PC audio optimization included
- Stereo Headphone output lets you jam with your computer and can also be used for monitoring with active monitor speakers
- Guitar Combos with variable-speed file playback function for MP3, WAV, AIFF audio files—perfect for easy learning and practicing—tuner and metronome function
- Powered via USB—no additional power supply required
- Conceived and designed by BEHRINGER Germany

Jazz sideman Jacques Lesure counts on his BEHRINGER gear for his gigs with Wynton Marsalis, George Benson and Oscar Brown.



Guitar Effects: Turn to page 56



# Guitar Amplification – Virtual Tube Modeling

## VIRTUBE VT100FX & VT250FX Guitar Amplifier Combos with VTC Tube Modeling & Dual Effects



VT100FX



VT250FX

### VIRTUBE VT100FX 100-Watt Guitar Amplifier with 2 Independent Channels, VTC Tube Modeling, Dual FX and Original BUGERA 12" Speaker

- Powerful **100-Watt**, 2-channel guitar amplifier with authentic VTC Tube Modeling
- Awesome dual digital FX processors with chorus/delay, chorus, flanger, delay plus separate reverb
- Original heavy-duty 12" BUGERA vintage guitar speaker for classic sound reproduction
- 2 full-featured channels offering everything you need from clean over crunch to super-fat distortion sounds
- 2 switchable modes on each channel: Clean/Crunch on the Clean and OD1/OD2 on the Overdrive channel
- Independent Bass, Mid and Treble tone controls on each channel for awesome sound shaping
- Contour control for radical midrange sweep—from traditional to scooped modern
- Additional Headphone and Line output with integrated speaker simulation
- Dedicated CD input for playback of line-level signals (e.g. CD player, drum machine)
- FX loop for external effects devices (rack effects, stomp boxes, wah-wah pedals, etc.)
- Dual footswitch FS112VT for Channel selection and FX bypass included

### VIRTUBE VT250FX 2 x 50-Watt Guitar Amplifier with 2 Independent Channels, VTC Tube Modeling, Dual FX and 2 Original BUGERA 12" Speakers

- Powerful 2 x **50-Watt**, 2-channel guitar amplifier with authentic VTC Tube Modeling
- Awesome dual digital FX processors with chorus/delay, chorus, flanger, delay plus separate reverb
- 2 original heavy-duty 12" BUGERA vintage guitar speakers for classic sound reproduction
- 2 full-featured channels offering everything you need from clean to super-fat distortion sounds
- Independent Bass and Treble tone controls on each channel for awesome sound shaping
- Contour control for radical midrange sweep—from traditional to scooped modern
- Additional Headphone and Line output with integrated speaker simulation
- Dedicated CD input for playback of line-level signals (e.g. CD player, drum machine)
- FX loop for external effects devices (rack effects, stomp boxes, wah-wah pedals, etc.)
- Dual footswitch FS112VT for Channel selection and FX bypass included



The FS112VT 2-control footswitch is included free with the VT100FX, VT250FX, VT100FXH, VT50FX and VT30FX

### VIRTUBE VT100FXH Head



- Powerful **100-Watt**, 2-channel guitar amplifier head with authentic VTC Tube Modeling, 2 Independent Channels, VTC Tube Modeling and Dual FX
- Revolutionary VTC Virtual Tube Circuitry gives you the sound and feel of an authentic tube amp
- Awesome dual digital FX processors with chorus/delay, chorus, flanger, delay plus separate reverb
- 2 full-featured channels offering everything you need from clean over crunch to super-fat distortion sounds
- 2 switchable modes on each channel: Clean/Crunch on the Clean and OD1/OD2 on the Overdrive channel
- Independent Bass, Mid and Treble tone controls on each channel for awesome sound shaping
- Contour control for radical midrange sweep—from traditional to scooped modern
- Additional Headphone and Line output with integrated speaker simulation
- Dedicated CD input for playback of line-level signals (e.g. CD player, drum machine)
- FX loop for external effects devices (rack effects, stomp boxes, wah-wah pedals, etc.)
- Dual footswitch FS112VT for Channel selection and FX bypass included
- Conceived and designed by BEHRINGER Germany



## VIRTUBE VT50FX



- Powerful **50-Watt**, 2-channel guitar amplifier with authentic VTC Tube Modeling, dual FX and original BUGERA 12" speaker
- Dual digital FX processors with chorus/delay, chorus, flanger, delay plus separate reverb
- Original heavy-duty 12" BUGERA vintage guitar speaker for classic sound reproduction
- 2 full-featured channels offering everything you need from clean to super-fat distortion sounds
- Independent Bass and Treble tone controls on each channel for awesome sound shaping
- Contour control for radical midrange sweep—from traditional to scooped modern
- Additional Headphone and Line output with integrated speaker simulation
- Dedicated CD input for playback of line-level signals (e.g. CD player, drum machine)
- FX loop for external effects devices (rack effects, stomp boxes, wah-wah pedals, etc.)
- Dual footswitch FS112VT for Channel selection and FX bypass included
- Conceived and designed by BEHRINGER Germany



BEHRINGER Instrument Amplification circuit board inspection. This amp has your name written all over it.

## VIRTUBE VT30FX



- Get that awesome real tube sound from the VIRTUBE VT30FX guitar amplifier. It comes with revolutionary VTC Tube Modeling and holds a digital FX processor featuring reverb, chorus, flanger and delay plus one original BUGERA vintage guitar speaker. The 2 full-featured channels offer clean to super-fat distortion sounds while the Contour control gives you that radical mid-range sweep from traditional to scooped modern.
- Powerful **30-Watt**, 2-channel guitar amplifier with authentic VTC Tube Modeling
  - Awesome digital FX processor with reverb, chorus, flanger and delay
  - 10" BUGERA vintage guitar speaker
  - 2 full-featured channels offering everything you need from clean to super-fat distortion sounds
  - Contour control for radical mid-range sweep—from traditional to scooped modern
  - Dual footswitch FS112VT for Channel selection and FX bypass included



## VIRTUBE VT15CD & VIRTUBE VT15FX



The VIRTUBE VT15CD and VT15FX guitar amplifiers feature revolutionary VTC Tube Modeling to give you the sound and feel of a real tube amp. And both amps include 2 channels with clean to fat-distortion sounds, **15-Watts** of power and an exclusive 8" BUGERA vintage-style guitar speaker. The VT15FX holds an incredible digital FX processor that features reverb, chorus, flanger and delay.

- Powerful **15-Watt**, 2-channel guitar amplifiers with authentic VTC Tube Modeling
- Revolutionary VTC Virtual Tube Circuitry gives you the sound and feel of an authentic tube amp
- Awesome digital FX processor with reverb, chorus, flanger and delay (VT15FX only)
- Original heavy-duty 8" BUGERA vintage-style guitar speaker for classic sound reproduction
- 2 full-featured channels offering everything you need from clean to super-fat distortion sounds



Did we mention that we make all of our own speakers including those for our guitar amp cabinets?

# Acoustic Amplification

## ULTRACOUSTIC ACX1800, ACX900 & ACX450

### ULTRACOUSTIC ACX1800

- **180-Watt**, 2-channel stereo amplifier for acoustic instruments and vocals
- 2 original 8" BUGERA dual-cone speakers for ultimate sound reproduction

### ULTRACOUSTIC ACX900

- **90-Watt**, 2-channel stereo amplifier for acoustic instruments and vocals
- 2 original 8" BUGERA dual-cone speakers for ultimate sound reproduction

### ULTRACOUSTIC ACX450

- **45-Watt**, 2-channel amplifier for acoustic instruments and vocals
- Original 8" BUGERA dual-cone speaker for ultimate sound reproduction

### Common features:

- 2 integrated, 24-bit digital FX processors each with 16 awesome effects programs including reverb, modulation, delay, and various effects combinations
- Individual graphic EQ on each channel for awesome sound shaping
- Revolutionary FBQ Feedback Detection system instantly reveals critical frequencies
- CD input allows you to play along to your favorite music
- Dual footswitch FS112 for FX 1 & 2 bypass included



## ULTRACOUSTIC AT108



- Extremely versatile 2-channel acoustic instrument amplifier
- Powerful **20-Watt**, 8" dual-cone speaker for wide frequency response
- Additional microphone input with separate volume control
- VTC Virtual Tube Circuitry for tube-like sound
- Ultra-musical 3-band EQ for ultimate sound shaping
- CD input allows you to play along to your favorite music
- Separate headphone output—perfect for quiet practicing

small is beautiful performs at the BEHRINGER booth, 2008 ProLight+Sound show in Frankfurt Germany





# Bass Amplification



## ULTRABASS BVT5500H 550-Watt head



- The ULTRABASS BVT5500H bass amplifier head with **550-Watts** includes the revolutionary VTC Tube Modeling to offer the sound and feel of a real tube amp. This piece of gear impresses with features such as the Voicing selector with 5 ultimate sound variations and the switchable Overdrive function for more aggressive sounds. It also includes a 9-band graphic EQ as well as Bass, Mid and Treble controls—perfect for ultimate sound control.
- Powerful **550-Watt** bass amplifier head for classic sound and performance
  - VTC Tube Modeling gives you the sound and feel of an authentic tube amp
  - Voicing selector provides you with 5 ultimate sound variations to suit your playing style
  - Switchable Overdrive channel for a more aggressive tube amplifier sound
  - Ultra-musical 9-band graphic EQ for total frequency control
  - Dedicated Bass, Mid and Treble controls for ultimate sound shaping
  - Switchable limiter for ultimate volume without distortion



## ULTRABASS BVT4500H 450-Watt head



With the ULTRABASS BVT4500H bass amplifier head, you get an amp head that offers immense power and tone. It boasts **450-Watts** and the revolutionary VTC Tube Modeling to offer the sound and feel of a real tube amp. The head also includes a 9-band

graphic EQ as well as Bass, Mid and Treble controls for ultimate sound control. In addition, the XLR direct output gives you the option to connect to a mixing console.

- Powerful **450-Watt** bass amplifier head for classic sound and performance
- VTC Tube Modeling gives you the sound and feel of an authentic tube amp
- Ultra-musical 9-band graphic EQ for total frequency control
- Dedicated Bass, Mid and Treble controls for ultimate sound shaping
- Switchable limiter for ultimate volume without distortion
- Balanced XLR DI output for direct connection to your mixing console

BEHRINGER Instrument Amplification bass amp packing.



UK rockers Get Vegas get BEHRINGER.

# Bass Amplification & Combos

## ULTRABASS BXL3000A, BXL1800A, BXL900A & BXL450A

- Powerful bass workstations in wedge-shaped cabinet with **300 Watts** and 15" speaker (BXL3000A), **180 Watts** and 12" speaker (BXL1800A), **90 Watts** and 12" speaker (BXL900A) or **45 Watts** and 10" speaker (BXL450A)
- Original BUGERA HARD ATTACK aluminum-cone speaker
- Clean channel with dedicated Gain control
- Distortion channel with dedicated Gain, Shape and Level controls
- Ultra-musical, active graphic EQ with FBQ Spectrum Analyzer
- Switchable ULTRABASS subharmonics processor for unbelievable low-end power (BXL3000A/BXL1800A/BXL900A only)
- Integrated Compressor smoothes out volume peaks when playing dynamic slaps (BXL3000A/BXL1800A only)
- Revolutionary "See what you play" FBQ frequency indicator for instant sound shaping
- Musical limiter for ultimate volume without distortion
- FS112 Two-button footswitch included
- Separate headphone output—perfect for quiet practicing
- CD input allows you to play along to your favorite music



## ULTRABASS BXL3000, BXL1800, BXL900 & BXL450

- Powerful bass workstations in wedge shaped cabinet with **300 Watts** and 15" speaker (BXL3000), **180 Watts** and 12" speaker (BXL1800), **90 Watts** and 12" speaker (BXL900) or **45 Watts** and 10" speaker (BXL450)
- Original BUGERA special high-impact cone speaker
- Clean channel with dedicated Gain control
- Distortion channel with dedicated Gain, Shape and Level controls
- Ultra-musical, active graphic EQ with FBQ Spectrum Analyzer
- Switchable ULTRABASS subharmonics processor for unbelievable low-end power (BXL3000/BXL1800 and BXL900 only)
- Integrated Compressor smoothes out volume peaks when playing dynamic slaps (BXL3000/BXL1800 only)
- Revolutionary "See what you play" FBQ frequency indicator for instant sound shaping
- Musical limiter for ultimate volume without distortion
- FS112 Two-button footswitch included
- Separate headphone output—perfect for quiet practicing
- CD input allows you to play along to your favorite music



## ULTRABASS BXR1800H



- You want a super-fat **180-Watt** 2-channel bass amp? You also want it compact and in rack-mountable format? Then get a load of this—the ULTRABASS BXR1800H is a bass monster with a built-in ULTRABASS subharmonics processor to give you extra lows and a compressor to beef up your sound. Want it "clean and fat", or "dirty and fat"? No problemo—this monster can do it all.
- Ultra-compact and rack-mountable **180-Watt** 2-channel bass amplifier
  - Clean channel with dedicated Gain control
  - Distortion channel with dedicated Gain, Shape and Level controls
  - Active 7-band graphic EQ with FBQ spectrum analyzer
  - Switchable ULTRABASS subharmonics processor for unbelievable low-end punch
  - Integrated compressor smoothes out volume peaks when playing dynamic slaps
  - FS112 Two-button footswitch included

## ULTRABASS BX4500H



- **450-Watt** bass amplifier with patented\* DYNAMIZER technology
- Switchable ULTRABASS subharmonics processor
- Revolutionary "Shape" filter
- Extremely musical 5-band EQ with "Bright" and "Deep" functions
- Integrated limiter and active, temperature controlled cooling system
- Dual footswitch included
- Balanced XLR DI output, effects loop, dedicated tuner and line outputs
- 3 speaker outputs on 1/4" jack and professional speaker connectors (compatible with Neutrik Speakon connectors)

\* German Patent No.: 100 15 833

## ULTRABASS BX1800



- Powerful and ultra-compact **180-Watt** bass workstation
- Original BUGERA 15" special high-impact cone speaker
- Custom-made horn tweeter for high-end punch
- VTC Virtual Tube Circuitry for tube-like sound
- Dedicated 4-band EQ and Mid Shape function for awesome sound shaping
- Musical opto-limiter for ultimate volume without distortion
- Separate headphone output—perfect for quiet practicing
- Balanced XLR DI and Ground Lift switch for direct connection to your mixing console

## ULTRABASS BT108



- Extremely versatile **15-Watt** bass amplifier with powerful **20-Watt**, 8" speaker
- VTC Virtual Tube Circuitry for tube-like sound
- Dedicated 4-band EQ for ultimate sound shaping
- CD input allows you to play along to your favorite music
- Separate headphone output—perfect for quiet practicing
- High-quality components and exceptionally rugged construction ensure long life



**BEHRINGER is proud to distribute BUGERA, premium guitar and bass amplification with The Soul of Valves.**



**Looking for beautiful tube tone? Visit [www.bugera-amps.com](http://www.bugera-amps.com) to download a free catalog.**

## Bass Amplification & Cabinets

**ULTRABASS BX4210A bass workstation**



- Powerful **450-Watt** bass workstation with front-ported bass cabinet
- Original BUGERA 10" HARD ATTACK aluminum-cone speakers
- Custom-made 1" horn tweeter for ultimate punch
- Recessed carrying handles and integrated rollers for easy transportation
- Patented\* DYNAMIZER technology for ultimate punch and to capture every nuance of your playing
- Switchable ULTRABASS subharmonics processor for unbelievable low-end power
- Dedicated 5-band EQ with Deep, Bright and Shape functions for awesome sound shaping

\* German Patent No.: 100 15 833

**THUNDERBIRD BX108 warm-up practice amp**



- Vintage **15-Watt** rehearsal/warm-up bass combo
- Custom-made 8" speaker in a vented cabinet
- Cool retro design with burgundy top panel, gray covering and leather handle
- Great-sounding 3-band EQ and level control
- Stereo tape I/O plus phones out

**ULTRATONE KT108\***



- Extremely versatile 2-channel keyboard amplifier
- Powerful **20-Watt**, 8" dual-cone speaker for wide frequency response
- 2 instrument inputs with separate volume control for each channel
- VTC Virtual Tube Circuitry for tube-like sound
- Dedicated 3-band EQ for ultimate sound shaping
- CD input allows you to play along to your favorite music
- Separate headphone output—perfect for quiet practicing

**ULTRABASS BB410, BB210 & BB115**



- High-performance **1,200-Watt** bass cabinet with 4 x 10" speakers and 1" horn driver
- Impedance 4 Ohms

### Common features:

- Reinforced chamber, front-ported bass cabinet
- Original BUGERA speakers with special high-impact cones
- Switchable 1" custom-made horn tweeter for high-end punch
- Input and link outputs on ¼" TS and professional speaker connectors (compatible with Neutrik Speakon connectors)
- Unique tweeter remote control via footswitch or FCB1010

## Keyboard Amplification



**ULTRATONE K900FX & K450FX**



**K900FX:** Ultra-flexible **90-Watt** 3-channel PA System / Keyboard Amplifier with 12" BUGERA woofer and custom-made 1" high frequency driver

**K450FX:** Ultra-flexible **45-Watt** 3-channel PA System / Keyboard Amplifier with 10" BUGERA woofer

### K900FX & K450FX Common Features

- Integrated 24-bit digital FX processor with 100 awesome presets including reverb, chorus, flanger, delay, pitch shifter and various multi-effects
- Revolutionary FBQ Feedback Detection System instantly reveals critical frequencies
- Dedicated 5-band graphic EQ for awesome sound shaping
- XLR mic input and line output
- Subwoofer line output for low-end power
- Pole socket for stand mounting
- Conceived and designed by BEHRINGER Germany

**ULTRATONE K3000FX & K1800FX**



**K3000FX:** Ultra-flexible **300-Watt** 4-channel PA System / Keyboard Amplifier with 15" BUGERA woofer and custom-made 1" high frequency driver

**K1800FX:** Ultra-flexible **180-Watt** 4-channel PA System / Keyboard Amplifier with 15" BUGERA woofer and custom-made 1" high frequency driver

### K3000FX & K1800FX Common Features

- Integrated 24-bit digital FX processor with 100 awesome presets including reverb, chorus, flanger, delay, pitch shifter and various multi-effects
- Revolutionary FBQ Feedback Detection System instantly reveals critical frequencies
- Full 4-channel stereo operation with separate Volume and FX Send per channel
- Additional XLR mic input on Channel 1 for direct connection of dynamic microphones
- Dedicated 7-band graphic EQ for awesome sound shaping
- Balanced stereo XLR DI with Ground Lift switch for direct connection to your mixing console
- Main section with FX Return level, Master Volume, Phones level and Shape switch
- Link output allows linking to a slave amplifier for true stereo operation
- Subwoofer output for ultimate low-end power
- CD input allows you to play along to your favorite music
- Separate headphone output—perfect for quiet practicing
- Conceived and designed by BEHRINGER Germany



# Modeling Processors and Effects

NEW!

## V-AMP3 Virtual Guitar Amp/Workstation with USB Audio Interface & Software



UCA222 USB interface included



energyXT2.5  
compact Behringer edition

full brochure online

### V-AMP3 Next-Generation Virtual Guitar Amplifier with USB Audio Interface and energyXT2.5 Recording Software

- 4 all-new plus 28 improved amp models multiplied by 15 speaker cabinet simulations give you a total of 480 virtual combos
- USB audio interface included, featuring stereo I/O, optical S/PDIF out, direct monitoring and separate control for phones out
- No-latency guitar recording on your PC—edit and monitor your sound directly on V-AMP 3 and record to the incredible multi-platform music production software energyXT2.5 Compact BEHRINGER Edition

- Studio quality multi-effects including reverb, chorus, flanger, phaser, rotary, auto-wah, echo, delay, compressor and various effects combinations
- 125 memory locations pre-arranged for many popular styles and embedded in the acclaimed intuitive V-AMP user interface
- Tap-tempo function and many other parameters directly accessible on the unit
- Presence control adjusts a high-frequency filter, simulating the negative feedback of tube amps
- Preamp bypass function allows use as a stereo effects processor without amp modeling
- Stereo Aux input lets you play along to a cue from your PC, CD, MP3 or drum computer for practice, teaching and home-recording applications
- Balanced stereo Line output can be configured for many recording and live applications
- Adjustable auto-chromatic tuner plus effective global configurations and equalization easily adopts the V-AMP 3 to any situation outside your home studio

- MIDI implementation includes program changes, control changes and SysEx, allowing complete MIDI remote control or automation with your energyXT2.5 Compact BEHRINGER Edition or any other DAW
- High-quality components and exceptionally rugged construction ensure long life
- Conceived and designed by BEHRINGER Germany



## V-AMP PRO



- Professional guitar amp modeling and multi-effects processor with additional 24-bit/96 kHz digital output and ULTRA-G cabinet simulation
- 32 amp models, 15 speaker cabinet simulations, noise gate, compressor, wah-wah, modulation effects, delay and reverb
- Stereo headphones output with volume control, adjustable auto-chromatic tuner and internal power supply unit
- Balanced stereo XLR DI out with ground lift switch
- Pre and post DSP insert loops
- AES/EBU and S/PDIF connectors
- BNC wordclock input, MIDI In, Out/Thru

## X V-AMP




- 16 original V-AMP amp/speaker simulations, including a special acoustic simulation and amp bypass function
- 24-bit high-resolution stereo multi-effects processor including first-class stomp box simulations, delay, wah-wah, chorus, flanger, reverb, noise gate and compressor effects and many more

- Freely assignable expression pedal for real-time control of effects or wah/volume control
- Amp and cabinet simulation, compressor, noise gate, EQ, modulation effects, delay and reverb can be used simultaneously in any combination
- Awesome modulation and pitch bend effects

## BASS V-AMP PRO



- The ultimate rackmount tone toolbox for bass, acoustic/ electric guitar and keyboard amp modeling with additional 24-bit/96kHz digital output
- 32 amp models, 23 speaker cabinet simulations, noise gate, compressor, wah-wah, modulation effects, delay and reverb
- Pre and post DSP insert loops
- Balanced stereo XLR DI out with ground lift and switchable ULTRA-G cabinet simulation
- AES/EBU and S/PDIF connectors allow usage as an all-purpose A/D converter
- BNC wordclock input, MIDI In, Out/Thru



Studio bass-ace Del Atkins supercharges his tracks with the Bass V-AMP PRO. Just ask Patti LaBelle, Mary J. Blige, Alicia Keys or Nora Jones.

# Effects Pedals

## BASS V-AMP



- The ultimate tone toolbox for bass/ acoustic/electric guitar and keyboard amp modeling
- 32 amp models, 23 speaker cabinet simulations, noise reduction, compressor, wah-wah, distortion pedal simulations etc.
- 16 analog and digital multi-effects including ultrabass, synth, delay/loop sampler, chorus, flanger, rotary speaker, voice box, auto wah, phaser, ambience and reverb
- Stereo aux input
- Comprehensive MIDI implementation
- Blue status LED for effect on/off and battery check
- True hard-wire bypass for ultimate signal integrity
- Wah-Wah pedal and studio compressor effects

## VINTAGE PHASER VP1

- Authentic and classic three dimensional phase shifting—from rapid rotary speaker to impressive jet plane effects
- Dedicated Rate control and separate Tone switch for fine-tuning of effects speed and tone
- Status LED for effect On/Off and battery check
- True hard-wire bypass for ultimate signal integrity
- Rugged metal chassis stands up to active use and abuse
- Runs on 9V battery or the BEHRINGER PSU-SB DC power supply (not included)



## VINTAGE TIME MACHINE VM1



- The VM1 is an awesome combination of effects that includes chorus, vibrato and delay. With up to 550 ms of organic echo, it provides plenty to compete with your vintage tape delay. Dial in the sounds of the 1970s with this fantastic piece of gear and let your sounds travel back in time comfortably, leaving the struggle with nasty tape loops and worn-out mechanical gear behind you.
- The VM1 runs on a 9 V battery or the BEHRINGER PSU-SB DC power supply (not included) and features a hard-wire bypass for ultimate signal integrity.
- Dedicated Delay, Chorus/Vibrato, Feedback, Mix and Level controls for awesome sound shaping
- Blue status LED for effect on/off and battery check
- True hard-wire bypass for ultimate signal integrity

## VINTAGE BASS VB1

- Lend your tone a nice rich, full body and thrilling dimension. The VB1 simulates vocal sounds with a classic dual-sweeping filter. Plug in your bass guitar in this magic stomp box and enjoy unique tone colors, crazy sounding effects, psychedelic-style sounds and distortion rich with overtones. It runs on a 9 V battery or the BEHRINGER PSU-SB DC power supply (not included) and features a hard-wire bypass for ultimate signal integrity.
- Vintage dual dynamic filter/distortion mode pedal
- Blue status LED for effect on/off and battery check
- True hard-wire bypass for ultimate signal integrity



## VINTAGE TUBE OVERDRIVE VT911 & VINTAGE TUBE MONSTER VT999



- Both the VT911 and VT999 are top-quality real tube overdrive pedals that come with hand-selected vacuum tubes to give your sound that cozy warm tone you don't want to miss. Take off with anything from warm blues overdrive to heavy distortion—every nuance of the most-wanted distortion tones can be found in the classic tube overdrive pedal VT911.
- If classic, low-down and dirty distortion is what you're after, the VT999 has it all—and it includes an integrated, switchable noise gate that will keep your signal noise-free! Each pedal features a hard-wire bypass for ultimate signal integrity.
- Dedicated Drive, Tone and Level controls for awesome sound shaping (VT911)
- Integrated and switchable Noise gate with adjustable Threshold keeps your sound noise-free (VT999)
- Blue status LED for effect on/off
- True hard-wire bypass for ultimate signal integrity

## VINTAGE DISTORTION VD1

- Authentic and classic distortion effect—the warm and emotive tone that has ruled rock for the last 30 years
- Dedicated Sustain control lets your guitar scream
- Status LED for effect On/Off and battery check
- Rugged metal chassis
- True hard-wire bypass for ultimate signal integrity
- Runs on 9V battery or the BEHRINGER PSU-SB DC power supply (not included)



## HELLBABE HB01

- Multi-functional Wah-Wah pedal—offers everything you need for all styles and sounds
- Ultra-musical Q control for precise filter shaping to achieve vocal-like effects
- Total optical control for wear-and-tear-free pedal operation (no mechanical pots and switches)
- Unique spring-back pedal mechanism with resistance adjustment for ultimate playing style (option to remove)
- Heel-down frequency range freely adjustable via Range control (440 Hz to 250 Hz) for use even with bass guitars



## PHASER PH9 & DYNAMICS COMPRESSOR DC9



- These hot little stomp boxes just might re-ignite your passion for playing.
- The PH9 features 90° phase shifting with spacey warbles and mind-blowing hypnotic swirls.
- The DC9 is a dynamics compressor that makes your clean guitar sound kick ass, big time. Each pedal runs on a 9 V battery or the BEHRINGER PSU-SB DC power supply (not included) and features a hard-wire bypass for ultimate signal integrity.
- Classic effects such as phase shifting and dynamics processing
- Blue status LED for effect on/off and battery check
- True hard-wire bypass for ultimate signal integrity
- High-quality components and exceptionally rugged metal construction ensure long life



# Effects Pedals



## What exactly is RSM?

Effects processing devices have been around for a very long time. They have taken the form of everything from mechanical doohickies that raise and lower the pitch of a string, like a “whammy bar,” to the electronic circuitry that recreates the highly complex reflected sound of a subterranean cavern. Ever since early mortals began making sounds, we’ve been trying to make the sound better or alter it to our liking. It’s part of our very nature.

At BEHRINGER, we build some of the finest audio gear around, so it was only natural for us to use our expertise to build a better stomp box. But to do so, we first had to develop an entirely new technology—Real Sound Modeling. Our RSM technology combines state-of-the-art DSP technology with sophisticated algorithms that emulate real-world acoustic environments. Such high-level processing requires electronic architecture that takes into account virtually all factors affecting sound.

The sound of a musical instrument is affected significantly by a number of factors before it is actually heard: the materials used, the instrument’s design and construction, and the components incorporated into the transducer and amplification system. Even the subtle interaction between amplifier stages can affect the overall quality of the sound generated by real instruments through real amps. This is especially true in tube amplifiers, where the gain structure of preamp stages creates a cascading effect all the way to the output

Put simply, the average stomp box processor does not have the power to mimic these subtle nuances, which are so critical to attaining the level of realism that BEHRINGER RSM technology

achieves. Thorough research and analysis of these factors has enabled us to reinvent the stomp box! RSM equipped pedals deliver the detail of true-to-life amplifier and effects modeling, without unwanted artifacts or fake-sounding approximations.

The high-performance RSM engine is only available in BEHRINGER products that bear the RSM logo. Hearing is believing.

### Overdrive, Distortion & Fuzz

Distortion is the oldest trick in rock’s book. Like fingerprints, no two axe grinders’ tastes are ever quite the same. Whether you’re in the market for warm, bluesy overdrive, volcanic metal distortion or anything in between, we’ve got you covered with the market’s widest selection of dirt boxes.



#### BLUES OVERDRIVE B0100

The BEHRINGER B0100 packs the tone of a vintage tube amp into one incredible overdrive pedal. Dial in anything from warm overdriven sounds to full-blast distortion that reacts to the subtleties of your playing without sacrificing your guitar’s low-end.



#### OVERDRIVE OD400

The OD400 gives you the warm, tube-like overdrive that allows your unique style to shine through. Its dual-stage overdrive circuitry offers bigger and fuller sound than competing models, complete with endless sustain and compression.



#### POWER OVERDRIVE P0300

This supercharged pedal is built to blast larger-than-life overdriven tone that packs the low-end punch of a tube-powered 4 x 12” cabinet. Its incredible overdrive circuit offers endless sustain and smooth compression.



#### TUBE OVERDRIVE T0100

The sound of an overdriven valve amp is as timeless as rock n’ roll, and everything you love about it is packed into the T0100. Whether you dial in smooth overdrive or howling crunch, this pedal lets every nuance of your playing shine through.



#### DISTORTION MODELER DM100

Get the modeled sounds of three legendary distortion pedals in one exceptional stomp box: D+, DS1 and RAT. Just pick your pedal then twist the dedicated Distortion, Tone and Level dials to take control of rock’s tastiest tones.



#### HEAVY DISTORTION HD300

This devastating distortion pedal enhances with both a gain and bass boost, giving you bottom-heavy crunch like none other. Its dedicated Gain-Boost, Distortion, Tone, Bottom and Level controls let you create a whole new standard in metal.



#### WARP DISTORTION WD300

This demon’s dual ultra-gain circuit creates a vicious modern metal tone with a boosted bottom end. The dedicated Gain, Warp, Level and Sub controls turn your amps into instruments of sonic destruction.



#### ULTRA DISTORTION UD100

The UD100’s dual-mode switch lets you choose between warm overdrive and screaming distortion. Just twist the dedicated Level, Tone and Distortion dials to create a distortion that’s distinctly yours.



#### ULTRA FEEDBACK/DISTORTION FD300

Stomp this badass box for endless feedback and super-thick distortion that show no mercy! Use its dedicated Overtone, Distortion, Tone and Level controls to create a sound of sonic mayhem that’s distinctly yours.



#### DISTORTION-X XD300

This stomp box easily handles all things heavy: thrash, metal and hard rock. Its Distortion, Punch, Contour and Level controls let you add a brutal low end with gobs of high-end bite to any style of rock n’ roll.



#### HEAVY METAL HM300

This heavy distortion box features ultra-high gain circuitry to give you thick distortion with endless sustain. Dedicated Distortion, 2-band EQ and Level controls let you personalize your own style of brutal rock.



#### SUPER FUZZ SF300

This wild thing has three different sound modes to give you the choice of classic fuzz, garage rock or a good old-fashioned gain boost. The dedicated Gain, 2-band EQ and Level dials control a wide spectrum of primal rock power.



#### SUPER METAL SM400

The SM400 will satisfy your craving for extreme distortion and endless sustain. With its High and Low frequency EQ controls, the SM400 can generate anything from a slight crunch to a fat-bottomed juggernaut that will not be denied!

# Effects Pedals



#### ULTRA FUZZ UZ400

Recreate the mind-warping sound of the ‘60s and ‘70s with this screaming stomp box. The UZ400’s dedicated Fuzz, Tone and Level controls take you to all corners of the proto-punk universe, giving you buzzsaw power chords and fiery solos.



#### ULTRA METAL UM300

With the UM300 ULTRA METAL, you get control of not just the Mids, but of the Mids within the Mids! The Distortion, High, Low, Level and dual Mid controls give you full control over thick distortion with merciless sustain.



#### VINTAGE TUBE OVERDRIVE T0800

Get the sound of valve-powered overdrive with smooth sustain and crunchy chords with the T0800. It’s simple circuit has been used for decades to overdrive real tube amps. This workhorse uses original 4558 ICs and MA150 distortion diodes for authentic vintage sound.



#### OVERDRIVE/DISTORTION OD300

It’s two pedals in one! Take off with overdrive, distortion or a combination of both effects in one powerful pedal. Dedicated Level, Tone, Drive and Mode controls for awesome sound shaping, blue status LED for effect on/off and battery check and first-class electronic On/Off switch for highest signal integrity in bypass mode.



### Chorus, Phaser & Flanger

Since the 1960s, mankind has constantly searched for ways to alter, mutate, multiply and otherwise expand the sound of their electronic instruments. We gladly foster this crazed quest with a line of stomp boxes designed to help you take a walk on the weird side.



#### CHORUS SPACE-C CC300

Sometimes the simplest approach works best. Just select any combination of the CC300’s four super-cool presets and relax. Each of the optimized presets covers a wide range of applications. Stereo chorusing has never been this easy.



#### CHORUS SPACE-D CD400

While most chorus pedals give you only limited high-frequency capabilities, the CD400’s EQ knob lets you take full control of critical high frequency content. The Level, Rate and Depth controls will help turn your coolest riffs into stone-cold classics.



#### CHORUS ORCHESTRA C0600

This ultra-versatile stomp box lets you dial in anything from a mild vintage chorus to a super-thick, spacious stereo effect. Dual outputs send signals to separate amps, allowing every crescendo to come through in true stereo sound.



#### ULTRA CHORUS UC200

You get incredibly thick, cool chorusing with the UC200 Ultra Chorus Pedal. The dual outputs allow you to send signals to two separate amps or destinations for true stereo processing. Achieve great tone by putting your foot down—on the UC200!



#### PHASER PH9

The PH9 adds 90° phase shifting to your sound, taking your tone from modern to vintage at the flip of a switch. A single Rate control sets the phase-shifting speed, and state-of-the-art switching gives you the ultimate in signal integrity.



#### SUPER PHASE SHIFTER SP400

Whether you’re into vintage psychedelic or space rock, BEHRINGER RSM technology gives you penultimate phase shift with the SP400. Use the Mode switch, plus Resonance, Depth and Rate controls to go anywhere from light phase to complete mind-melt!



#### ULTRA PHASE SHIFTER UP100

You get two phasers in one with the UP100 Ultra Phaser. Choose from classic phase shifting, or a more radical mode that offers out-of-this-world vibrato-like effects. Level, Rate, Depth and Resonance controls provide articulate sound shaping.



#### FLANGER MACHINE FL600

This far-out flange pedal packs three killer sounds into one amazing stomp box. BEHRINGER RSM (Real Sound Modeling) technology gives you analog, tape and digital flange, with sound quality rivaling that of studio processors.



#### SUPER FLANGER SF400

Send your amp into the ozone with the SF400 Super Flanger. BEHRINGER Real Sound Modeling technology lets you choose between modern or vintage flange that’ll put a trippy, oscillating spin on your sound.



#### HI BAND FLANGER HF300

Unlike conventional flangers, the HF300 puts the flanging one octave higher than the input signal, creating a distinctly brighter and cleaner sound. Tweak the Resonance, Rate, Depth and Manual controls to personalize this, the most unique flanger on the market.



#### ULTRA FLANGER UF300

Our ultra-nifty 2-Mode flanger effects pedal buys you a first class ticket to 2 flangers in one—from jet-plane to thick chorus, vibrato and short delay effects. Flexible 2-mode switch lets you choose between classic and detuned flanger effects. Dedicated Manual, Depth, Rate and Resonance controls for awesome sound shaping.

### Compressor / Limiter

Compression is an invaluable tool for boosting quiet notes and squashing loud ones to create a smooth, consistent sound. Our compressors and limiters will help you squeeze every note into the proverbial sweet spot.



#### COMPRESSOR/LIMITER CL9

The CL9 works much like an automatic level control, restricting the dynamics of your playing. Whether your gig calls for slippery funk grooves, articulate “chick’n-pick’n” or aggressive sustain, the CL9 will become one of your favorite tone tools.



#### DYNAMICS COMPRESSOR DC9

Get crisp, spanky sound from your clean signal and face-melting sustain on your leads with the DC9. This amazing pedal smoothes out volume peaks for ultra-stable dynamics. And with its true hardware bypass, you’ll always have the highest signal integrity.



# Effects Pedals

## Reverb, Delay & Multi-FX

There's nothing like an echo to either soften your sound or shroud it in ghostly ambience. No matter how you like your reverb and delay, these pedals will help you redefine the boundaries of the space-time continuum, continuum, continuum...



**DIGITAL REVERB DR600**  
Whether you choose a classic Spring, Plate or Hall reverb, DR600's 24-bit stereo engine will take your music to the best sounding aural spaces you've ever experienced. It's reverb like nothing you've heard before, plus Gate, Room and Modulate settings!




**REVERB/DELAY DR400**  
This digital reverb/delay sounds just like a state-of-the-art studio processor! It uses BEHRINGER Real Sound Modeling (RSM) to combine DSP technology with sophisticated algorithms to emulate real acoustic environments—all in 24-bit high-resolution stereo sound!



**REVERB MACHINE RV600**  
With its RSM processor and DSP technology, the RV600 Reverb Machine delivers dead-on modeling of Ducking, Space, Cave, Tile, Echo, Vintage '63 Spring, Spring, Plate, Room, Chamber and Hall reverbs. Simple controls—simply amazing!



**DIGITAL DELAY DD400**  
The DD400 effects pedal offers 7 different time modes for everything from subtle to radical stereo delay and echo capabilities, with resolution comparable to that of state-of-the-art studio rackmount processors. The DD400 will add tremendous dimensionality to your tone.



**DIGITAL DELAY DD600**  
The DD600 is no mere pedal—it's a veritable studio in a box! Its 11 unique delay modes are powered by BEHRINGER Real Sound Modeling technology and emulate real acoustic environments, providing delay you can almost reach out and touch.

**ECHO MACHINE EM600**  
Every branch of the delay family tree—analogue, tape and digital—is packed into this pedal and ready to send your tone into orbit. BEHRINGER RSM technology gives you access to every imaginable flavor of this most curious ambient garnish.

**DIGITAL MULTI-FX FX600**  
The FX600 offers an incredible array of 24-bit high-resolution stereo effects, including Flanger, Chorus, Phaser, Delay, Tremolo and Pitch Shifter. With its dual inputs and outputs, you can send and receive a true stereo signal that'll blow your mind.

## Octave, Tremolo, Vibrato & Wah

Whether you're ready to give your axe a steady pulse or teach it to speak for itself, we offer pedals that deliver everything from vintage to modern tones that will bring your sound to life like nothing else can.



**SUPER OCTAVER SO400**  
Generate an output one octave below your single notes with the Super Octaver, powered by BEHRINGER Real Sound Modeling technology. Create lush, 3-D leads or humongous open chords you can mix with a dry signal via the pedal's direct output.

**ULTRA TREMOLO UT100**  
Surf's up when you take the stage with the stunning BEHRINGER UT100 Ultra Tremolo. Its dedicated Rate, Wave and Depth controls enable you to quickly and easily dial up the mind-bending tremolo effects of vintage '60s amps.

**ULTRA VIBRATO UV300**  
Like a refreshing blast from the past, the BEHRINGER UV300 delivers the classic pitch modulation and dimensional vibrato that had everyone groovin' in the '60s and '70s. From a subtle shimmer to a whirling Leslie speaker box, the UV300 can do it all.

**ULTRA TREMOLO/PAN TP300**  
Tear the pulsing sonic bliss of vintage tremolo out of the '60s and fuse it into your sound with the TP300. Four distinct tremolo modes plus Depth, Rate and Mode controls provide the ambience of the ages in this power-packed pedal.

**DYNAMIC WAH/HUMAN VOICE DW400**  
This little loudmouth can run wild with your tone or yield to your control via its tap-tempo mode. No matter how you use it, the DW400 puts a new spin on a timeless psychedelic landmark and features BEHRINGER RSM digital technology.



## Modeling



**ULTRA WAH UW300**  
The UW300 boasts dynamics-sensitive auto-wah effects for all styles and sounds. In other words, your picking attack and style controls the modulation effect. The Sensitivity, Manual, Depth and Rate controls enable unparalleled wah shaping.

**HELLBABE HB01**  
The ultimate wah pedal, the optically controlled BEHRINGER HB01 Hellbabe features a flexible Q filter control, adjustable heel-down frequency range and a tunable boost function, enabling you to push your sound to the very limit.


**ULTRA ACOUSTIC MODELER AM400**  
Go from electrified to acoustic in the blink of an eye with this incredible acoustic modeler. The AM400 uses BEHRINGER RSM digital technology to make your electric guitar sound like any of the four most famous acoustic guitars.

**TUBE AMP MODELER TM300**  
The TM300 is loaded with modeling sounds, including 3 authentic classic amps, 3 gain modes and 3 mic placements, for a total of 27 stunning configurations. Achieve the most sought-after tube amp sounds, from squeaky clean to tube-stack distortion.

# Effects Pedals



## Special Purpose



**V-TONE GUITAR GDI21**  
The GDI21 features 3 classic guitar amps, 3 gain modes, 3 mic placements and a dedicated XLR DI output. Amplifier models include: CALIF, with its fat, round and sophisticated tones, TWED, for crystal clear sounds and dynamic bass, and BRIT, for more aggressive mids and legendary sustain. You can also choose one of three distinct models for each amp—Hot, HI G (high gain) and CLN (clean). All this flexibility enables you to dial up the most sought-after tube amp sounds, from clean to super-fat distortion.

**V-TONE ACOUSTIC ADI21**  
The ADI21's authentic tube/microphone modeling circuitry provides the natural warmth and presence of miking your guitar through a tube pre-amp. Its 3-band EQ gives you sweepable mids for accurate feedback control and eliminates harsh harmonics. The ADI21 also functions as a professional-grade DI box for both live and recording applications. Become supremely connected, thanks to the gold-plated XLR socket, complete with a ground lift switch and -20 dB pad. The handy blend control allows you to mix your input acoustic's natural sound with the processed signal for incredible depth.

**V-TONE BASS BDI21**  
This analog modeling bass preamp/stompbox isn't just another direct input box for recording or performance applications. You can also use it to dial up vintage tube tones, slap sounds, crunchy distortion, and a truckload of priceless amp tones that would normally require a mountain of effects processors. It is a DI box—and a great one at that, with a gold-plated XLR socket and ground lift, so you can avoid those ugly hum loops. Step up to solid bass with the V-Tone Bass BDI21.

## Special Purpose

Flange, wah and delay are tons of fun, but staying in tune, killing 60-cycle / 50 Hz hum and sending signal to multiple amps is downright crucial! That's why we created this tough, dependable toolkit of workhorse stomp boxes designed to help keep the working musician's basic needs covered.



**CHROMATIC TUNER TU300**  
The TU300 gives you seven amazingly accurate tuning modes for guitar or bass, even 5 and 6-string basses. You simply won't find a better tuner thanks to an 11-point LED stream that can be calibrated from 438 Hz to 447 Hz.

**INSTRUMENT/AMP SELECTOR AB100**  
Use this stomp box to instantly switch between two instruments playing through one amp, or to switch between two amps receiving signal from one instrument. The Mode dial lets you quickly A/B between the configurations you need.

**GRAPHIC EQUALIZER EQ700**  
Shape your sound and eliminate feedback with the EQ700's 7 bands of equalization. This must-have pedal covers a wide frequency range, 100 Hz to 6.4 kHz, with a 15dB boost or cut per band. Why settle for less than complete control?

**FILTER MACHINE FM600**  
Bring the tastiest frequencies of your tone to the forefront with the FM600 Filter Machine. Choose from Band Pass, Twin or Low Pass filter modes to create a sound that's got all of what you want, and nothing you don't!






**PREAMP BOOSTER PB100**  
The PB100 boosts the volume and shapes the sound of any instrument to make solos the center of attention. It also boosts piezo pickups to match regular amplifier inputs. Its dedicated Gain, Bass and Treble controls allow precise sound shaping.

**ROTARY MACHINE RM600**  
The RM600 uses BEHRINGER Real Sound Modeling technology to give your amp a flurry of incredible rotary speaker sounds. Twist the dedicated Model, Blend, Drive, Slow, Fast and Ramp controls to put a new spin on your sound.

**SPECTRUM ENHANCER SE200**  
Make sure the contrast of high to low in your sound is loud and clear with the SE200. The dedicated Spectrum and Balance controls emphasize your axe's full tonal capabilities. It's like putting an extra band of EQ right at your feet!

**SLOW MOTION SM200**  
The SM200 filters out the initial attack and automatically swells the volume of your playing, creating the same effect you get when bowing a violin or cello. Just twist the dedicated Attack and Sensitivity controls to set a whole new standard in slow!

**NOISE REDUCER NR300**  
This cool noise reduction pedal effectively eliminates unwanted noise and hum without altering your tone while preserving the original attack and envelope leaving your playing and dynamics intact. Dedicated Threshold and Decay controls plus a Mute mode for awesome flexibility; additional Send/Return loop for noise suppression of external effect units.



**ULTRA SHIFTER/HARMONIST US600**  
The US600 is always there to add whammy dives of up to two octaves above or below the original note, intelligent harmonies and pitch shift. Real Sound Modeling technology gives you an incredible palette of incredible complementary effects.

## BASS

Just because you're holding down the rhythm section doesn't mean you never have the urge—or need—to make your low-end crunch, phase and freak out! We have you covered with an awesome array of specialty stomp boxes that will take your bass from iconic to beautifully bizarre.

**BASS OVERDRIVE BOD400**  
Here is a truly authentic tube-sound overdrive effects pedal with smooth sustain and super-fat tone. Includes a Balance control to blend between overdriven and dry bass sound for maximum punch and dedicated Level, 2-band EQ and Gain controls for awesome sound shaping.

**ULTRA BASS CHORUS BUC400**  
Play one bass, hear three or four or ten! Get super-thick chorus with unbelievable stereo effect via dedicated Level, Low Filter, Rate and Depth controls for awesome sound shaping. Includes blue status LED for effect on/off and battery check and electronic On/Off switch for highest signal integrity in bypass mode.

**BASS GRAPHIC EQUALIZER BEQ700**  
The BEHRINGER BEQ700 provides 7-band graphic equalization designed specifically for the bass guitar, even 5 & 6-string instruments. Its super-wide frequency range (from 50 Hz to 10 kHz) offers the ultimate in sound sculpting capability.



# Effects Pedal Trios

## BASS (continued)



**BASS LIMITER ENHANCER BLE100**  
Set sail for smooth low-end waters with this must-have stomp box that eliminates rough volume peaks in your bass lines, without killing your upper harmonic frequency spectrum. It even works great for aggressive slapping and popping!



**BASS SYNTHESIZER BSY600**  
BSY600's RSM circuitry can turn your bass or guitar into a raging bass synthesizer with the flick of a single switch. Choose from 11 different waveforms and generate low end that will set off seismic detectors in neighboring townships!



**ULTRA BASS FLANGER BUF300**  
Freak out your bass with the BUF300's flange, thick chorus, vibrato and short delay effects. It retains your original bass punch and clarity through any amount of weirdness you dial in via its dedicated Resonance, Rate, Depth and Manual controls.

## VINTAGE BASS VB1

Lend your tone a nice rich, full body and thrilling dimension. The VB1 simulates vocal sounds with a classic dual-sweeping filter. Plug in your bass guitar in this magic stomp box and enjoy unique tone colors, crazy sounding effects, psychedelic-style sounds and distortion rich with overtones. It runs on a 9 V battery or the BEHRINGER PSU-SB DC power supply (not included) and features a hard-wire bypass for ultimate signal integrity.

- Vintage dual dynamic filter/distortion mode pedal
- Blue status LED for effect on/off and battery check
- True hard-wire bypass for ultimate signal integrity



## BASS TRIO TPK988

maximum punch

- The BASS LIMITER ENHANCER BLE100 smoothes out harsh volume peaks when using dynamic slaps or other playing styles
- The BASS CHORUS BCH100 gives you super thick chorus with unbelievable stereo effect
- Package includes all cables to interconnect the pedals and connect directly to your bass amplifier: 10' high-quality instrument cable and 2 short patch cables

- Get serious low-end rumble with this set of stompboxes for modern bass guitar sounds
- The BASS OVERDRIVE

BOD400 provides tube-like distortion and super fat tone, with Balance control to blend between overdriven and dry bass sound for



## METAL TRIO TPK985

resolution stereo effects such as Flanger, Chorus, Phaser, Delay, Tremolo and Pitch Shifter

- The DIGITAL DELAY DD400 provides 24-bit high-resolution stereo delay/echo using RSM (Real Sound Modeling) technology for a delay time up to 1.3 s
- Package includes all cables to interconnect the pedals and connect directly to your guitar amplifier: 10' high-quality instrument cable and 2 short patch cables

- All-out set of stompboxes for stunning metal guitar shoot-outs
- The SUPER METAL SM400 boasts brutal distortion,

mind-blowing sustain and the sound of an overdriven stacked tube amp

- The DIGITAL MULTI-FX FX600 features 24-bit high-



## BLUES ROCK TRIO TPK987

classic and mind-bending, dimensional vibrato effects of the '60s and '70s

- The DIGITAL DELAY DD400 provides 24-bit high-resolution stereo delay/echo using RSM (Real Sound Modeling) technology for a delay time up to 1.3 s
- Package includes all cables to interconnect the pedals and connect directly to your guitar amplifier: 10' high-quality instrument cable and 2 short patch cables
- High-quality components and exceptionally rugged construction ensure long life

- Versatile set of stompboxes for all classic rock and blues guitar sounds
- The TUBE AMP MODELER TM300 comes with authentic modeling technology that

lets you easily achieve the most sought-after tube amp sounds from clean, crunch to super-fat distortion

- The ULTRA VIBRATO UV300 lets you experience



## KEYBOARD TRIO TPK989

- The DIGITAL MULTI-FX FX600 features 24-bit high-resolution stereo effects including Flanger, Chorus, Phaser, Delay, Tremolo and Pitch Shifter
- Package includes all cables to interconnect the pedals and connect directly to your keyboard amplifier: 10' high-quality instrument cable and 2 short patch cables
- High-quality components and exceptionally rugged construction ensure long life

- Spice up your keyboard sounds with this set of cool modulation effects boxes
- The ULTRA TREMOLO UT100 delivers the classic, warm and mind-bending tremolo

effects of vintage '60s amps

- The ULTRA CHORUS UC200 gives you super-thick chorus with unbelievable stereo effect



## JAZZ TRIO TPK984

sounds of fusion or the cool strains of smooth jazz

- The COMPRESSOR/LIMITER CL9 gives you powerful, percussive sound with ultimate sustain
- The CHORUS ORCHESTRA CO600 fattens up your tone with a warm, vintage chorus or a super-thick and spacious stereo effect
- The DIGITAL REVERB DR600 provides 24-bit high-resolution stereo Spring, Plate, Hall, Room, Gate and Modulate reverb modes

- A premium bundle of stompboxes for the electric jazz guitar player

The ultimate tonal toolbox for all styles of jazz, whether you're into the sizzling

## POWER SUPPLY PSU-HSB-ALL



Use our new general purpose PSU-HSB 9 V DC power adapter to power virtually all your guitar or bass guitar stomp boxes and effects pedals.

- 1.7 A current capacity can power more than 20 effects pedals, keyboards and other DC 9 V gear\*
- Supplied with a full complement of connectors and jumper cables for total compatibility
- Takes up only one outlet space and frees up more room for your pedals
- Runs on any AC power supply from 100-240 V; worldwide usability without transformer
- Transformerless design eliminates 50/60-cycle hum and extraneous noise

\* Depends on the power consumption of the connected pedals, keyboard, etc.

## POWER SUPPLY PSU-SB



- General purpose DC 9 V power adapter

- Converts to DC 9 V for use with virtually all stomp boxes and effects pedals
- Typical DC-type 2.2 mm plug with negative tip and positive sleeve
- Provides a generous 100 mA current to power even digital products



Joe, BEHRINGER USA, laying down the truth.

# Guitar/Bass Accessories

## PEDAL BOARD PB600 with Power Supply



The new PB600 is a smaller version of our very successful PB1000 for those with pedal chains of up to six stomp boxes. Like its big brother, it comes with internal power supply and all connecting cabling.

- Ultra-compact and lightweight pedal board for transporting up to 6 effects pedals, including patch cables
- Generous 1.7 A power adapter included for powering more than 12 devices\*—includes 1 x 6 daisy-chain cabling
- Ultra-rigid plastic design withstands even heavy impact
- High-quality components and exceptionally rugged construction ensure long life
- Conceived and designed by BEHRINGER Germany

\* depends on power consumption. Pedal board is sold without pedals shown.

## FOOT CONTROLLER FCV100

- Volume control of one stereo or two individual musical instruments
- Dedicated modulation function for direct connection to keyboard's modulation control input
- VCA control for utmost reliability and smooth audio performance
- Adjustable minimum volume
- Standard 9 V battery or 12 V DC adapter operation (not included)
- Battery low indicator
- Ultra-compact, road-suitable housing



## PEDAL BOARD PB1000 with power supply



The PEDAL BOARD PB1000 is an ultra-compact and rugged pedal board for musicians who want to pre-arrange and carry up to 12 effects pedals in a heavy-duty, yet light-weight, case. It features a generous 1.7 A power adapter and includes all cabling to power multiple stomp boxes simultaneously.

- Ultra-compact and lightweight pedal board for transporting up to 12 effects pedals
- Generous 1.7 A power adapter included for powering more than 12 devices\*—includes all cabling
- Ultra-rigid plastic design withstands even heavy impact

\* depends on power consumption. Pedal board is sold without pedals shown.





# Guitar/Bass Accessories

## ULTRA-DI PRO DI4000



- Professional 4-channel active direct injection box
- Converts unbalanced line inputs to balanced outputs
- Extremely linear frequency response from 10 Hz to 50 kHz
- +20 dB gain switch for preamplification of low-level signals
- Switchable attenuation allows maximum input of +50 dB
- S/N ratio –95 dB, THD <0.005%
- Polarity reverse switch for instant correction of phase problems
- BEHRINGER OT-1 output transformer for full galvanic isolation

## ULTRA-DI DI100



- Professional active direct injection box
- Converts unbalanced line inputs to balanced outputs
- Ground lift switch eliminates typical ground loop problems
- Internal battery automatically shuts off when phantom power is connected
- Direct connection of amplifier outputs with ratings of up to 3,000-Watts
- Switchable input attenuation allows input levels up to +50 dB
- BEHRINGER OT-1 output transformer for full galvanic insulation

## ULTRA-DI DI600P & DI400P



- High-performance passive direct injection box
- Converts any unbalanced line-level signal to balanced mic-level output
- Provides impedance and signal matching for the direct connection of instruments to amplifiers and mixers
- Allows the use of long cables without losing high frequencies
- Thru/Out jack lets you send the unbalanced signal to an onstage amplifier while the balanced signal is routed to the mixer
- Switchable Inst/Amp input for connecting instruments or amplifier outputs with up to 3,000-Watts (DI600P only)
- Filter switch reduces annoying hiss and buzz (DI600P only)

## ULTRA-DI PRO DI800



- Professional, multi-purpose 8-channel direct injection box
- Converts unbalanced line inputs into balanced outputs
- Optional mains or phantom powered operation
- Ultra-flat frequency response due to servo-balanced operation
- Allows direct connection to speaker outputs with up to 3,000-Watts
- Ultra-low noise operational amplifiers for outstanding audio performance
- +20 dB gain switch for pre-amplification of low-level signals
- Attenuation switch for input levels up to +40 dBu

## ULTRA-G GI100



- High-quality active direct injection box with switchable 4 x 12" speaker simulation
- Switchable input attenuation for input levels of up to +48 dBu
- Ground lift switch eliminates typical ground loop problems
- Internal battery automatically shuts off when phantom power is connected
- Direct connection of amp outputs with ratings of up to 3,000-Watts
- Rugged, road-proof aluminum case
- Stackable oversized rubber corners
- BEHRINGER OT-1 output transformer for full galvanic insulation and S/N ratio of over 100 dB

## RACKTUNER BTR2000



- Multi-functional tuner including built-in microphone for use with acoustic instruments
- Useful metronome, adjustable from 30 to 240 bpm with audible and visual beat indicator. You can also work on-the-fly with the manual TAP tempo function
- Integrated, switchable rack lights with high-power LEDs helps illuminate your rack
- 11 different tuner modes (e.g. "chromatic," "banjo" or open tunings) based on 12 equally tempered tones

## DUAL A/B SWITCH AB200



- 2-channel footswitch for stage and studio applications
- Usable for all products with external control functions such as guitar amps, keyboards, rhythm machines, lighting products, etc.
- Easily switch between two input signals into one output or vice versa (e.g. switch between two guitars using one amplifier or two amplifiers with one guitar)
- Programmable latching/non-latching modes selectable for both channels

## MIDI FOOT CONTROLLER FCB1010



- Ultra-flexible MIDI foot controller with 2 expression pedals
- 100 user-editable presets in 10 banks
- Two expression pedals with freely assignable MIDI channel, controller number and range
- Five MIDI program change and two MIDI control value commands per preset (simultaneously transmittable)
- MIDI note-on commands for trigger and tap-tempo applications
- Two programmable ¼" relay jacks, e.g. for amp channel selection
- MIDI merge and SysEx backup and restore
- Easily programmable in a standing position
- Integrated power supply—no messy AC adapters

# BEHRINGER Power Users



The Rock 'n' Roll Fantasy Camp All-Star Band at BEHRINGER's 20th Anniversary Celebration, 2009 NAMM Show.  
Left to right: Earl Slick, Chris Slade, Kip Winger, Mark Hudson, Bruce Killick and BEHRINGER Chairman, Uli Behringer.



DJ Flawless and his DDM40000, Soul Summit Brooklyn 2008.



Mark Railiee, Flying Wombat Studios and their oldie-but-goodie MX console.



Kris Blavina, Infernal Legion.




DJ Reeplee and his DDM4000.



The legendary Bootsy Collins LUVZ his BASS V-AMP PRO.



Amp Fiddler at the BEHRINGER party, 2008 Winter Music Conference, Miami



CHLORINE's Mark Fain and his favorite BEHRINGER stomptbox.



Luis Baro with his BCD3000.



Justin Lassen, composer/remixer of Clive Barker's Midnight Meat Train soundtrack, 11 electronica albums as Omicron, prolific remixer under the moniker Empire of Thought, composer of the symphony And Now We See but Through a Glass Darkly (over 100,000,000 downloads) with his UMA255 keyboard/workstation/controller.



Full-on BEHRINGER Active PA at Soul Summit, Brooklyn New York.



The BEHRINGER party at 2008 Winter Music Conference, Miami

**20**  
**YEAR**  
**ANNIVERSARY**  
1989~2009



• BEHRINGER celebrates twenty years (and our great employees).



When we greet visitors, we don't go halfway. The entrance to BEHRINGER City.



The BEHRINGER New Product Show Room at BEHRINGER City.



A stop along the Factory Tour at the Digital Piano final assembly area.



The BEHRINGER City Cheer Group (we're not kidding) with members of the press.



Chairman Uli Behringer and CEO Michael Deeb.



As the dealers and journalists soon discovered, BEHRINGER City really is a city!

2009 marked not only BEHRINGER's 20th Anniversary but also the Seventh Anniversary of BEHRINGER City, our manufacturing complex in Zhongshan, China. To celebrate, we hosted a group of international dealers and journalists. Along with tours of BEHRINGER City and sight-seeing the group got to experience a banquet to end all banquets complete with thousands of BEHRINGER City employees, great food and live performances. It was our way of thanking all of the loyal employees who make BEHRINGER special (and make the gear you buy!).



Opening procession at the 20th Anniversary Banquet.



The celebration lighting effects caused a brown-out in most of Guangdong Province.



This celebration was really for our employees... lots and lots of them.



The big celebration finish with BEHRINGER City management, Uli, Michael and a cast of thousands on stage...just before the flash pots went off and the bubble machine started up.

## Product index (and eye test chart)

ACOUSTIC GUITAR PACK  
 GPK-AGS722-BK 47  
 AUTOCOM PRO-XL MDX1600 31  
 B208D 22  
 B210D 22  
 B212D 22  
 B212XL 25  
 B215XL 25  
 B215D 22  
 B1520 PRO 27  
 B1220 PRO 27  
 B1800X PRO 27  
 BASS GRAPHIC EQUALIZER  
 BEQ700 61  
 BASS GUITAR PACK  
 BT108BPKPB392-BK 47  
 BASS LIMITER ENHANCER  
 BLE100 62  
 BASS OVERDRIVE BOD400 61  
 BASS TRIO TPK988 62  
 BASS V-AMP 57  
 BASS V-AMP PRO 56  
 B-CONTROL DEEJAY  
 BCD2000 43  
 B-CONTROL DEEJAY  
 BCD3000 43  
 B-CONTROL FADER BCF2000 /  
 BCF2000-WH 38  
 B-CONTROL ROTARY  
 BCR2000 38  
 BLUES OVERDRIVE B0100 58  
 BLUES ROCK TRIO TPK987 62  
 C-1U 7  
 C-4 7  
 CABLE TESTER CT100 35  
 CE500A-BK / C500A-WH 27  
 CENTARI iAXE624 46  
 CHORUS ORCHESTRA CO600 59  
 CHORUS SPACE-C CC300 59  
 CHORUS SPACE-D CD400 59  
 CHROMATIC TUNER TU300 61  
 COMPOSER PRO-XL  
 MDX2600 30  
 COMPRESSOR/LIMITER CL9 59  
 DDM4000 41  
 DI Box 20 34  
 DIGITAL DELAY DD600 60  
 DIGITAL MONITOR SPEAKERS  
 MS40 / MS20 40  
 DIGITAL MULTI-FX FX600 60  
 DIGITAL REVERB DR600 60  
 DISTORTION-X XD300 58  
 DJ HEADPHONES HPX2000 9

DJ HEADPHONES HPX4000 9  
 DUAL A/B SWITCH AB200 64  
 DUAL DIAPHRAGM  
 CONDENSER 7  
 DYNAMIC MICROPHONE KIT 8  
 DYNAMICS COMPRESSOR  
 DC9 59  
 DYNAMIC WAH/HUMAN VOICE  
 DW400 60  
 ECHO MACHINE EM600 60  
 EG2180-BK 45  
 energyXT2.5 37  
 energyXT2.5 PLUS 37  
 EP2000 / EP4000 28, 29  
 EPX2000 / EPX3000 28  
 EURODESK SX3282 18  
 EUROGRAND EG8180-BK 45  
 EUROLIGHT LC2412 44  
 EUROLIGHT LD6230 44  
 EUROLIGHT UP1200 44  
 EUROLIVE B1520DSP /  
 B1220DSP 24  
 EUROLIVE B2520 PRO 27  
 B215A / B212A 23  
 EUROLIVE B208D / B210D /  
 B212D / B215D 22  
 EUROLIVE PERFORMER E1520A /  
 E1220A 24  
 EUROLIVE VP2520 / VP1800S /  
 VP1520 / VP1220F / VP1220 26  
 EUROLIVE VS1520 / VS1220 /  
 VS1220F 26  
 EUROPORT EPA40 29  
 EUROPORT EPA900 29  
 EURORACK PRO RX1202FX 19  
 EURORACK PRO RX1602 19  
 F1220A 25  
 F-CONTROL AUDIO FCA202 39  
 FEEDBACK DESTROYER PRO  
 DSP1124P 34  
 FEEDBACK DESTROYER PRO  
 FBQ2496 34  
 FILTER MACHINE FM600 61  
 FLANGER MACHINE FL600 59  
 FOOT CONTROLLER FCV100 63  
 GRAPHIC EQUALIZER EQ700 61  
 GTX30 49  
 GTX60 49  
 GUITAR LINK UCG102 48  
 HEADPHONES HPM1000 9  
 HEADPHONES HPS3000 9  
 HEADPHONES HPS5000 9

HEADPHONES HPX2000 44  
 HEADPHONES HPX4000 44  
 HEAVY DISTORTION HD300 58  
 HEAVY METAL HM300 58  
 HELLBABE HB01 57, 60  
 HI BAND FLANGER HF300 59  
 INSTRUMENT/AMP SELECTOR  
 AB100 61  
 JAZZ TRIO TPK984 63  
 KEYBOARD TRIO TPK989 62  
 MEASUREMENT CONDENSER 8  
 METALIEN iAXE629 46  
 METAL TRIO TPK985 62  
 MICROAMP HA400 33  
 MICROHD HD400 35  
 MICROMIX MX400 18  
 MICROMON MA400 35  
 MICROPHONE B-1 7  
 MICROPHONE B-2 PRO 7  
 MICROPHONE B-5 8  
 MICROPHONE ECM8000 8  
 MICROPPOWER PS400 35  
 MICROPHONO PP400 35  
 MIDI FOOT CONTROLLER  
 FCB1010 64  
 MINIAMP AMP800 33  
 MINIBEAT BEAT800 43  
 MINIFBQ FBQ800 31  
 MINIFEX FX800 32  
 MINIMIC MIC800 33  
 MINIMIX MIX800 43  
 MINIMON MON800 35  
 MONITOR 1C-WH / MONITOR  
 1C-BK 27  
 MONITOR SPEAKERS MS16 40  
 MULTICOM PRO-XL  
 MDX4600 30  
 MULTIGATE PRO XR4400 31  
 NOISE REDUCER NR300 61  
 OVERDRIVE/DISTORTION  
 OD300 59  
 OVERDRIVE OD400 58  
 PEDAL BOARD PB600 63  
 PEDAL BOARD PB1000 63  
 PHASER PH9 59  
 PHASER PH9 57  
 DYNAMICS COMPRESSOR  
 DC9 57  
 PIANO BENCH 4-BK 45  
 PIANO BENCH 5-BK 45  
 PMP518MI 21  
 PMP960M 21  
 PMP980S 21

PMP1000 20  
 PMP1280S 21  
 PMP2000 21  
 PMP3000 20  
 PMP5000 20  
 PODCASTUDIO FireWire 36  
 PODCASTUDIO USB 36  
 POWER OVERDRIVE PO300 58  
 POWERPLAY PRO-8 HA8000 33  
 POWERPLAY PRO-XL  
 HA4700 33  
 POWER SUPPLY  
 PSU-HSB-ALL 63  
 POWER SUPPLY PSU-SB 63  
 PREAMP BOOSTER PB100 61  
 PRO MIXER DJX626 42  
 PRO MIXER DJX700 43  
 PRO MIXER DJX750 42  
 PRO MIXER VMX100 42  
 PRO MIXER VMX200 42  
 PRO MIXER VMX300 43  
 PRO MIXER VMX1000 42  
 RACKTUNER BTR2000 64  
 REFERENCE AMPLIFIER  
 A500 29  
 REVERB/DELAY DR400 60  
 REVERB MACHINE RV600 60  
 ROCK GUITAR PACK  
 GPK86BK 47  
 ROTARY MACHINE RM600 61  
 SHARK DSP110 35  
 SINGLE DIAPHRAGM  
 CONDENSER 7  
 SINGLE DIAPHRAGM  
 CONDENSER 8  
 SLOW MOTION SM200 61  
 SONIC EXCITER SX3040 32  
 SONIC ULTRAMIZER SU9920 32  
 SPECTRUM ENHANCER  
 SE200 61  
 STUDIO CONDENSER  
 MICROPHONE C-1 8  
 STUDIO CONDENSER  
 MICROPHONE C-3 8  
 STUDIO CONDENSER  
 MICROPHONE SET C-2 8  
 SUPER FLANGER SF400 59  
 SUPER FUZZ SF300 58  
 SUPER METAL SM400 58  
 SUPER OCTAVER SO400 60  
 SUPER PHASE SHIFTER  
 SP400 59  
 SUPER-X PRO CX3400 33  
 SX2442FX 15  
 SX2442FX / SX3242 15  
 SX3282 18  
 SX4882 17  
 T-1 / T-47 7  
 THUNDERBIRD BX108 55  
 TRUTH B1030A 40  
 TRUTH B2031A / B2030A 41  
 TRUTH B2031P / B2030P 41  
 TRUTH B3030A / B3031A 40  
 TUBE AMP MODELER TM300 60  
 TUBE OVERDRIVE TO100 58  
 TUBE ULTRAGAIN MIC200 /  
 MIC100 33  
 UCA222 39  
 U-CONTROL UCA202 39  
 U-CONTROL UMA25S 38  
 U-CONTROL UMX61 / UMX49 /  
 UMX25 37  
 UFO202 39  
 ULTRA ACOUSTIC MODELER  
 AM400 60  
 ULTRABASS BB410 / BB210 /  
 BB115 55  
 ULTRABASS BT108 53  
 ULTRABASS BVT4500H 52  
 ULTRABASS BVT5500H 52  
 ULTRABASS BX1800 53  
 ULTRABASS BX4210A 54  
 ULTRABASS BX4500H 53  
 ULTRABASS BXL3000A /  
 BXL1800A / BXL900A /  
 BXL450A 53  
 ULTRABASS BXL3000 / BXL1800 /  
 BXL900 / BXL450 53  
 ULTRABASS BXR1800H 53  
 ULTRA BASS CHORUS  
 BUC400 61  
 ULTRA BASS FLANGER  
 BUF300 62  
 ULTRA CHORUS UC200 59  
 ULTRAACOUSTIC ACX1800, ACX900  
 & ACX450 51  
 ULTRAACOUSTIC AT108 51  
 ULTRACURVE PRO DEQ2496 31  
 ULTRA-DI DI100 35, 64  
 ULTRA-DI DI600P & DI400P 35, 64  
 ULTRA-DI PRO DI800 35  
 ULTRA-DI PRO DI800 64  
 ULTRA-DI PRO DI4000 35  
 ULTRA-DI PRO DI4000 64  
 ULTRA DISTORTION UD100 58  
 ULTRADRIVE PRO DCX2496 32

ULTRA FEEDBACK/DISTORTION  
 FD300 58  
 ULTRA FLANGER UF300 59  
 ULTRA FUZZ UZ400 59  
 ULTRAGAIN PRO-8 DIGITAL  
 ADA8000 39  
 ULTRAGAIN PRO MIC2200 32  
 ULTRAGAIN PRO MIC2200 33  
 ULTRA-G G1100 64  
 ULTRAGRAPH DIGITAL  
 DEQ1024 31  
 ULTRAGRAPH PRO FBQ1502 31  
 ULTRAGRAPH PRO FBQ3102 31  
 ULTRAGRAPH PRO FBQ6200 31  
 ULTRALINK PRO MX882 19  
 UCA222 39  
 U-CONTROL UCA202 39  
 U-CONTROL UMA25S 38  
 U-CONTROL UMX61 / UMX49 /  
 UMX25 37  
 UFO202 39  
 ULTRA ACOUSTIC MODELER  
 AM400 60  
 ULTRABASS BB410 / BB210 /  
 BB115 55  
 ULTRABASS BT108 53  
 ULTRABASS BVT4500H 52  
 ULTRABASS BVT5500H 52  
 ULTRABASS BX1800 53  
 ULTRABASS BX4210A 54  
 ULTRABASS BX4500H 53  
 ULTRABASS BXL3000A /  
 BXL1800A / BXL900A /  
 BXL450A 53  
 ULTRABASS BXL3000 / BXL1800 /  
 BXL900 / BXL450 53  
 ULTRABASS BXR1800H 53  
 ULTRA BASS CHORUS  
 BUC400 61  
 ULTRA BASS FLANGER  
 BUF300 62  
 ULTRA CHORUS UC200 59  
 ULTRAACOUSTIC ACX1800, ACX900  
 & ACX450 51  
 ULTRAACOUSTIC AT108 51  
 ULTRACURVE PRO DEQ2496 31  
 ULTRA-DI DI100 35, 64  
 ULTRA-DI DI600P & DI400P 35, 64  
 ULTRA-DI PRO DI800 35  
 ULTRA-DI PRO DI800 64  
 ULTRA-DI PRO DI4000 35  
 ULTRA-DI PRO DI4000 64  
 ULTRA DISTORTION UD100 58  
 ULTRADRIVE PRO DCX2496 32

ULTRA TREMOLO/PAN TP300 60  
 ULTRA TREMOLO UT100 60  
 ULTRA VIBRATO UV300 60  
 ULTRA VOICE XM8500 /  
 XM1800S 8  
 ULTRA WAH UW300 60  
 ULTRAZONE ZMX8210 19, 34  
 V-AMP3 56  
 V-AMPIRE LX110 49  
 V-AMP PRO 56  
 VINTAGE BASS VB1 57  
 VINTAGE BASS VB1 62  
 VINTAGE DISTORTION VD1 57  
 VINTAGE PHASER VP1 57  
 VINTAGER AC108 48  
 VINTAGE TIME MACHINE  
 VM1 57  
 VINTAGE TUBE MONSTER  
 VT999 57  
 VINTAGE TUBE OVERDRIVE  
 TO800 59  
 VINTAGE TUBE OVERDRIVE  
 VT911 57  
 VIRTUALIZER PRO  
 DSP2024P 32  
 VIRTUBE VT15CD / VIRTUBE  
 VT15FX 51  
 VIRTUBE VT30FX 51  
 VIRTUBE VT50FX 50  
 VIRTUBE VT100FXH 50  
 VIRTUBE VT100FX /

ULTRA TREMOLO/PAN TP300 60  
 ULTRA TREMOLO UT100 60  
 ULTRA VIBRATO UV300 60  
 ULTRA VOICE XM8500 /  
 XM1800S 8  
 ULTRA WAH UW300 60  
 ULTRAZONE ZMX8210 19, 34  
 V-AMP3 56  
 V-AMPIRE LX110 49  
 V-AMP PRO 56  
 VINTAGE BASS VB1 57  
 VINTAGE BASS VB1 62  
 VINTAGE DISTORTION VD1 57  
 VINTAGE PHASER VP1 57  
 VINTAGER AC108 48  
 VINTAGE TIME MACHINE  
 VM1 57  
 VINTAGE TUBE MONSTER  
 VT999 57  
 VINTAGE TUBE OVERDRIVE  
 TO800 59  
 VINTAGE TUBE OVERDRIVE  
 VT911 57  
 VIRTUALIZER PRO  
 DSP2024P 32  
 VIRTUBE VT15CD / VIRTUBE  
 VT15FX 51  
 VIRTUBE VT30FX 51  
 VIRTUBE VT50FX 50  
 VIRTUBE VT100FXH 50  
 VIRTUBE VT100FX /

VT250FX 50  
 V-TONE ACOUSTIC ADI21 61  
 V-TONE BASS BDI21 61  
 V-TONE GM108 48  
 V-TONE GMX110 48  
 V-TONE GMX210 48  
 V-TONE GMX212 49  
 V-TONE GUITAR GDI21 61  
 WARP DISTORTION WD300 58  
 X1 INFINIUM 41  
 XENYX 802 / 502 14  
 XENYX 1002B 14  
 XENYX 1202 / 1002 14  
 XENYX 1202FX / 1002FX 13  
 XENYX 1204FX / 1204 14  
 XENYX 1222FX 13  
 XENYX 1832FX / 1622FX 13  
 XENYX 2442FX / 2222 FX 12  
 XENYX XL3200 11  
 XENYX XL2400 11  
 XENYX XL1600 10  
 X V-AMP 56

**20**  
**YEAR**  
**ANNIVERSARY**  
 1989~2009

©2009 Red Chip Company Ltd. Technical specifications and appearance subject to change without notice. The information contained herein is correct at the time of printing. All trademarks (except BEHRINGER, the BEHRINGER logo, JUST LISTEN, AUTOCOM, B-CONTROL, BUGERA, COMPOSER, DYNAMIZER, EURODESK, EUROLIGHT, EUROLIVE, EUROPORT, EUROPOWER, EURORACK, FBQ, F-CONTROL, FEEDBACK DESTROYER, FIREBIRD, FXT, HARD ATTACK, HELLBABE, iAXE, IGC, IKA, INTELLIGATE, IRC, METALIEN, MICROAMP, MICROHD, MICROMIX, MICROMON, MICROPHONO, MICROPPOWER, MINIAMP, MINIBEAT, MINICOM, MINIFBQ, MINIFEX, MINIMIC, MINIMIX, MINIMON, MULTICOM, MULTIGATE, PODCASTUDIO, POWERPLAY, RSM, SHARK, SUPER X, THUNDERBIRD, TRUE CURVE, TRUTH, TUBE COMPOSER, TUBE ULTRAGAIN, U-CONTROL, ULTRABASS, ULTRAACOUSTIC, ULTRACURVE, ULTRA-DI, ULTRADRIVE, ULTRA-G, ULTRAGAIN, ULTRAGLIDE, ULTRAGRAPH, ULTRALINK, ULTRALINK PRO, ULTRAMATCH, ULTRAMIZER, ULTRAPAR, ULTRAPATCH, ULTRASTACK, ULTRATONE, ULTRATUBE, ULTRA VOICE, ULTRAZONE, V-AMP, V-AMPIRE, VINTAGER, VIRTUALIZER, VIRTUALIZER PRO, VIRTUBE, VMX, VPQ, V-TONE, V-VERB PRO, XENYX and XPQ) mentioned belong to their respective owners and are not affiliated with BEHRINGER. Windows and Windows Vista are registered trademarks of Microsoft Corporation in the United States and/or other countries. Mac, Mac OS, FireWire, iTunes and Logic are trademarks of Apple Computer, Inc., registered in the U.S. and other countries. XT Software, the XT Software logo, energyXT, energyXT2.5, energyXTC and the energyXT logo are trademarks of XT Software AS. ASIO is a trademark and software of Steinberg Media Technologies GmbH. VST is a trademark of Steinberg Media Technologies GmbH. Reason, ReWire and RE2X are trademarks of Propellerhead Software AB. Ableton Live is a trademark of Ableton AG. ProTools is a trademark of Avid Technology, Inc. or its affiliates in the United States and/or other countries. TRAKTOR is a registered trademark of Native Instruments GmbH. Their use neither constitutes a claim of the trademarks by BEHRINGER nor affiliation of the trademark owners with BEHRINGER. BEHRINGER accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph or statement contained herein. Colors and specification may vary from product.

Products are sold through our authorized dealers only. Distributors and dealers are not agents of BEHRINGER and have no authority to bind BEHRINGER by any express or implied undertaking or representation. 985-90000-00266





# 09

V2 EN

[www.behringer.com](http://www.behringer.com)



**20**  
**YEAR**  
**1989~2009**  
**ANNIVERSARY**



## BEHRINGER SUPPORT

For service, support or additional information,  
please contact the BEHRINGER location nearest you.

**BEHRINGER Australia**  
BEHRINGER Australia Pty Limited  
Suite 3, 60-64 Railway Road  
Blackburn, Victoria, 3130  
Tel.: +61 3 9877 7170  
Fax: +61 3 9877 7870

**BEHRINGER Germany**  
BEHRINGER International GmbH  
Hanns-Martin-Schleyer-Str. 36-38  
47877 Willich  
Tel.: +49 2154 9206 4149  
Fax: +49 2154 9206 4199

**BEHRINGER Japan**  
BEHRINGER Japan K.K.  
Matsushita Building, 8F  
Kanda-Ogawa Machi 3-3-2  
Chiyoda-ku, Tokyo 101-0052  
Tel.: +81 3 5281 1180  
Fax: +81 3 5281 1181

**BEHRINGER Singapore**  
BEHRINGER Holdings (Pte) Ltd  
1 Kim Seng Promenade #08-08  
Great World City West Tower  
Singapore 237994  
Tel.: +65 6845 1800  
Fax: +65 6214 0275

**BEHRINGER USA**  
**BEHRINGER CANADA**  
BEHRINGER USA Inc.  
18912 North Creek Parkway Suite 200  
Bothell, WA 98011  
Tel.: +1 425 672 0816  
Fax: +1 425 673 7647

Your BEHRINGER dealer